



Source no. 1
 HGBS-J032304.4+303444



Physical properties of the source



$$T = 16.85^{+0.05}_{-0.31} \text{ K}$$

$$M = (9.35 \pm 0.13) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 43'' \\ 39'' \\ 5.67 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.89 M_{\odot}$$

Source no. 2
 HGBS-J032321.2+301858



Physical properties of the source



$$T = 9.8^{+1.3}_{-1.1} \text{ K}$$

$$M = (1.18^{+0.86}_{-0.48}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 27''.7 \\ 20''.9 \\ 3.04 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.85) \cdot 10^{-1} M_{\odot}$$

Source no. 3
 HGBS-J032333.1+302949



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (9.0^{+7.2}_{-3.5}) \cdot 10^{-3} M_{\odot}$$

$$R = \begin{cases} 18''2 \\ \text{; } 6''1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (1.83) \cdot 10^{-1} M_{\odot}$$

Source no. 4
 HGBS-J032338.4+301943



Physical properties of the source



$$T = 8.3^{+1.5}_{-1.1} \text{ K}$$

$$M = (2.4^{+2.7}_{-1.3}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 20''.8 \\ 10''.1 \\ 1.46 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (2.41) \cdot 10^{-1} M_{\odot}$$

Source no. 5
 HGBS-J032338.8+304152



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (2.34^{+0.85}_{-0.53}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 41''0 \\ 36''7 \\ 5.34 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.10 M_{\odot}$$

Source no. 6
 HGBS-J032342.0+303758



Physical properties of the source



$$T = 16.0^{+0.2}_{-1.4} \text{ K}$$

$$M = (2.9^{+1.1}_{-0.3}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 25''.4 \\ 17''.7 \\ 2.58 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.13) \cdot 10^{-1} M_{\odot}$$

Source no. 7
 HGBS-J032342.2+302025



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (1.64^{+0.59}_{-0.37}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 41''.4 \\ 37''.2 \\ 5.41 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.11 M_{\odot}$$

Source no. 8
 HGBS-J032346.6+303930



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (5.0^{+1.8}_{-1.1}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 72''9 \\ 70''6 \\ 1.03 \cdot 10^{-1} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 2.12 M_{\odot}$$

Source no. 9
 HGBS-J032352.0+310223



Physical properties of the source



$$T = 10.8^{+1.0}_{-0.9} \text{ K}$$

$$M = (1.32^{+0.58}_{-0.41}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 30''/3 \\ 24''/2 \\ 3.52 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.50) \cdot 10^{-1} M_{\odot}$$

Source no. 10
 HGBS-J032353.0+301959



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (1.16^{+0.61}_{-0.34}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 35''6 \\ 30''6 \\ 4.45 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (9.17) \cdot 10^{-1} M_{\odot}$$

Source no. 11
 HGBS-J032354.9+303704



Physical properties of the source



$$T = 16.2^{+3.0}_{-3.9} \text{ K}$$

$$M = (2.3^{+3.3}_{-1.0}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 24''6 \\ 16''6 \\ 2.41 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.70) \cdot 10^{-1} M_{\odot}$$

Source no. 12
 HGBS-J032400.3+301654



Physical properties of the source



$$T = 19.70^{+0.41}_{-0.53} \text{ K}$$

$$M = (1.07 \pm 0.16) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 25''/8 \\ 18''/3 \\ 2.66 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.03 M_{\odot}$$

Source no. 13
 HGBS-J032410.5+301412



Physical properties of the source



$$T = 11.1^{+2.0}_{-1.7} \text{ K}$$

$$M = (6.9^{+7.6}_{-3.5}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 29''/8 \\ 23''/6 \\ 3.43 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.54) \cdot 10^{-1} M_{\odot}$$

Source no. 14
 HGBS-J032411.7+310841



Physical properties of the source



$$T = 12.43^{+0.16}_{-0.15} \text{ K}$$

$$M = (2.51 \pm 0.12) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 35''7 \\ 30''7 \\ 4.47 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.10 M_{\odot}$$

Source no. 15
 HGBS-J032417.1+303649



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (2.51^{+0.91}_{-0.57}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 39''1 \\ 34''6 \\ 5.03 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.04 M_{\odot}$$

Source no. 16
 HGBS-J032421.0+302910



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (2.74^{+0.99}_{-0.62}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 50''/3 \\ 46''/9 \\ 6.82 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.41 M_{\odot}$$

Source no. 17
 HGBS-J032421.2+302710



Physical properties of the source



$$T = 8.61^{+0.83}_{-0.71} \text{ K}$$

$$M = (2.6^{+1.4}_{-1.0}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 30''.5 \\ 24''.5 \\ 3.56 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.05) \cdot 10^{-1} M_{\odot}$$

Source no. 18
 HGBS-J032422.3+302155



Physical properties of the source



$$T = 9.92^{+0.28}_{-0.27} \text{ K}$$

$$M = (8.45^{+0.99}_{-0.88}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 41''6 \\ 37''4 \\ 5.44 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.07 M_{\odot}$$

Source no. 19
 HGBS-J032426.7+302322



Physical properties of the source



$$T = 10.09 \pm 0.05 \text{ K}$$

$$M = 2.160 \pm 0.060 M_{\odot}$$

$$R = \begin{cases} 36''.4 \\ 31''.5 \\ 4.58 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (9.14) \cdot 10^{-1} M_{\odot}$$

Source no. 20
 HGBS-J032432.2+304010



Physical properties of the source



$$T = 11.11^{+0.18}_{-0.17} \text{ K}$$

$$M = (8.57^{+0.53}_{-0.52}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 40''.3 \\ 36''.0 \\ 5.23 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.15 M_{\odot}$$

Source no. 21
 HGBS-J032432.4+302321



Physical properties of the source



$$T = 10.41 \pm 0.10 \text{ K}$$

$$M = (2.65 \pm 0.16) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 21''4 \\ 11''3 \\ 1.64 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.37) \cdot 10^{-1} M_{\odot}$$

Source no. 22
 HGBS-J032433.5+302722



Physical properties of the source



$$T = 9.89^{+0.28}_{-0.27} \text{ K}$$

$$M = (4.83^{+0.63}_{-0.56}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 28''/8 \\ 22''/3 \\ 3.25 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.34) \cdot 10^{-1} M_{\odot}$$

Source no. 23
 HGBS-J032435.7+310909



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (5.8^{+3.1}_{-1.7}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 24''8 \\ 16''8 \\ 2.45 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.05) \cdot 10^{-1} M_{\odot}$$

Source no. 24
 HGBS-J032435.8+302210



Physical properties of the source



$$T = 8.90 \pm 0.26 \text{ K}$$

$$M = (7.5^{+1.1}_{-0.9}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 27''8 \\ 21''0 \\ 3.06 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.37) \cdot 10^{-1} M_{\odot}$$

Source no. 25
 HGBS-J032438.4+302114



Physical properties of the source



$$T = 8.03^{+0.43}_{-0.61} \text{ K}$$

$$M = (5.9^{+2.8}_{-1.5}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 25''9 \\ 18''4 \\ 2.68 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.25) \cdot 10^{-1} M_{\odot}$$

Source no. 26
 HGBS-J032440.5+302500



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (9.9^{+5.3}_{-3.0}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 19''.9 \\ 8''.05 \\ 1.17 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (2.41) \cdot 10^{-1} M_{\odot}$$

Source no. 27
 HGBS-J032441.0+303652



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (5.3^{+2.9}_{-1.6}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 21''3 \\ 11''1 \\ 1.61 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.32) \cdot 10^{-1} M_{\odot}$$

Source no. 28
 HGBS-J032444.3+302100



Physical properties of the source



$$T = 9.6^{+1.6}_{-1.1} \text{ K}$$

$$M = (1.3^{+1.2}_{-0.7}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 33''.2 \\ 27''.8 \\ 4.04 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.63) \cdot 10^{-1} M_{\odot}$$

Source no. 29
 HGBS-J032444.8+302219



Physical properties of the source



$$T = 9.56^{+0.34}_{-0.83} \text{ K}$$

$$M = (1.7^{+1.2}_{-0.5}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 21''9 \\ 12''2 \\ 1.77 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.35) \cdot 10^{-1} M_{\odot}$$

Source no. 30
 HGBS-J032444.9+302335



Physical properties of the source



$$T = 11.19^{+0.27}_{-0.25} \text{ K}$$

$$M = (3.65 \pm 0.53) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 40''/8 \\ 36''/5 \\ 5.31 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.17 M_{\odot}$$

Source no. 31
 HGBS-J032445.1+304229



Physical properties of the source



$$T = 11.06^{+0.30}_{-0.28} \text{ K}$$

$$M = (5.85^{+0.59}_{-0.55}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 40''/8 \\ 36''/5 \\ 5.31 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.16 M_{\odot}$$

Source no. 32
 HGBS-J032448.7+302241



Physical properties of the source



$$T = 8.98^{+0.71}_{-0.68} \text{ K}$$

$$M = (4.0^{+1.6}_{-1.2}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 31''3 \\ 25''5 \\ 3.70 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.57) \cdot 10^{-1} M_{\odot}$$

Source no. 33
 HGBS-J032449.7+303949



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (1.37^{+0.49}_{-0.31}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 28''0 \\ 21''3 \\ 3.09 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.38) \cdot 10^{-1} M_{\odot}$$

Source no. 34
 HGBS-J032451.2+304308



Physical properties of the source



$$T = 9.55^{+0.41}_{-0.38} \text{ K}$$

$$M = (3.51^{+0.78}_{-0.64}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 27''.5 \\ 20''.6 \\ 3.00 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.66) \cdot 10^{-1} M_{\odot}$$

Source no. 35
 HGBS-J032456.2+301922



Physical properties of the source



$$T = 15.8_{-1.9}^{+2.9} \text{ K}$$

$$M = (3.0_{-1.4}^{+1.9}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 28''_5 \\ 21''_9 \\ 3.19 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (9.92) \cdot 10^{-1} M_{\odot}$$

Source no. 36
 HGBS-J032456.2+304421



Physical properties of the source



$$T = 11.60^{+0.21}_{-0.20} \text{ K}$$

$$M = (1.31 \pm 0.13) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 20''.2 \\ 8''.76 \\ 1.27 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (2.92) \cdot 10^{-1} M_{\odot}$$

Source no. 37
 HGBS-J032459.2+304357



Physical properties of the source



$$T = 8.56^{+0.28}_{-0.27} \text{ K}$$

$$M = (6.2^{+1.2}_{-1.0}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 25''6 \\ 18''0 \\ 2.62 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.43) \cdot 10^{-1} M_{\odot}$$

Source no. 38
 HGBS-J032459.4+302339



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (4.3^{+1.6}_{-1.0}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 24''.4 \\ 16''.3 \\ 2.36 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.87) \cdot 10^{-1} M_{\odot}$$

Source no. 39
 HGBS-J032500.0+302133



Physical properties of the source



$$T = 9.61^{+0.34}_{-0.32} \text{ K}$$

$$M = (3.55^{+0.59}_{-0.52}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 27''.8 \\ 21''.0 \\ 3.06 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.80) \cdot 10^{-1} M_{\odot}$$

Source no. 40
 HGBS-J032501.3+304050



Physical properties of the source



$$T = 10.62^{+0.17}_{-0.16} \text{ K}$$

$$M = (3.43 \pm 0.40) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 33''/3 \\ 27''/9 \\ 4.06 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.51) \cdot 10^{-1} M_{\odot}$$

Source no. 41
 HGBS-J032501.7+303159



Physical properties of the source



$$T = 8.54^{+0.60}_{-0.56} \text{ K}$$

$$M = (6.8^{+2.3}_{-1.7}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 35''6 \\ 30''6 \\ 4.45 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.51) \cdot 10^{-1} M_{\odot}$$

Source no. 42
 HGBS-J032504.3+301823



Physical properties of the source



$$T = 12.96^{+0.19}_{-0.18} \text{ K}$$

$$M = (3.78 \pm 0.55) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 41''/3 \\ 37''/1 \\ 5.39 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.38 M_{\odot}$$

Source no. 43
 HGBS-J032504.5+301509



Physical properties of the source



$$T = 10.9^{+0.3}_{-1.0} \text{ K}$$

$$M = (1.24^{+0.66}_{-0.20}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 30''0 \\ 23''8 \\ 3.47 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.45) \cdot 10^{-1} M_{\odot}$$

Source no. 44
 HGBS-J032505.2+304416



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (3.7^{+1.4}_{-0.9}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 19''.1 \\ \pm 6''.1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (1.83) \cdot 10^{-1} M_{\odot}$$

Source no. 45
 HGBS-J032506.6+303239



Physical properties of the source



$$T = 11.27^{+0.34}_{-0.32} \text{ K}$$

$$M = (3.80^{+0.47}_{-0.43}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 43''/8 \\ 39''/8 \\ 5.79 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.29 M_{\odot}$$

Source no. 46
 HGBS-J032506.7+310651



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (2.9^{+2.4}_{-1.1}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 19''.4 \\ 6''.72 \\ 9.77 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (2.01) \cdot 10^{-1} M_{\odot}$$

Source no. 47
 HGBS-J032508.5+304645



Physical properties of the source



$$T = 15.21^{+0.13}_{-0.14} \text{ K}$$

$$M = (6.16 \pm 0.45) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 20''/8 \\ 10''/1 \\ 1.46 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.40) \cdot 10^{-1} M_{\odot}$$

Source no. 48
 HGBS-J032509.5+304620



Physical properties of the source



$$T = 30.58 \pm 0.01 \text{ K}$$

$$M = (4.625 \pm 0.040) \cdot 10^{-3} M_{\odot}$$

$$R = \begin{cases} 19''.3 \\ 6''.42 \\ 9.34 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.64) \cdot 10^{-1} M_{\odot}$$

Source no. 49
 HGBS-J032510.2+302355



Physical properties of the source



$$T = 7.32 \pm 0.05 \text{ K}$$

$$M = 3.61^{+0.12}_{-0.11} M_{\odot}$$

$$R = \begin{cases} 21''.8 \\ 12''.0 \\ 1.75 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (2.52) \cdot 10^{-1} M_{\odot}$$

Source no. 50
 HGBS-J032511.1+304439



Physical properties of the source



$$T = 7.84^{+0.15}_{-0.13} \text{ K}$$

$$M = 2.43 \pm 0.44 M_{\odot}$$

$$R = \begin{cases} 34''/8 \\ 29''/7 \\ 4.31 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.68) \cdot 10^{-1} M_{\odot}$$

Source no. 51
 HGBS-J032511.9+304102



Physical properties of the source



$$T = 12.02 \pm 0.14 \text{ K}$$

$$M = (3.01 \pm 0.22) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 31''.5 \\ 25''.7 \\ 3.74 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.88) \cdot 10^{-1} M_{\odot}$$

Source no. 52
 HGBS-J032516.3+301404



Physical properties of the source



$$T = 9.1^{+1.2}_{-1.0} \text{ K}$$

$$M = (1.9^{+1.4}_{-0.8}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 24''0 \\ 15''6 \\ 2.28 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.07) \cdot 10^{-1} M_{\odot}$$

Source no. 53
 HGBS-J032516.9+304246



Physical properties of the source



$$T = 10.80^{+0.27}_{-0.26} \text{ K}$$

$$M = (4.22 \pm 0.61) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 26''6 \\ 19''4 \\ 2.82 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.02) \cdot 10^{-1} M_{\odot}$$

Source no. 54
 HGBS-J032517.8+301857



Physical properties of the source



$$T = 9.97 \pm 0.04 \text{ K}$$

$$M = 1.979 \pm 0.094 M_{\odot}$$

$$R = \begin{cases} 35''.9 \\ 30''.9 \\ 4.50 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.86) \cdot 10^{-1} M_{\odot}$$

Source no. 55
 HGBS-J032522.3+304512



Physical properties of the source



$$T = 18.14 \pm 0.09 \text{ K}$$

$$M = 1.105^{+0.027}_{-0.026} M_{\odot}$$

$$R = \begin{cases} 18''.6 \\ \text{; } 6''.1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (3.18) \cdot 10^{-1} M_{\odot}$$

Source no. 56
 HGBS-J032524.1+301315



Physical properties of the source



$$T = 8.90^{+0.51}_{-0.47} \text{ K}$$

$$M = (5.2^{+1.6}_{-1.2}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 25''5 \\ 17''9 \\ 2.60 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.57) \cdot 10^{-1} M_{\odot}$$

Source no. 57
 HGBS-J032525.9+312432



Physical properties of the source



$$T = 16.79^{+0.09}_{-0.88} \text{ K}$$

$$M = (3.78^{+0.74}_{-0.23}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 30''/8 \\ 24''/8 \\ 3.61 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.20 M_{\odot}$$

Source no. 58
 HGBS-J032526.4+302157



Physical properties of the source



$$T = 9.49 \pm 0.02 \text{ K}$$

$$M = 3.69 \pm 0.17 M_{\odot}$$

$$R = \begin{cases} 51''1 \\ 47''7 \\ 6.94 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.30 M_{\odot}$$

Source no. 59
 HGBS-J032528.5+302141



Physical properties of the source



$$T = 7.30 \pm 0.10 \text{ K}$$

$$M = 3.00 \pm 0.22 M_{\odot}$$

$$R = \begin{cases} 29''3 \\ 23''0 \\ 3.34 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.82) \cdot 10^{-1} M_{\odot}$$

Source no. 60
 HGBS-J032529.2+303108



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (4.6^{+2.5}_{-1.4}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 25''.3 \\ 17''.6 \\ 2.56 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.27) \cdot 10^{-1} M_{\odot}$$

Source no. 61
 HGBS-J032531.8+302217



Physical properties of the source



$$T = 9.51 \pm 0.07 \text{ K}$$

$$M = 2.89 \pm 0.14 M_{\odot}$$

$$R = \begin{cases} 36''.9 \\ 32''.1 \\ 4.67 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.77) \cdot 10^{-1} M_{\odot}$$

Source no. 62
 HGBS-J032532.8+300829



Physical properties of the source



$$T = 13.05^{+0.39}_{-0.36} \text{ K}$$

$$M = (6.91 \pm 0.10) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 22''.5 \\ 13''.2 \\ 1.92 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.96) \cdot 10^{-1} M_{\odot}$$

Source no. 63
 HGBS-J032532.9+301700



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (5.4^{+2.9}_{-1.6}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 24''6 \\ 16''6 \\ 2.41 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.96) \cdot 10^{-1} M_{\odot}$$

Source no. 64
 HGBS-J032533.0+301100



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (6.7^{+3.6}_{-2.0}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 21''.8 \\ 12''.0 \\ 1.75 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.60) \cdot 10^{-1} M_{\odot}$$

Source no. 65
 HGBS-J032533.2+303635



Physical properties of the source



$$T = 10.52 \pm 0.20 \text{ K}$$

$$M = (4.82^{+0.38}_{-0.35}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 24''/3 \\ 16''/1 \\ 2.34 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.87) \cdot 10^{-1} M_{\odot}$$

Source no. 66
 HGBS-J032534.8+300733



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (6.3^{+3.4}_{-1.9}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 22''3 \\ 12''9 \\ 1.87 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.86) \cdot 10^{-1} M_{\odot}$$

Source no. 67
 HGBS-J032535.1+301313



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (3.4^{+1.2}_{-0.8}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 18''.2 \\ \pm 6''.1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (1.83) \cdot 10^{-1} M_{\odot}$$

Source no. 68
 HGBS-J032535.6+304534



Physical properties of the source



$$T = 15.14 \pm 0.11 \text{ K}$$

$$M = 2.40 \pm 0.10 M_{\odot}$$

$$R = \begin{cases} 18''.7 \\ \text{; } 6''.1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (2.65) \cdot 10^{-1} M_{\odot}$$

Source no. 69
 HGBS-J032536.4+304519



Physical properties of the source



$$T = 16.77 \pm 0.06 \text{ K}$$

$$M = 3.778^{+0.073}_{-0.071} M_{\odot}$$

$$R = \begin{cases} 24''.5 \\ 16''.4 \\ 2.39 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.90) \cdot 10^{-1} M_{\odot}$$

Source no. 70
 HGBS-J032538.0+300636



Physical properties of the source



$$T = 10.76^{+0.11}_{-0.12} \text{ K}$$

$$M = (4.04 \pm 0.21) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 26''3 \\ 19''0 \\ 2.76 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.87) \cdot 10^{-1} M_{\odot}$$

Source no. 71
 HGBS-J032538.1+303657



Physical properties of the source



$$T = 13.23^{+0.26}_{-0.25} \text{ K}$$

$$M = (2.30 \pm 0.17) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 40''/2 \\ 35''/8 \\ 5.21 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.36 M_{\odot}$$

Source no. 72
 HGBS-J032538.5+301011



Physical properties of the source



$$T = 11.33^{+0.66}_{-0.59} \text{ K}$$

$$M = (5.2^{+1.3}_{-1.1}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 30''.5 \\ 24''.5 \\ 3.56 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.97) \cdot 10^{-1} M_{\odot}$$

Source no. 73
 HGBS-J032538.7+303139



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (1.00^{+0.36}_{-0.22}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 29''.1 \\ 22''.7 \\ 3.30 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.80) \cdot 10^{-1} M_{\odot}$$

Source no. 74
 HGBS-J032538.8+304404



Physical properties of the source



$$T = 20.75 \pm 0.13 \text{ K}$$

$$M = 1.546^{+0.043}_{-0.041} M_{\odot}$$

$$R = \begin{cases} 22''.2 \\ 12''.7 \\ 1.85 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.58) \cdot 10^{-1} M_{\odot}$$

Source no. 75
 HGBS-J032539.0+303917



Physical properties of the source



$$T = 11.58 \pm 0.12 \text{ K}$$

$$M = (2.14 \pm 0.18) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 27''1 \\ 20''1 \\ 2.92 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.68) \cdot 10^{-1} M_{\odot}$$

Source no. 76
 HGBS-J032539.5+300311



Physical properties of the source



$$T = 10.9 \pm 2.0 \text{ K}$$

$$M = (5.7^{+9.0}_{-3.2}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 25''9 \\ 18''4 \\ 2.68 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.79) \cdot 10^{-1} M_{\odot}$$

Source no. 77
 HGBS-J032539.6+301210



Physical properties of the source



$$T = 9.67^{+0.54}_{-0.48} \text{ K}$$

$$M = (2.33^{+0.74}_{-0.58}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 27''.6 \\ 20''.7 \\ 3.02 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.76) \cdot 10^{-1} M_{\odot}$$

Source no. 78
 HGBS-J032541.5+304039



Physical properties of the source



$$T = 9.13^{+0.85}_{-0.73} \text{ K}$$

$$M = (2.3^{+1.2}_{-0.8}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 21''4 \\ 11''3 \\ 1.64 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (2.95) \cdot 10^{-1} M_{\odot}$$

Source no. 79
 HGBS-J032543.4+302530



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (6.1^{+3.3}_{-1.8}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 19''.9 \\ 8''.05 \\ 1.17 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (2.41) \cdot 10^{-1} M_{\odot}$$

Source no. 80
 HGBS-J032544.9+300702



Physical properties of the source



$$T = 9.86^{+0.41}_{-0.38} \text{ K}$$

$$M = (1.96^{+0.38}_{-0.32}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 33''.0 \\ 27''.5 \\ 4.00 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.80) \cdot 10^{-1} M_{\odot}$$

Source no. 81
 HGBS-J032545.1+300518



Physical properties of the source



$$T = 9.08^{+0.41}_{-0.42} \text{ K}$$

$$M = (5.9^{+1.3}_{-1.1}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 27''.9 \\ 21''.1 \\ 3.08 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.52) \cdot 10^{-1} M_{\odot}$$

Source no. 82
 HGBS-J032545.5+311736



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (1.12^{+0.59}_{-0.33}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 25''.4 \\ 17''.7 \\ 2.58 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.31) \cdot 10^{-1} M_{\odot}$$

Source no. 83
 HGBS-J032548.6+300556



Physical properties of the source



$$T = 10.69^{+0.41}_{-0.37} \text{ K}$$

$$M = (2.07^{+0.35}_{-0.31}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 27''5 \\ 20''6 \\ 3.00 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.33) \cdot 10^{-1} M_{\odot}$$

Source no. 84
 HGBS-J032548.9+304226



Physical properties of the source



$$T = 8.54 \pm 0.04 \text{ K}$$

$$M = 5.06 \pm 0.37 M_{\odot}$$

$$R = \begin{cases} 30''0 \\ 23''8 \\ 3.47 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.85) \cdot 10^{-1} M_{\odot}$$

Source no. 85
 HGBS-J032549.8+311022



Physical properties of the source



$$T = 16.2^{+1.0}_{-0.9} \text{ K}$$

$$M = (2.21^{+0.54}_{-0.47}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 18''.2 \\ \text{; } 6''.1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (2.84) \cdot 10^{-1} M_{\odot}$$

Source no. 86
 HGBS-J032550.9+304200



Physical properties of the source



$$T = 8.16^{+0.02}_{-0.03} \text{ K}$$

$$M = 6.80 \pm 0.32 M_{\odot}$$

$$R = \begin{cases} 29''.2 \\ 22''.8 \\ 3.32 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.35) \cdot 10^{-1} M_{\odot}$$

Source no. 87
 HGBS-J032551.0+304523



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (7.2^{+2.6}_{-1.7}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 25''4 \\ 17''7 \\ 2.58 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.31) \cdot 10^{-1} M_{\odot}$$

Source no. 88
 HGBS-J032551.2+303216



Physical properties of the source



$$T = 15.28^{+0.42}_{-0.40} \text{ K}$$

$$M = (1.35 \pm 0.14) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 61''0 \\ 58''2 \\ 8.47 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 2.56 M_{\odot}$$

Source no. 89
 HGBS-J032552.8+311721



Physical properties of the source



$$T = 12.70 \pm 0.20 \text{ K}$$

$$M = (2.16 \pm 0.14) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 30''7 \\ 24''7 \\ 3.60 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (9.02) \cdot 10^{-1} M_{\odot}$$

Source no. 90
 HGBS-J032553.4+300048



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (3.6^{+1.3}_{-0.8}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 51''0 \\ 47''6 \\ 6.93 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.43 M_{\odot}$$

Source no. 91
 HGBS-J032555.5+304010



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (8.4^{+3.1}_{-1.9}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 20''9 \\ 10''3 \\ 1.49 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.08) \cdot 10^{-1} M_{\odot}$$

Source no. 92
 HGBS-J032555.5+300543



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (1.49^{+0.54}_{-0.34}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 25''.2 \\ 17''.4 \\ 2.54 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.22) \cdot 10^{-1} M_{\odot}$$

Source no. 93
 HGBS-J032556.3+304114



Physical properties of the source



$$T = 13.24^{+0.10}_{-0.09} \text{ K}$$

$$M = (8.68 \pm 0.36) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 43'' \\ 39'' \\ 5.67 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.48 M_{\odot}$$

Source no. 94
 HGBS-J032558.4+303759



Physical properties of the source



$$T = 10.58 \pm 0.17 \text{ K}$$

$$M = (5.46 \pm 0.49) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 32''2 \\ 26''6 \\ 3.86 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.07) \cdot 10^{-1} M_{\odot}$$

Source no. 95
 HGBS-J032559.5+303714



Physical properties of the source



$$T = 8.53^{+0.09}_{-0.10} \text{ K}$$

$$M = 1.335 \pm 0.097 M_{\odot}$$

$$R = \begin{cases} 25''.7 \\ 18''.1 \\ 2.64 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.45) \cdot 10^{-1} M_{\odot}$$

Source no. 96
 HGBS-J032601.5+300712



Physical properties of the source



$$T = 8.25^{+0.18}_{-0.16} \text{ K}$$

$$M = (6.35 \pm 0.60) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 27''.6 \\ 20''.7 \\ 3.02 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.92) \cdot 10^{-1} M_{\odot}$$

Source no. 97
 HGBS-J032601.6+301255



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (7.0^{+3.7}_{-2.1}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 22''6 \\ 13''4 \\ 1.95 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.01) \cdot 10^{-1} M_{\odot}$$

Source no. 98
 HGBS-J032603.4+303245



Physical properties of the source



$$T = 10.7^{+1.0}_{-0.9} \text{ K}$$

$$M = (1.21^{+0.55}_{-0.39}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 24''0 \\ 15''6 \\ 2.28 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.81) \cdot 10^{-1} M_{\odot}$$

Source no. 99
 HGBS-J032605.2+302458



Physical properties of the source



$$T = 10.93 \pm 0.10 \text{ K}$$

$$M = (5.44 \pm 0.31) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 47''.1 \\ 43''.4 \\ 6.32 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.36 M_{\odot}$$

Source no. 100
 HGBS-J032606.8+302741



Physical properties of the source



$$T = 10.04^{+0.65}_{-0.60} \text{ K}$$

$$M = (2.48^{+0.78}_{-0.58}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 31''.7 \\ 26''.0 \\ 3.77 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.49) \cdot 10^{-1} M_{\odot}$$

Source no. 101
 HGBS-J032607.4+313834



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (1.10^{+0.58}_{-0.32}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 28''.6 \\ 22''.1 \\ 3.21 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.61) \cdot 10^{-1} M_{\odot}$$

Source no. 102
 HGBS-J032607.5+303641



Physical properties of the source



$$T = 11.2^{+1.5}_{-1.2} \text{ K}$$

$$M = (2.0^{+1.3}_{-0.8}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 34''6 \\ 29''4 \\ 4.28 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (9.49) \cdot 10^{-1} M_{\odot}$$

Source no. 103
 HGBS-J032608.6+302205



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (1.55^{+0.56}_{-0.35}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 26''.9 \\ 19''.8 \\ 2.88 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.94) \cdot 10^{-1} M_{\odot}$$

Source no. 104
 HGBS-J032609.1+303210



Physical properties of the source



$$T = 8.41^{+0.36}_{-0.34} \text{ K}$$

$$M = (5.2^{+1.3}_{-1.0}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 21''0 \\ 10''5 \\ 1.52 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (2.53) \cdot 10^{-1} M_{\odot}$$

Source no. 105
 HGBS-J032609.9+302338



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (1.13^{+0.41}_{-0.26}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 28''.1 \\ 21''.4 \\ 3.11 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.42) \cdot 10^{-1} M_{\odot}$$

Source no. 106
 HGBS-J032610.1+312545



Physical properties of the source



$$T = 14.12 \pm 0.22 \text{ K}$$

$$M = (1.84 \pm 0.17) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 47''7 \\ 44''1 \\ 6.41 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.79 M_{\odot}$$

Source no. 107
 HGBS-J032610.7+313945



Physical properties of the source



$$T = 13.84^{+0.66}_{-0.58} \text{ K}$$

$$M = (9.4^{+1.8}_{-1.6}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 39''6 \\ 35''2 \\ 5.12 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.40 M_{\odot}$$

Source no. 108
 HGBS-J032611.3+303138



Physical properties of the source



$$T = 8.21^{+0.24}_{-0.22} \text{ K}$$

$$M = 1.05^{+0.15}_{-0.13} M_{\odot}$$

$$R = \begin{cases} 25''6 \\ 18''0 \\ 2.62 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.25) \cdot 10^{-1} M_{\odot}$$

Source no. 109
 HGBS-J032613.8+304625



Physical properties of the source



$$T = 12.30^{+0.67}_{-0.60} \text{ K}$$

$$M = (1.52^{+0.31}_{-0.27}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 29''/8 \\ 23''/6 \\ 3.43 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.34) \cdot 10^{-1} M_{\odot}$$

Source no. 110
 HGBS-J032618.0+300236



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (2.31^{+0.84}_{-0.53}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 40''6 \\ 36''3 \\ 5.28 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.09 M_{\odot}$$

Source no. 111
 HGBS-J032620.0+302515



Physical properties of the source



$$T = 9.8^{+1.1}_{-0.9} \text{ K}$$

$$M = (1.71^{+0.98}_{-0.63}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 27''.4 \\ 20''.5 \\ 2.98 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.75) \cdot 10^{-1} M_{\odot}$$

Source no. 112
 HGBS-J032620.0+303042



Physical properties of the source



$$T = 9.18^{+0.33}_{-0.31} \text{ K}$$

$$M = (6.5^{+1.1}_{-0.9}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 34''.8 \\ 29''.7 \\ 4.31 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.82) \cdot 10^{-1} M_{\odot}$$

Source no. 113
 HGBS-J032624.5+302150



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (9.1^{+3.3}_{-2.1}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 26''.4 \\ 19''.1 \\ 2.78 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.73) \cdot 10^{-1} M_{\odot}$$

Source no. 114
 HGBS-J032627.7+302628



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (9.3^{+3.4}_{-2.2}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 27''/2 \\ 20''/2 \\ 2.94 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.06) \cdot 10^{-1} M_{\odot}$$

Source no. 115
 HGBS-J032628.4+311205



Physical properties of the source



$$T = 12.3^{+1.4}_{-1.1} \text{ K}$$

$$M = (4.5^{+2.5}_{-1.7}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 18''.2 \\ \text{; } 6''.1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (2.15) \cdot 10^{-1} M_{\odot}$$

Source no. 116
 HGBS-J032630.1+303156



Physical properties of the source



$$T = 10.20^{+0.14}_{-0.13} \text{ K}$$

$$M = (3.23 \pm 0.47) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 25''1 \\ 17''3 \\ 2.51 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.07) \cdot 10^{-1} M_{\odot}$$

Source no. 117
 HGBS-J032631.0+303228



Physical properties of the source



$$T = 11.63^{+0.22}_{-0.21} \text{ K}$$

$$M = (3.20 \pm 0.37) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 33''6 \\ 28''2 \\ 4.11 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (9.44) \cdot 10^{-1} M_{\odot}$$

Source no. 118
 HGBS-J032631.1+301410



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (4.3^{+1.6}_{-1.0}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 25''.1 \\ 17''.3 \\ 2.51 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.18) \cdot 10^{-1} M_{\odot}$$

Source no. 119
 HGBS-J032633.1+301024



Physical properties of the source



$$T = 12.00^{+0.88}_{-0.77} \text{ K}$$

$$M = (9.3^{+2.8}_{-2.2}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 29''0 \\ 22''6 \\ 3.28 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.78) \cdot 10^{-1} M_{\odot}$$

Source no. 120
 HGBS-J032635.0+301331



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (7.6^{+4.0}_{-2.3}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 24''.7 \\ 16''.7 \\ 2.43 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.00) \cdot 10^{-1} M_{\odot}$$

Source no. 121
 HGBS-J032635.5+300854



Physical properties of the source



$$T = 9.51^{+0.83}_{-0.71} \text{ K}$$

$$M = (1.96^{+0.85}_{-0.62}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 29''.3 \\ 23''.0 \\ 3.34 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.27) \cdot 10^{-1} M_{\odot}$$

Source no. 122
 HGBS-J032636.1+304212



Physical properties of the source



$$T = 11.1^{+1.3}_{-1.0} \text{ K}$$

$$M = (1.40^{+0.71}_{-0.49}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 40''/4 \\ 36''/1 \\ 5.25 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.15 M_{\odot}$$

Source no. 123
 HGBS-J032636.5+313002



Physical properties of the source



$$T = 11.50^{+0.30}_{-0.29} \text{ K}$$

$$M = (3.05 \pm 0.74) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 40''.7 \\ 36''.4 \\ 5.29 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.20 M_{\odot}$$

Source no. 124
 HGBS-J032637.4+301527



Physical properties of the source



$$T = 14.08^{+0.01}_{-0.02} \text{ K}$$

$$M = (7.836^{+0.065}_{-0.032}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 19''.8 \\ 7''.80 \\ 1.13 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.15) \cdot 10^{-1} M_{\odot}$$

Source no. 125
 HGBS-J032639.4+312448



Physical properties of the source



$$T = 15.24 \pm 0.36 \text{ K}$$

$$M = (5.86^{+0.57}_{-0.50}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 29''8 \\ 23''6 \\ 3.43 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.03 M_{\odot}$$

Source no. 126
 HGBS-J032644.0+312736



Physical properties of the source



$$T = 8.9^{+1.2}_{-0.9} \text{ K}$$

$$M = (3.0^{+2.3}_{-1.4}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 30''.4 \\ 24''.3 \\ 3.54 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.25) \cdot 10^{-1} M_{\odot}$$

Source no. 127
 HGBS-J032651.2+312929



Physical properties of the source



$$T = 10.40 \pm 0.23 \text{ K}$$

$$M = (2.14^{+0.23}_{-0.20}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 23''7 \\ 15''2 \\ 2.21 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.54) \cdot 10^{-1} M_{\odot}$$

Source no. 128
 HGBS-J032651.3+312003



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (3.0^{+1.1}_{-0.7}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 62''_0 \\ 59''_3 \\ 8.62 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.78 M_{\odot}$$

Source no. 129
 HGBS-J032655.3+312948



Physical properties of the source



$$T = 13.15^{+0.26}_{-0.24} \text{ K}$$

$$M = (1.61 \pm 0.22) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 41''5 \\ 37''3 \\ 5.42 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.41 M_{\odot}$$

Source no. 130
 HGBS-J032702.7+301522



Physical properties of the source



$$T = 9.81^{+0.04}_{-0.05} \text{ K}$$

$$M = 1.188 \pm 0.042 M_{\odot}$$

$$R = \begin{cases} 31''6 \\ 25''8 \\ 3.76 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.28) \cdot 10^{-1} M_{\odot}$$

Source no. 131
 HGBS-J032702.8+313104



Physical properties of the source



$$T = 12.49 \pm 0.15 \text{ K}$$

$$M = (5.08 \pm 0.31) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 47''.4 \\ 43''.8 \\ 6.37 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.57 M_{\odot}$$

Source no. 132
 HGBS-J032704.3+311543



Physical properties of the source



$$T = 13.22 \pm 0.21 \text{ K}$$

$$M = (3.21 \pm 0.23) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 36''.7 \\ 31''.9 \\ 4.64 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.21 M_{\odot}$$

Source no. 133
 HGBS-J032705.4+312738



Physical properties of the source



$$T = 10.87^{+0.45}_{-0.43} \text{ K}$$

$$M = (3.24^{+0.57}_{-0.47}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 39''/4 \\ 34''/9 \\ 5.08 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.09 M_{\odot}$$

Source no. 134
 HGBS-J032707.4+295746



Physical properties of the source



$$T = 16.8^{+0.1}_{-1.1} \text{ K}$$

$$M = (3.03^{+0.73}_{-0.16}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 31''/3 \\ 25''/5 \\ 3.70 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.23 M_{\odot}$$

Source no. 135
 HGBS-J032708.5+300235



Physical properties of the source



$$T = 10.8^{+2.2}_{-1.9} \text{ K}$$

$$M = (7^{+12}_{-4}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 22''/9 \\ 13''/9 \\ 2.02 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.32) \cdot 10^{-1} M_{\odot}$$

Source no. 136
 HGBS-J032710.6+301619



Physical properties of the source



$$T = 15.3^{+1.4}_{-1.6} \text{ K}$$

$$M = (3.7^{+1.9}_{-1.1}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 24''9 \\ 17''0 \\ 2.47 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.47) \cdot 10^{-1} M_{\odot}$$

Source no. 137
 HGBS-J032711.2+313314



Physical properties of the source



$$T = 12.95^{+0.12}_{-0.13} \text{ K}$$

$$M = (5.31 \pm 0.27) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 29''.3 \\ 23''.0 \\ 3.34 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.54) \cdot 10^{-1} M_{\odot}$$

Source no. 138
 HGBS-J032711.9+313255



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (5.6^{+2.1}_{-1.3}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 22''9 \\ 13''9 \\ 2.02 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.16) \cdot 10^{-1} M_{\odot}$$

Source no. 139
 HGBS-J032713.4+294845



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (5.7^{+3.0}_{-1.7}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 23''.3 \\ 14''.5 \\ 2.12 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.36) \cdot 10^{-1} M_{\odot}$$

Source no. 140
 HGBS-J032715.3+300225



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (4.2^{+2.2}_{-1.3}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 23''.5 \\ 14''.9 \\ 2.16 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.45) \cdot 10^{-1} M_{\odot}$$

Source no. 141
 HGBS-J032716.7+300831



Physical properties of the source



$$T = 9.96^{+0.22}_{-0.21} \text{ K}$$

$$M = (6.09^{+0.60}_{-0.55}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 40''/6 \\ 36''/3 \\ 5.28 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.04 M_{\odot}$$

Source no. 142
 HGBS-J032717.7+301448



Physical properties of the source



$$T = 7.74^{+0.21}_{-0.20} \text{ K}$$

$$M = 1.21 \pm 0.19 M_{\odot}$$

$$R = \begin{cases} 35''6 \\ 30''6 \\ 4.45 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.80) \cdot 10^{-1} M_{\odot}$$

Source no. 143
 HGBS-J032717.8+301015



Physical properties of the source



$$T = 11.99 \pm 0.16 \text{ K}$$

$$M = (3.27 \pm 0.32) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 55''/3 \\ 52''/2 \\ 7.59 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.80 M_{\odot}$$

Source no. 144
 HGBS-J032718.7+300048



Physical properties of the source



$$T = 12.62^{+0.06}_{-0.07} \text{ K}$$

$$M = (3.61 \pm 0.39) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 31''/3 \\ 25''/5 \\ 3.70 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (9.23) \cdot 10^{-1} M_{\odot}$$

Source no. 145
 HGBS-J032718.7+300428



Physical properties of the source



$$T = 11.79^{+0.26}_{-0.25} \text{ K}$$

$$M = (5.66 \pm 0.74) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 44''.8 \\ 40''.9 \\ 5.95 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.39 M_{\odot}$$

Source no. 146
 HGBS-J032721.9+300121



Physical properties of the source



$$T = 7.81 \pm 0.17 \text{ K}$$

$$M = (9.01 \pm 0.22) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 21''.2 \\ 10''.9 \\ 1.58 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (2.44) \cdot 10^{-1} M_{\odot}$$

Source no. 147
 HGBS-J032725.3+295336



Physical properties of the source



$$T = 7.30 \pm 0.18 \text{ K}$$

$$M = 2.95^{+0.34}_{-0.29} M_{\odot}$$

$$R = \begin{cases} 44''0 \\ 40''1 \\ 5.83 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.40) \cdot 10^{-1} M_{\odot}$$

Source no. 148
 HGBS-J032726.0+295941



Physical properties of the source



$$T = 11.67^{+0.72}_{-0.62} \text{ K}$$

$$M = (8.7^{+2.4}_{-2.0}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 23''.5 \\ 14''.9 \\ 2.16 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.98) \cdot 10^{-1} M_{\odot}$$

Source no. 149
 HGBS-J032726.0+295126



Physical properties of the source



$$T = 10.63^{+0.08}_{-0.07} \text{ K}$$

$$M = 2.08 \pm 0.10 M_{\odot}$$

$$R = \begin{cases} 54''.1 \\ 50''.9 \\ 7.41 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.56 M_{\odot}$$

Source no. 150
 HGBS-J032727.6+300434



Physical properties of the source



$$T = 12.89^{+0.27}_{-0.25} \text{ K}$$

$$M = (1.87^{+0.15}_{-0.14}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 32''6 \\ 27''0 \\ 3.93 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.00 M_{\odot}$$

Source no. 151
 HGBS-J032728.3+301142



Physical properties of the source



$$T = 12.12^{+0.44}_{-0.41} \text{ K}$$

$$M = (2.36^{+0.37}_{-0.32}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 38''0 \\ 33''4 \\ 4.85 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.16 M_{\odot}$$

Source no. 152
 HGBS-J032729.1+300824



Physical properties of the source



$$T = 10.51 \pm 0.18 \text{ K}$$

$$M = (2.58 \pm 0.26) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 24''/2 \\ 15''/9 \\ 2.32 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.82) \cdot 10^{-1} M_{\odot}$$

Source no. 153
 HGBS-J032729.3+295537



Physical properties of the source



$$T = 7.59^{+0.19}_{-0.18} \text{ K}$$

$$M = 1.74^{+0.19}_{-0.18} M_{\odot}$$

$$R = \begin{cases} 43''/9 \\ 39''/9 \\ 5.81 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.71) \cdot 10^{-1} M_{\odot}$$

Source no. 154
 HGBS-J032730.9+295854



Physical properties of the source



$$T = 8.84 \pm 0.10 \text{ K}$$

$$M = 1.146^{+0.063}_{-0.059} M_{\odot}$$

$$R = \begin{cases} 30''/2 \\ 24''/1 \\ 3.51 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.12) \cdot 10^{-1} M_{\odot}$$

Source no. 155
 HGBS-J032733.5+300809



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (5.6^{+2.1}_{-1.3}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 32''9 \\ 27''4 \\ 3.99 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.21) \cdot 10^{-1} M_{\odot}$$

Source no. 156
 HGBS-J032733.9+301250



Physical properties of the source



$$T = 10.00^{+0.34}_{-0.33} \text{ K}$$

$$M = (4.64 \pm 0.86) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 24''0 \\ 15''6 \\ 2.28 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.49) \cdot 10^{-1} M_{\odot}$$

Source no. 157
 HGBS-J032734.4+300523



Physical properties of the source



$$T = 8.8^{+1.2}_{-1.0} \text{ K}$$

$$M = (2.9^{+2.3}_{-1.3}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 33''6 \\ 28''2 \\ 4.11 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.16) \cdot 10^{-1} M_{\odot}$$

Source no. 158
 HGBS-J032734.8+312239



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (1.76^{+0.64}_{-0.40}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 33''.4 \\ 28''.0 \\ 4.07 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.39) \cdot 10^{-1} M_{\odot}$$

Source no. 159
 HGBS-J032737.8+301609



Physical properties of the source



$$T = 10.2^{+0.6}_{-1.1} \text{ K}$$

$$M = (1.4^{+1.1}_{-0.4}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 24''4 \\ 16''3 \\ 2.36 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.76) \cdot 10^{-1} M_{\odot}$$

Source no. 160
 HGBS-J032738.2+301358



Physical properties of the source



$$T = 13.79^{+0.07}_{-0.06} \text{ K}$$

$$M = (7.59^{+0.21}_{-0.24}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 24''0 \\ 15''6 \\ 2.28 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.20) \cdot 10^{-1} M_{\odot}$$

Source no. 161
 HGBS-J032739.0+302222



Physical properties of the source



$$T = 9.50^{+0.28}_{-0.26} \text{ K}$$

$$M = (4.93^{+0.56}_{-0.52}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 34''/5 \\ 29''/3 \\ 4.26 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.00) \cdot 10^{-1} M_{\odot}$$

Source no. 162
 HGBS-J032739.1+301302



Physical properties of the source



$$T = 20.66 \pm 0.05 \text{ K}$$

$$M = (6.151^{+0.065}_{-0.064}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 19''.5 \\ 7''.00 \\ 1.02 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.16) \cdot 10^{-1} M_{\odot}$$

Source no. 163
 HGBS-J032739.9+301208



Physical properties of the source



$$T = 7.74 \pm 0.02 \text{ K}$$

$$M = 5.02 \pm 0.35 M_{\odot}$$

$$R = \begin{cases} 21''4 \\ 11''3 \\ 1.64 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (2.50) \cdot 10^{-1} M_{\odot}$$

Source no. 164
 HGBS-J032740.0+300816



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = 1.17^{+0.42}_{-0.26} M_{\odot}$$

$$R = \begin{cases} 30''/4 \\ 24''/3 \\ 3.54 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.30) \cdot 10^{-1} M_{\odot}$$

Source no. 165
 HGBS-J032741.3+312813



Physical properties of the source



$$T = 10.18^{+0.45}_{-0.41} \text{ K}$$

$$M = (3.68^{+0.74}_{-0.64}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 26''.1 \\ 18''.7 \\ 2.72 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.47) \cdot 10^{-1} M_{\odot}$$

Source no. 166
 HGBS-J032742.7+300417



Physical properties of the source



$$T = 10.70^{+0.31}_{-0.30} \text{ K}$$

$$M = (1.92^{+0.27}_{-0.23}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 24''.9 \\ 17''.0 \\ 2.47 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.22) \cdot 10^{-1} M_{\odot}$$

Source no. 167
 HGBS-J032742.9+295643



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (1.43^{+0.52}_{-0.32}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 32''1 \\ 26''4 \\ 3.85 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.92) \cdot 10^{-1} M_{\odot}$$

Source no. 168
 HGBS-J032743.2+301229



Physical properties of the source



$$T = 16.02 \pm 0.14 \text{ K}$$

$$M = (5.15^{+0.26}_{-0.24}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 23''4 \\ 14''7 \\ 2.14 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.77) \cdot 10^{-1} M_{\odot}$$

Source no. 169
 HGBS-J032743.8+300716



Physical properties of the source



$$T = 8.82 \pm 0.27 \text{ K}$$

$$M = (7.9^{+1.4}_{-1.1}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 36''.7 \\ 31''.9 \\ 4.64 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.08) \cdot 10^{-1} M_{\odot}$$

Source no. 170
 HGBS-J032745.2+310352



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (1.34^{+0.48}_{-0.30}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 44''.7 \\ 40''.8 \\ 5.94 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.22 M_{\odot}$$

Source no. 171
 HGBS-J032745.5+302335



Physical properties of the source



$$T = 7.71^{+0.21}_{-0.19} \text{ K}$$

$$M = 1.35^{+0.15}_{-0.14} M_{\odot}$$

$$R = \begin{cases} 36''/3 \\ 31''/4 \\ 4.57 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.96) \cdot 10^{-1} M_{\odot}$$

Source no. 172
 HGBS-J032747.6+301413



Physical properties of the source



$$T = 9.9^{+1.4}_{-1.1} \text{ K}$$

$$M = (1.4^{+1.2}_{-0.7}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 23''5 \\ 14''9 \\ 2.16 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.21) \cdot 10^{-1} M_{\odot}$$

Source no. 173
 HGBS-J032747.7+301204



Physical properties of the source



$$T = 14.26 \pm 0.09 \text{ K}$$

$$M = (6.25^{+0.24}_{-0.23}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 18''.2 \\ \text{; } 6''.1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (2.50) \cdot 10^{-1} M_{\odot}$$

Source no. 174
 HGBS-J032748.4+312315



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (1.47^{+0.53}_{-0.33}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 43'' \\ 39'' \\ 5.67 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.17 M_{\odot}$$

Source no. 175
 HGBS-J032748.8+294957



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (1.94^{+0.70}_{-0.44}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 46''.4 \\ 42''.7 \\ 6.21 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.28 M_{\odot}$$

Source no. 176
 HGBS-J032749.1+305540



Physical properties of the source



$$T = 12.27^{+0.40}_{-0.38} \text{ K}$$

$$M = (1.59 \pm 0.25) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 46''.7 \\ 43''.0 \\ 6.26 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.52 M_{\odot}$$

Source no. 177
 HGBS-J032750.4+300103



Physical properties of the source



$$T = 13.55^{+0.53}_{-0.50} \text{ K}$$

$$M = (1.45^{+0.19}_{-0.17}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 41''.1 \\ 36''.9 \\ 5.36 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.43 M_{\odot}$$

Source no. 178
 HGBS-J032753.0+302414



Physical properties of the source



$$T = 9.07 \pm 0.05 \text{ K}$$

$$M = 1.053 \pm 0.041 M_{\odot}$$

$$R = \begin{cases} 27''4 \\ 20''5 \\ 2.98 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.34) \cdot 10^{-1} M_{\odot}$$

Source no. 179
 HGBS-J032753.4+295521



Physical properties of the source



$$T = 10.5^{+1.0}_{-0.8} \text{ K}$$

$$M = (1.27^{+0.60}_{-0.43}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 27''.7 \\ 20''.9 \\ 3.04 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.31) \cdot 10^{-1} M_{\odot}$$

Source no. 180
 HGBS-J032753.8+312937



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (2.31^{+0.83}_{-0.52}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 53''0 \\ 49''8 \\ 7.24 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.49 M_{\odot}$$

Source no. 181
 HGBS-J032754.4+300620



Physical properties of the source



$$T = 8.39 \pm 0.11 \text{ K}$$

$$M = 1.230^{+0.085}_{-0.077} M_{\odot}$$

$$R = \begin{cases} 33''/2 \\ 27''/8 \\ 4.04 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.69) \cdot 10^{-1} M_{\odot}$$

Source no. 182
 HGBS-J032755.6+312744



Physical properties of the source



$$T = 10.09^{+0.24}_{-0.23} \text{ K}$$

$$M = 1.07 \pm 0.12 M_{\odot}$$

$$R = \begin{cases} 42''7 \\ 38''6 \\ 5.62 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.12 M_{\odot}$$

Source no. 183
 HGBS-J032756.4+300459



Physical properties of the source



$$T = 9.20^{+0.35}_{-0.34} \text{ K}$$

$$M = (2.96^{+0.57}_{-0.46}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 22''.4 \\ 13''.1 \\ 1.90 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.45) \cdot 10^{-1} M_{\odot}$$

Source no. 184
 HGBS-J032757.7+312337



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (1.39^{+0.50}_{-0.31}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 39''.4 \\ 34''.9 \\ 5.08 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.05 M_{\odot}$$

Source no. 185
 HGBS-J032758.1+301109



Physical properties of the source



$$T = 8.65^{+0.05}_{-0.20} \text{ K}$$

$$M = 1.26 \pm 0.18 M_{\odot}$$

$$R = \begin{cases} 34''1 \\ 28''8 \\ 4.19 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.17) \cdot 10^{-1} M_{\odot}$$

Source no. 186
 HGBS-J032758.4+300307



Physical properties of the source



$$T = 15.1^{+1.7}_{-1.4} \text{ K}$$

$$M = (2.6^{+1.0}_{-0.7}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 21''0 \\ 10''5 \\ 1.52 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.56) \cdot 10^{-1} M_{\odot}$$

Source no. 187
 HGBS-J032759.1+302415



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (2.9^{+1.1}_{-0.7}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 23''.4 \\ 14''.7 \\ 2.14 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.41) \cdot 10^{-1} M_{\odot}$$

Source no. 188
 HGBS-J032759.3+294634



Physical properties of the source



$$T = 13.36^{+0.49}_{-0.45} \text{ K}$$

$$M = (1.80^{+0.23}_{-0.21}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 39''7 \\ 35''3 \\ 5.13 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.35 M_{\odot}$$

Source no. 189
 HGBS-J032800.4+300800



Physical properties of the source



$$T = 9.07 \pm 0.02 \text{ K}$$

$$M = 1.311 \pm 0.066 M_{\odot}$$

$$R = \begin{cases} 30''8 \\ 24''8 \\ 3.61 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.47) \cdot 10^{-1} M_{\odot}$$

Source no. 190
 HGBS-J032802.3+312751



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (8.3^{+3.0}_{-1.9}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 39''6 \\ 35''2 \\ 5.12 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.05 M_{\odot}$$

Source no. 191
 HGBS-J032804.7+300241



Physical properties of the source



$$T = 9.46^{+0.08}_{-0.29} \text{ K}$$

$$M = (2.22^{+0.34}_{-0.17}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 22''0 \\ 12''4 \\ 1.80 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.36) \cdot 10^{-1} M_{\odot}$$

Source no. 192
 HGBS-J032805.3+300540



Physical properties of the source



$$T = 7.55 \pm 0.02 \text{ K}$$

$$M = 4.76 \pm 0.31 M_{\odot}$$

$$R = \begin{cases} 51''9 \\ 48''6 \\ 7.07 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.05 M_{\odot}$$

Source no. 193
 HGBS-J032805.4+302351



Physical properties of the source



$$T = 8.11 \pm 0.29 \text{ K}$$

$$M = (9.0^{+1.6}_{-1.3}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 29''.7 \\ 23''.5 \\ 3.41 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.47) \cdot 10^{-1} M_{\odot}$$

Source no. 194
 HGBS-J032806.1+300920



Physical properties of the source



$$T = 9.99 \pm 0.11 \text{ K}$$

$$M = 1.03 \pm 0.11 M_{\odot}$$

$$R = \begin{cases} 48''.6 \\ 45''.1 \\ 6.55 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.29 M_{\odot}$$

Source no. 195
 HGBS-J032806.5+313116



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (1.62^{+0.59}_{-0.37}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 48''.2 \\ 44''.6 \\ 6.49 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.34 M_{\odot}$$

Source no. 196
 HGBS-J032807.4+313249



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (1.07^{+0.57}_{-0.32}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 22''.2 \\ 12''.7 \\ 1.85 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.81) \cdot 10^{-1} M_{\odot}$$

Source no. 197
 HGBS-J032808.7+310255



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (5.1^{+2.7}_{-1.5}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 23''6 \\ 15''0 \\ 2.19 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.50) \cdot 10^{-1} M_{\odot}$$

Source no. 198
 HGBS-J032809.0+311258



Physical properties of the source



$$T = 13.20^{+0.92}_{-0.79} \text{ K}$$

$$M = (4.9^{+1.4}_{-1.1}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 26''.3 \\ 19''.0 \\ 2.76 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.20) \cdot 10^{-1} M_{\odot}$$

Source no. 199
 HGBS-J032809.1+310652



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (7.8^{+4.2}_{-2.3}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 26''.7 \\ 19''.5 \\ 2.84 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.85) \cdot 10^{-1} M_{\odot}$$

Source no. 200
 HGBS-J032811.5+300357



Physical properties of the source



$$T = 8.54 \pm 0.14 \text{ K}$$

$$M = 1.31 \pm 0.11 M_{\odot}$$

$$R = \begin{cases} 30''6 \\ 24''6 \\ 3.58 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.04) \cdot 10^{-1} M_{\odot}$$

Source no. 201
 HGBS-J032812.1+301204



Physical properties of the source



$$T = 8.61^{+0.52}_{-0.48} \text{ K}$$

$$M = (6.6^{+2.1}_{-1.6}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 34''9 \\ 29''8 \\ 4.33 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.37) \cdot 10^{-1} M_{\odot}$$

Source no. 202
 HGBS-J032812.7+312929



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (9.6^{+5.1}_{-2.9}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 22''.2 \\ 12''.7 \\ 1.85 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.81) \cdot 10^{-1} M_{\odot}$$

Source no. 203
 HGBS-J032813.0+310604



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (8.0^{+4.2}_{-2.4}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 30''1 \\ 24''0 \\ 3.49 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.18) \cdot 10^{-1} M_{\odot}$$

Source no. 204
 HGBS-J032813.8+304403



Physical properties of the source



$$T = 10.7^{+1.5}_{-1.2} \text{ K}$$

$$M = (8.7^{+6.1}_{-3.9}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 32''.7 \\ 27''.2 \\ 3.95 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.36) \cdot 10^{-1} M_{\odot}$$

Source no. 205
 HGBS-J032816.4+305811



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (8.3^{+3.0}_{-1.9}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 30''0 \\ 23''8 \\ 3.47 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.15) \cdot 10^{-1} M_{\odot}$$

Source no. 206
 HGBS-J032816.6+310329



Physical properties of the source



$$T = 13.57^{+0.03}_{-0.15} \text{ K}$$

$$M = (1.59 \pm 0.23) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 34''8 \\ 29''7 \\ 4.31 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.16 M_{\odot}$$

Source no. 207
 HGBS-J032817.5+312830



Physical properties of the source



$$T = 11.45^{+0.57}_{-0.51} \text{ K}$$

$$M = (1.24^{+0.25}_{-0.22}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 33''7 \\ 28''4 \\ 4.13 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (9.33) \cdot 10^{-1} M_{\odot}$$

Source no. 208
 HGBS-J032817.7+312234



Physical properties of the source



$$T = 13.74^{+0.42}_{-0.39} \text{ K}$$

$$M = (1.07^{+0.13}_{-0.12}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 35''6 \\ 30''6 \\ 4.45 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.21 M_{\odot}$$

Source no. 209
 HGBS-J032817.9+302256



Physical properties of the source



$$T = 9.09^{+0.68}_{-0.59} \text{ K}$$

$$M = (3.4^{+1.2}_{-0.9}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 30''.5 \\ 24''.5 \\ 3.56 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.39) \cdot 10^{-1} M_{\odot}$$

Source no. 210
 HGBS-J032818.2+310623



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (6.3^{+3.3}_{-1.9}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 26''.8 \\ 19''.7 \\ 2.86 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.89) \cdot 10^{-1} M_{\odot}$$

Source no. 211
 HGBS-J032819.4+301251



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (1.22^{+0.44}_{-0.28}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 27''/3 \\ 20''/3 \\ 2.96 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.10) \cdot 10^{-1} M_{\odot}$$

Source no. 212
 HGBS-J032821.1+310847



Physical properties of the source



$$T = 11.17 \pm 0.16 \text{ K}$$

$$M = (2.67 \pm 0.24) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 28''1 \\ 21''4 \\ 3.11 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.87) \cdot 10^{-1} M_{\odot}$$

Source no. 213
 HGBS-J032822.5+311602



Physical properties of the source



$$T = 11.5^{+1.3}_{-0.9} \text{ K}$$

$$M = (7.1^{+3.7}_{-2.7}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 26''9 \\ 19''8 \\ 2.88 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.54) \cdot 10^{-1} M_{\odot}$$

Source no. 214
 HGBS-J032822.9+310416



Physical properties of the source



$$T = 11.79^{+0.50}_{-0.46} \text{ K}$$

$$M = (2.39^{+0.39}_{-0.34}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 27''.8 \\ 21''.0 \\ 3.06 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.12) \cdot 10^{-1} M_{\odot}$$

Source no. 215
 HGBS-J032823.6+311131



Physical properties of the source



$$T = 17.20^{+0.06}_{-0.88} \text{ K}$$

$$M = (2.35^{+0.47}_{-0.095}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 25''.9 \\ 18''.4 \\ 2.68 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (9.11) \cdot 10^{-1} M_{\odot}$$

Source no. 216
 HGBS-J032827.1+305744



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (8.9^{+4.7}_{-2.7}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 18''.5 \\ \text{; } 6''.1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (1.83) \cdot 10^{-1} M_{\odot}$$

Source no. 217
 HGBS-J032827.5+311834



Physical properties of the source



$$T = 15.6^{+2.9}_{-3.3} \text{ K}$$

$$M = (3.0^{+4.4}_{-1.5}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 26''.8 \\ 19''.7 \\ 2.86 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.82) \cdot 10^{-1} M_{\odot}$$

Source no. 218
 HGBS-J032827.6+310205



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (6.3^{+3.4}_{-1.9}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 22''.8 \\ 13''.7 \\ 2.00 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.11) \cdot 10^{-1} M_{\odot}$$

Source no. 219
 HGBS-J032828.0+300343



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = 1.05^{+0.38}_{-0.24} M_{\odot}$$

$$R = \begin{cases} 42''6 \\ 38''5 \\ 5.60 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.15 M_{\odot}$$

Source no. 220
 HGBS-J032828.3+310100



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (1.39^{+0.74}_{-0.41}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 28''.2 \\ 21''.5 \\ 3.13 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.45) \cdot 10^{-1} M_{\odot}$$

Source no. 221
 HGBS-J032828.5+305556



Physical properties of the source



$$T = 13.04 \pm 0.21 \text{ K}$$

$$M = (3.03^{+0.17}_{-0.16}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 36''.5 \\ 31''.6 \\ 4.60 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.19 M_{\odot}$$

Source no. 222
 HGBS-J032829.5+302339



Physical properties of the source



$$T = 8.19^{+0.12}_{-0.11} \text{ K}$$

$$M = (9.00 \pm 0.95) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 30''9 \\ 25''0 \\ 3.63 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.88) \cdot 10^{-1} M_{\odot}$$

Source no. 223
 HGBS-J032829.7+310959



Physical properties of the source



$$T = 8.60 \pm 0.07 \text{ K}$$

$$M = 1.17 \pm 0.10 M_{\odot}$$

$$R = \begin{cases} 26''.1 \\ 18''.7 \\ 2.72 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.62) \cdot 10^{-1} M_{\odot}$$

Source no. 224
 HGBS-J032830.5+310009



Physical properties of the source



$$T = 9.24^{+0.13}_{-0.12} \text{ K}$$

$$M = (5.47 \pm 0.81) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 27''/3 \\ 20''/3 \\ 2.96 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.40) \cdot 10^{-1} M_{\odot}$$

Source no. 225
 HGBS-J032830.7+302112



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = 1.34^{+0.48}_{-0.30} M_{\odot}$$

$$R = \begin{cases} 36''.7 \\ 31''.9 \\ 4.64 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (9.55) \cdot 10^{-1} M_{\odot}$$

Source no. 226
 HGBS-J032831.0+311417



Physical properties of the source



$$T = 8.96^{+0.08}_{-0.09} \text{ K}$$

$$M = (9.02 \pm 0.87) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 23''/8 \\ 15''/3 \\ 2.23 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.95) \cdot 10^{-1} M_{\odot}$$

Source no. 227
 HGBS-J032831.5+295145



Physical properties of the source



$$T = 10.56^{+0.63}_{-0.58} \text{ K}$$

$$M = (2.25^{+0.63}_{-0.49}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 28''7 \\ 22''2 \\ 3.23 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.73) \cdot 10^{-1} M_{\odot}$$

Source no. 228
 HGBS-J032832.5+311106



Physical properties of the source



$$T = 11.23^{+0.03}_{-0.02} \text{ K}$$

$$M = (7.65 \pm 0.27) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 20''1 \\ 8''53 \\ 1.24 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (2.75) \cdot 10^{-1} M_{\odot}$$

Source no. 229
 HGBS-J032832.6+311518



Physical properties of the source



$$T = 9.28 \pm 0.04 \text{ K}$$

$$M = (9.33 \pm 0.64) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 23''7 \\ 15''2 \\ 2.21 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.05) \cdot 10^{-1} M_{\odot}$$

Source no. 230
 HGBS-J032834.1+305821



Physical properties of the source



$$T = 12.35^{+0.88}_{-0.78} \text{ K}$$

$$M = (1.00^{+0.28}_{-0.22}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 22''6 \\ 13''4 \\ 1.95 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.75) \cdot 10^{-1} M_{\odot}$$

Source no. 231
 HGBS-J032834.1+301939



Physical properties of the source



$$T = 9.54 \pm 0.19 \text{ K}$$

$$M = 1.25^{+0.11}_{-0.10} M_{\odot}$$

$$R = \begin{cases} 32''_0 \\ 26''_3 \\ 3.83 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.21) \cdot 10^{-1} M_{\odot}$$

Source no. 232
 HGBS-J032834.4+305037



Physical properties of the source



$$T = 9.8^{+1.6}_{-1.2} \text{ K}$$

$$M = (1.09^{+0.96}_{-0.53}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 22''/3 \\ 12''/9 \\ 1.87 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.62) \cdot 10^{-1} M_{\odot}$$

Source no. 233
 HGBS-J032834.5+310704



Physical properties of the source



$$T = 11.47^{+0.03}_{-0.02} \text{ K}$$

$$M = (3.45 \pm 0.13) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 18''2 \\ \text{; } 6''1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (2.01) \cdot 10^{-1} M_{\odot}$$

Source no. 234
 HGBS-J032834.5+310049



Physical properties of the source



$$T = 15.78^{+0.08}_{-0.07} \text{ K}$$

$$M = (1.080^{+0.027}_{-0.030}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 20''0 \\ 8''29 \\ 1.21 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.76) \cdot 10^{-1} M_{\odot}$$

Source no. 235
 HGBS-J032834.6+300317



Physical properties of the source



$$T = 7.72 \pm 0.26 \text{ K}$$

$$M = (8.2 \pm 1.6) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 29''3 \\ 23''0 \\ 3.34 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.09) \cdot 10^{-1} M_{\odot}$$

Source no. 236
 HGBS-J032836.3+305820



Physical properties of the source



$$T = 9.00 \pm 0.06 \text{ K}$$

$$M = 1.125 \pm 0.067 M_{\odot}$$

$$R = \begin{cases} 25''.7 \\ 18''.1 \\ 2.64 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.69) \cdot 10^{-1} M_{\odot}$$

Source no. 237
 HGBS-J032836.5+303527



Physical properties of the source



$$T = 13.36 \pm 0.08 \text{ K}$$

$$M = (2.75 \pm 0.12) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 44''3 \\ 40''4 \\ 5.87 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.55 M_{\odot}$$

Source no. 238
 HGBS-J032836.9+311737



Physical properties of the source



$$T = 13.67 \pm 0.16 \text{ K}$$

$$M = (1.274 \pm 0.098) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 21''0 \\ 10''5 \\ 1.52 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.11) \cdot 10^{-1} M_{\odot}$$

Source no. 239
 HGBS-J032837.0+311329



Physical properties of the source



$$T = 23.56 \pm 0.03 \text{ K}$$

$$M = (4.513 \pm 0.022) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 22''.3 \\ 12''.9 \\ 1.87 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.72) \cdot 10^{-1} M_{\odot}$$

Source no. 240
 HGBS-J032837.2+301503



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (8.1^{+3.0}_{-1.9}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 35'' \\ 30'' \\ 4.37 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.99) \cdot 10^{-1} M_{\odot}$$

Source no. 241
 HGBS-J032837.4+311605



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (4.6^{+1.7}_{-1.1}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 22''6 \\ 13''4 \\ 1.95 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.01) \cdot 10^{-1} M_{\odot}$$

Source no. 242
 HGBS-J032837.7+310121



Physical properties of the source



$$T = 13.82^{+0.38}_{-0.37} \text{ K}$$

$$M = (3.31 \pm 0.47) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 34''5 \\ 29''3 \\ 4.26 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.16 M_{\odot}$$

Source no. 243
 HGBS-J032838.0+304008



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (7^{+12}_{-4}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 30''0 \\ 23''8 \\ 3.47 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.15) \cdot 10^{-1} M_{\odot}$$

Source no. 244
 HGBS-J032838.6+294630



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (7.7^{+4.1}_{-2.3}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 26''.3 \\ 19''.0 \\ 2.76 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.69) \cdot 10^{-1} M_{\odot}$$

Source no. 245
 HGBS-J032839.0+311914



Physical properties of the source



$$T = 8.30 \pm 0.04 \text{ K}$$

$$M = 5.24 \pm 0.27 M_{\odot}$$

$$R = \begin{cases} 29''.1 \\ 22''.7 \\ 3.30 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.41) \cdot 10^{-1} M_{\odot}$$

Source no. 246
 HGBS-J032839.3+303744



Physical properties of the source



$$T = 12.59^{+0.28}_{-0.26} \text{ K}$$

$$M = (1.66 \pm 0.18) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 39''/5 \\ 35''/1 \\ 5.10 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.27 M_{\odot}$$

Source no. 247
 HGBS-J032839.6+311825



Physical properties of the source



$$T = 10.45 \pm 0.03 \text{ K}$$

$$M = 4.69 \pm 0.15 M_{\odot}$$

$$R = \begin{cases} 34''.1 \\ 28''.8 \\ 4.19 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.66) \cdot 10^{-1} M_{\odot}$$

Source no. 248
 HGBS-J032839.8+311732



Physical properties of the source



$$T = 9.51 \pm 0.09 \text{ K}$$

$$M = 1.16 \pm 0.10 M_{\odot}$$

$$R = \begin{cases} 20''8 \\ 10''1 \\ 1.46 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (2.75) \cdot 10^{-1} M_{\odot}$$

Source no. 249
 HGBS-J032840.1+302524



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (7.6^{+4.1}_{-2.3}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 28''.9 \\ 22''.4 \\ 3.27 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.73) \cdot 10^{-1} M_{\odot}$$

Source no. 250
 HGBS-J032840.8+305433



Physical properties of the source



$$T = 9.24^{+0.59}_{-0.53} \text{ K}$$

$$M = (3.07^{+0.98}_{-0.75}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 31''.8 \\ 26''.1 \\ 3.79 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.92) \cdot 10^{-1} M_{\odot}$$

Source no. 251
 HGBS-J032841.1+302733



Physical properties of the source



$$T = 9.82^{+0.57}_{-0.50} \text{ K}$$

$$M = (2.42^{+0.65}_{-0.54}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 23''1 \\ 14''2 \\ 2.07 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.01) \cdot 10^{-1} M_{\odot}$$

Source no. 252
 HGBS-J032841.4+311722



Physical properties of the source



$$T = 10.63 \pm 0.07 \text{ K}$$

$$M = 1.256 \pm 0.067 M_{\odot}$$

$$R = \begin{cases} 22''3 \\ 12''9 \\ 1.87 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.94) \cdot 10^{-1} M_{\odot}$$

Source no. 253
 HGBS-J032841.8+312813



Physical properties of the source



$$T = 13.18^{+0.24}_{-0.22} \text{ K}$$

$$M = (3.13 \pm 0.26) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 30''/8 \\ 24''/8 \\ 3.61 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (9.41) \cdot 10^{-1} M_{\odot}$$

Source no. 254
 HGBS-J032843.1+310927



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (7.3^{+3.9}_{-2.2}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 21''.2 \\ 10''.9 \\ 1.58 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.26) \cdot 10^{-1} M_{\odot}$$

Source no. 255
 HGBS-J032843.1+310618



Physical properties of the source



$$T = 7.41^{+0.12}_{-0.13} \text{ K}$$

$$M = 4.12 \pm 0.57 M_{\odot}$$

$$R = \begin{cases} 26''0 \\ 18''6 \\ 2.70 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.95) \cdot 10^{-1} M_{\odot}$$

Source no. 256
HGBS-J032843.1+303109



Physical properties of the source



$$T = 10.46 \pm 0.03 \text{ K}$$

$$M = 3.58 \pm 0.11 M_{\odot}$$

$$R = \begin{cases} 45''.5 \\ 41''.7 \\ 6.07 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.25 M_{\odot}$$

Source no. 257
 HGBS-J032843.1+311830



Physical properties of the source



$$T = 9.71^{+0.21}_{-0.20} \text{ K}$$

$$M = (7.77^{+0.96}_{-0.87}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 22''5 \\ 13''2 \\ 1.92 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.69) \cdot 10^{-1} M_{\odot}$$

Source no. 258
 HGBS-J032843.2+311733



Physical properties of the source



$$T = 12.94 \pm 0.10 \text{ K}$$

$$M = (3.99 \pm 0.19) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 21''5 \\ 11''4 \\ 1.66 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.25) \cdot 10^{-1} M_{\odot}$$

Source no. 259
 HGBS-J032844.1+300410



Physical properties of the source



$$T = 7.55^{+0.31}_{-0.30} \text{ K}$$

$$M = 1.19^{+0.25}_{-0.20} M_{\odot}$$

$$R = \begin{cases} 30''7 \\ 24''7 \\ 3.60 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.36) \cdot 10^{-1} M_{\odot}$$

Source no. 260
 HGBS-J032844.3+295849



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (7.2^{+3.8}_{-2.1}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 25''.5 \\ 17''.9 \\ 2.60 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.35) \cdot 10^{-1} M_{\odot}$$

Source no. 261
 HGBS-J032844.7+312559



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (1.03^{+0.55}_{-0.30}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 23''1 \\ 14''2 \\ 2.07 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.26) \cdot 10^{-1} M_{\odot}$$

Source no. 262
 HGBS-J032845.3+310540



Physical properties of the source



$$T = 13.19^{+0.14}_{-0.13} \text{ K}$$

$$M = (2.81 \pm 0.19) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 25''.9 \\ 18''.4 \\ 2.68 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.98) \cdot 10^{-1} M_{\odot}$$

Source no. 263
 HGBS-J032847.1+312115



Physical properties of the source



$$T = 10.18^{+0.22}_{-0.21} \text{ K}$$

$$M = (4.00 \pm 0.62) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 24''.5 \\ 16''.4 \\ 2.39 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.80) \cdot 10^{-1} M_{\odot}$$

Source no. 264
 HGBS-J032847.1+311511



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = 1.15^{+0.41}_{-0.26} M_{\odot}$$

$$R = \begin{cases} 23''/3 \\ 14''/5 \\ 2.12 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.36) \cdot 10^{-1} M_{\odot}$$

Source no. 265
 HGBS-J032847.2+303636



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (7.6^{+4.1}_{-2.3}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 29''.1 \\ 22''.7 \\ 3.30 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.80) \cdot 10^{-1} M_{\odot}$$

Source no. 266
 HGBS-J032847.5+295116



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (8.9^{+4.8}_{-2.7}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 22''.8 \\ 13''.7 \\ 2.00 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.11) \cdot 10^{-1} M_{\odot}$$

Source no. 267
 HGBS-J032848.5+300531



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (6.3^{+3.4}_{-1.9}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 20''.2 \\ 8''.76 \\ 1.27 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (2.63) \cdot 10^{-1} M_{\odot}$$

Source no. 268
 HGBS-J032849.2+311020



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (5.5^{+2.9}_{-1.7}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 22''.8 \\ 13''.7 \\ 2.00 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.11) \cdot 10^{-1} M_{\odot}$$

Source no. 269
 HGBS-J032849.4+310756



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (8.6^{+4.6}_{-2.6}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 22''.5 \\ 13''.2 \\ 1.92 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.96) \cdot 10^{-1} M_{\odot}$$

Source no. 270
 HGBS-J032849.5+312519



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (5.9^{+3.1}_{-1.8}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 20''9 \\ 10''3 \\ 1.49 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.08) \cdot 10^{-1} M_{\odot}$$

Source no. 271
 HGBS-J032849.8+312621



Physical properties of the source



$$T = 15.1^{+1.7}_{-1.6} \text{ K}$$

$$M = (2.0^{+1.1}_{-0.7}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 21''3 \\ 11''1 \\ 1.61 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.81) \cdot 10^{-1} M_{\odot}$$

Source no. 272
 HGBS-J032850.3+311903



Physical properties of the source



$$T = 10.31^{+0.43}_{-0.71} \text{ K}$$

$$M = (1.90^{+0.85}_{-0.42}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 19''.0 \\ \text{; } 6''.1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (1.81) \cdot 10^{-1} M_{\odot}$$

Source no. 273
 HGBS-J032850.4+311425



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = 2.43^{+0.88}_{-0.55} M_{\odot}$$

$$R = \begin{cases} 26''.1 \\ 18''.7 \\ 2.72 \cdot 10^{-2} \text{ pc} \end{cases}$$



$$M_{\text{BE}} = (5.61) \cdot 10^{-1} M_{\odot}$$

Source no. 274
HGBS-J032851.1+311814



Physical properties of the source

Source no. 275
 HGBS-J032851.3+304550



Physical properties of the source



$$T = 11.52^{+0.45}_{-0.42} \text{ K}$$

$$M = (3.51 \pm 0.78) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 29''9 \\ 23''7 \\ 3.45 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.85) \cdot 10^{-1} M_{\odot}$$

Source no. 276
 HGBS-J032851.4+304501



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (4.3^{+1.6}_{-1.0}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 18''2 \\ \text{; } 6''1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (1.83) \cdot 10^{-1} M_{\odot}$$

Source no. 277
 HGBS-J032851.6+311752



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (7.5^{+2.7}_{-1.7}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 22''5 \\ 13''2 \\ 1.92 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.96) \cdot 10^{-1} M_{\odot}$$

Source no. 278
 HGBS-J032852.0+312414



Physical properties of the source



$$T = 16.6^{+1.2}_{-1.1} \text{ K}$$

$$M = (1.49^{+0.46}_{-0.35}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 24''.5 \\ 16''.4 \\ 2.39 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.83) \cdot 10^{-1} M_{\odot}$$

Source no. 279
 HGBS-J032853.6+312957



Physical properties of the source



$$T = 11.29^{+0.15}_{-0.13} \text{ K}$$

$$M = (3.31 \pm 0.31) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 28''/2 \\ 21''/5 \\ 3.13 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.99) \cdot 10^{-1} M_{\odot}$$

Source no. 280
 HGBS-J032853.7+311458



Physical properties of the source



$$T = 10.5^{+1.3}_{-1.4} \text{ K}$$

$$M = 2.4^{+2.0}_{-1.0} M_{\odot}$$

$$R = \begin{cases} 20''.2 \\ 8''.76 \\ 1.27 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (2.64) \cdot 10^{-1} M_{\odot}$$

Source no. 281
 HGBS-J032853.8+311808



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (7.7^{+2.8}_{-1.8}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 25''1 \\ 17''3 \\ 2.51 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.18) \cdot 10^{-1} M_{\odot}$$

Source no. 282
 HGBS-J032854.0+300409



Physical properties of the source



$$T = 8.78^{+0.07}_{-0.06} \text{ K}$$

$$M = 3.29 \pm 0.21 M_{\odot}$$

$$R = \begin{cases} 52''4 \\ 49''1 \\ 7.15 \cdot 10^{-2} \text{ pc} \end{cases}$$



$$M_{\text{BE}} = 1.24 M_{\odot}$$

Source no. 283
HGBS-J032854.9+311627



Physical properties of the source

Source no. 284
 HGBS-J032855.4+311028



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (7.0^{+3.7}_{-2.1}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 23''.3 \\ 14''.5 \\ 2.12 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.36) \cdot 10^{-1} M_{\odot}$$

Source no. 285
 HGBS-J032855.5+311436



Physical properties of the source



$$T = 21.25 \pm 0.12 \text{ K}$$

$$M = 2.835^{+0.069}_{-0.067} M_{\odot}$$

$$R = \begin{cases} 18''.7 \\ i \ 6''.1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (3.72) \cdot 10^{-1} M_{\odot}$$

Source no. 286
 HGBS-J032855.8+310607



Physical properties of the source



$$T = 11.5^{+0.5}_{-1.6} \text{ K}$$

$$M = (6.8^{+6.9}_{-1.7}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 21''.7 \\ 11''.8 \\ 1.72 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.91) \cdot 10^{-1} M_{\odot}$$

Source no. 287
 HGBS-J032856.2+312225



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (2.2^{+3.3}_{-1.2}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 18''.6 \\ \pm 6''.1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (1.83) \cdot 10^{-1} M_{\odot}$$

Source no. 288
 HGBS-J032856.4+311834



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = 1.1^{+1.7}_{-0.6} M_{\odot}$$

$$R = \begin{cases} 18''.2 \\ \text{; } 6''.1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (1.83) \cdot 10^{-1} M_{\odot}$$

Source no. 289
 HGBS-J032856.7+304431



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (2.51^{+0.91}_{-0.57}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 28''.3 \\ 21''.7 \\ 3.15 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.49) \cdot 10^{-1} M_{\odot}$$

Source no. 290
 HGBS-J032857.3+311414



Physical properties of the source



$$T = 19.4^{+1.2}_{-1.0} \text{ K}$$

$$M = (2.53^{+0.61}_{-0.53}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 18''.2 \\ \text{; } 6''.1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (3.39) \cdot 10^{-1} M_{\odot}$$

Source no. 291
 HGBS-J032857.4+300030



Physical properties of the source



$$T = 9.10^{+0.45}_{-0.48} \text{ K}$$

$$M = (9.2^{+2.4}_{-1.9}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 38''_5 \\ 33''_9 \\ 4.93 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.87) \cdot 10^{-1} M_{\odot}$$

Source no. 292
 HGBS-J032858.1+305414



Physical properties of the source



$$T = 13.34 \pm 0.14 \text{ K}$$

$$M = (1.696 \pm 0.071) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 42''9 \\ 38''8 \\ 5.65 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.49 M_{\odot}$$

Source no. 293
 HGBS-J032858.2+310550



Physical properties of the source



$$T = 11.96^{+0.47}_{-0.43} \text{ K}$$

$$M = (2.38^{+0.37}_{-0.33}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 37''9 \\ 33''2 \\ 4.84 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.14 M_{\odot}$$

Source no. 294
HGBS-J032858.4+312215



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = 1.49^{+0.54}_{-0.34} M_{\odot}$$

$$R = \begin{cases} 18''.2 \\ i 6''.1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (1.83) \cdot 10^{-1} M_{\odot}$$

Source no. 295
 HGBS-J032859.2+311547



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (5.6^{+8.5}_{-3.0}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 22''9 \\ 13''9 \\ 2.02 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.16) \cdot 10^{-1} M_{\odot}$$

Source no. 296
 HGBS-J032900.0+312133



Physical properties of the source



$$T = 8.28^{+0.02}_{-0.03} \text{ K}$$

$$M = (1.674 \pm 0.076) \cdot 10^1 M_{\odot}$$

$$R = \begin{cases} 22''.0 \\ 12''.4 \\ 1.80 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (2.94) \cdot 10^{-1} M_{\odot}$$

Source no. 297
 HGBS-J032900.3+312814



Physical properties of the source



$$T = 11.69^{+0.25}_{-0.24} \text{ K}$$

$$M = (5.38^{+0.58}_{-0.53}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 40''/1 \\ 35''/7 \\ 5.20 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.20 M_{\odot}$$

Source no. 298
 HGBS-J032900.5+311159



Physical properties of the source



$$T = 14.87^{+0.02}_{-0.03} \text{ K}$$

$$M = (4.320^{+0.048}_{-0.032}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 19''.3 \\ 6''.42 \\ 9.34 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (2.74) \cdot 10^{-1} M_{\odot}$$

Source no. 299
 HGBS-J032900.6+310753



Physical properties of the source



$$T = 11.50^{+0.37}_{-0.34} \text{ K}$$

$$M = (1.46^{+0.22}_{-0.20}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 24''/4 \\ 16''/3 \\ 2.36 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.37) \cdot 10^{-1} M_{\odot}$$

Source no. 300
 HGBS-J032900.7+312101



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = 3.5^{+1.3}_{-0.8} M_{\odot}$$

$$R = \begin{cases} 18''.2 \\ \text{; } 6''.1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (1.83) \cdot 10^{-1} M_{\odot}$$

Source no. 301
 HGBS-J032901.3+312025



Physical properties of the source



$$T = 15.60^{+0.34}_{-0.33} \text{ K}$$

$$M = 4.08^{+0.34}_{-0.32} M_{\odot}$$

$$R = \begin{cases} 24''.0 \\ 15''.6 \\ 2.28 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.01) \cdot 10^{-1} M_{\odot}$$

Source no. 302
 HGBS-J032901.7+295300



Physical properties of the source



$$T = 10.0^{+1.4}_{-1.1} \text{ K}$$

$$M = (1.6^{+1.2}_{-0.8}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 28''2 \\ 21''5 \\ 3.13 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.16) \cdot 10^{-1} M_{\odot}$$

Source no. 303
 HGBS-J032901.9+311536



Physical properties of the source



$$T = 12.04^{+0.60}_{-0.58} \text{ K}$$

$$M = 4.9^{+1.1}_{-0.9} M_{\odot}$$

$$R = \begin{cases} 19''.8 \\ 7''.80 \\ 1.13 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (2.70) \cdot 10^{-1} M_{\odot}$$

Source no. 304
 HGBS-J032902.1+304451



Physical properties of the source



$$T = 10.71^{+0.98}_{-0.78} \text{ K}$$

$$M = (3.4^{+1.5}_{-1.1}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 38''7 \\ 34''2 \\ 4.97 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.05 M_{\odot}$$

Source no. 305
 HGBS-J032902.3+294026



Physical properties of the source



$$T = 14.1^{+1.5}_{-1.4} \text{ K}$$

$$M = (9.8^{+4.8}_{-3.1}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 46''1 \\ 42''4 \\ 6.16 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.71 M_{\odot}$$

Source no. 306
 HGBS-J032902.4+311049



Physical properties of the source



$$T = 7.88^{+0.50}_{-0.44} \text{ K}$$

$$M = (7.8^{+3.3}_{-2.4}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 28''6 \\ 22''1 \\ 3.21 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.99) \cdot 10^{-1} M_{\odot}$$

Source no. 307
 HGBS-J032902.6+312009



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = 3.0_{-0.9}^{+1.6} M_{\odot}$$

$$R = \begin{cases} 19''.5 \\ 7''.00 \\ 1.02 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (2.10) \cdot 10^{-1} M_{\odot}$$

Source no. 308
 HGBS-J032902.9+312503



Physical properties of the source



$$T = 16.6_{-1.1}^{+1.2} \text{ K}$$

$$M = (2.73_{-0.61}^{+0.82}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 20''.7 \\ 9''.86 \\ 1.43 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.69) \cdot 10^{-1} M_{\odot}$$

Source no. 309
 HGBS-J032903.0+303335



Physical properties of the source



$$T = 11.6^{+0.6}_{-1.0} \text{ K}$$

$$M = (7.2^{+4.0}_{-1.9}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 25''.5 \\ 17''.9 \\ 2.60 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.93) \cdot 10^{-1} M_{\odot}$$

Source no. 310
 HGBS-J032903.1+312531



Physical properties of the source



$$T = 16.29^{+0.25}_{-0.24} \text{ K}$$

$$M = (9.09 \pm 0.10) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 30''/8 \\ 24''/8 \\ 3.61 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.16 M_{\odot}$$

Source no. 311
 HGBS-J032903.3+312313



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (1.8^{+2.8}_{-1.0}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 21''9 \\ 12''2 \\ 1.77 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.65) \cdot 10^{-1} M_{\odot}$$

Source no. 312
 HGBS-J032903.3+312419



Physical properties of the source



$$T = 11.76^{+0.61}_{-0.54} \text{ K}$$

$$M = (1.15 \pm 0.29) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 23''.5 \\ 14''.9 \\ 2.16 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.02) \cdot 10^{-1} M_{\odot}$$

Source no. 313
 HGBS-J032903.6+310403



Physical properties of the source



$$T = 12.28^{+0.09}_{-0.10} \text{ K}$$

$$M = (5.04 \pm 0.26) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 37''.4 \\ 32''.7 \\ 4.75 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.15 M_{\odot}$$

Source no. 314
 HGBS-J032903.7+311602



Physical properties of the source



$$T = 17.00^{+0.22}_{-0.21} \text{ K}$$

$$M = 4.84 \pm 0.23 M_{\odot}$$

$$R = \begin{cases} 19''.4 \\ 6''.72 \\ 9.77 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.28) \cdot 10^{-1} M_{\odot}$$

Source no. 315
 HGBS-J032904.0+311446



Physical properties of the source



$$T = 9.7^{+3.8}_{-1.0} \text{ K}$$

$$M = 3.2^{+5.7}_{-3.0} M_{\odot}$$

$$R = \begin{cases} 22''.5 \\ 13''.2 \\ 1.92 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.69) \cdot 10^{-1} M_{\odot}$$

Source no. 316
 HGBS-J032904.0+300622



Physical properties of the source



$$T = 10.11^{+0.36}_{-0.34} \text{ K}$$

$$M = (5.57^{+0.87}_{-0.75}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 41''.6 \\ 37''.4 \\ 5.44 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.09 M_{\odot}$$

Source no. 317
 HGBS-J032904.9+311844



Physical properties of the source



$$T = 9.63^{+0.04}_{-0.03} \text{ K}$$

$$M = 3.85 \pm 0.58 M_{\odot}$$

$$R = \begin{cases} 29''.9 \\ 23''.7 \\ 3.45 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.56) \cdot 10^{-1} M_{\odot}$$

Source no. 318
 HGBS-J032904.9+312059



Physical properties of the source



$$T = 11.34 \pm 0.03 \text{ K}$$

$$M = 4.59 \pm 0.33 M_{\odot}$$

$$R = \begin{cases} 25''.5 \\ 17''.9 \\ 2.60 \cdot 10^{-2} \text{ pc} \end{cases}$$



$$M_{\text{BE}} = (5.82) \cdot 10^{-1} M_{\odot}$$

Source no. 319
HGBS-J032905.0+312035



Physical properties of the source

Source no. 320
 HGBS-J032905.5+312213



Physical properties of the source



$$T = 7.51^{+0.98}_{-0.78} \text{ K}$$

$$M = (1.09^{+0.75}_{-0.46}) \cdot 10^1 M_{\odot}$$

$$R = \begin{cases} 20''.9 \\ 10''.3 \\ 1.49 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (2.22) \cdot 10^{-1} M_{\odot}$$

Source no. 321
 HGBS-J032907.1+311722



Physical properties of the source



$$T = 10.62 \pm 0.04 \text{ K}$$

$$M = 2.89 \pm 0.29 M_{\odot}$$

$$R = \begin{cases} 27''.9 \\ 21''.1 \\ 3.08 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.45) \cdot 10^{-1} M_{\odot}$$

Source no. 322
 HGBS-J032907.3+313406



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (7.1^{+3.8}_{-2.1}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 25''.4 \\ 17''.7 \\ 2.58 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.31) \cdot 10^{-1} M_{\odot}$$

Source no. 323
 HGBS-J032907.8+312156



Physical properties of the source



$$T = 9.0^{+1.0}_{-0.9} \text{ K}$$

$$M = (1.20^{+0.60}_{-0.39}) \cdot 10^1 M_{\odot}$$

$$R = \begin{cases} 19''0 \\ \text{; } 6''1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (1.57) \cdot 10^{-1} M_{\odot}$$

Source no. 324
 HGBS-J032908.8+312305



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = 1.02^{+0.37}_{-0.23} M_{\odot}$$

$$R = \begin{cases} 25''.2 \\ 17''.4 \\ 2.54 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.22) \cdot 10^{-1} M_{\odot}$$

Source no. 325
 HGBS-J032908.9+313554



Physical properties of the source



$$T = 12.1^{+1.3}_{-1.0} \text{ K}$$

$$M = (5.8^{+2.6}_{-1.9}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 24''.5 \\ 16''.4 \\ 2.39 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.68) \cdot 10^{-1} M_{\odot}$$

Source no. 326
 HGBS-J032908.9+311517



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = 5.5^{+2.0}_{-1.3} M_{\odot}$$

$$R = \begin{cases} 23''.5 \\ 14''.9 \\ 2.16 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.45) \cdot 10^{-1} M_{\odot}$$

Source no. 327
 HGBS-J032909.0+312127



Physical properties of the source



$$T = 8.9^{+2.4}_{-1.5} \text{ K}$$

$$M = 6.0^{+7.4}_{-3.5} M_{\odot}$$

$$R = \begin{cases} 21''7 \\ 11''8 \\ 1.72 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.01) \cdot 10^{-1} M_{\odot}$$

Source no. 328
 HGBS-J032909.6+304315



Physical properties of the source



$$T = 13.15^{+0.97}_{-0.81} \text{ K}$$

$$M = (6.0^{+1.9}_{-1.5}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 30''0 \\ 23''8 \\ 3.47 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (9.01) \cdot 10^{-1} M_{\odot}$$

Source no. 329
 HGBS-J032909.7+302123



Physical properties of the source



$$T = 12.31 \pm 0.15 \text{ K}$$

$$M = 1.687^{+0.077}_{-0.073} M_{\odot}$$

$$R = \begin{cases} 75''.1 \\ 72''.9 \\ 1.06 \cdot 10^{-1} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 2.58 M_{\odot}$$

Source no. 330
 HGBS-J032910.4+311330



Physical properties of the source



$$T = 15.71^{+0.09}_{-0.08} \text{ K}$$

$$M = 5.31^{+0.14}_{-0.15} M_{\odot}$$

$$R = \begin{cases} 22''.4 \\ 13''.1 \\ 1.90 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.89) \cdot 10^{-1} M_{\odot}$$

Source no. 331
 HGBS-J032910.6+312149



Physical properties of the source



$$T = 21_{-6}^{+10} \text{ K}$$

$$M = 1.2_{-0.6}^{+1.2} M_{\odot}$$

$$R = \begin{cases} 40''.6 \\ 36''.3 \\ 5.28 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 2.29 M_{\odot}$$

Source no. 332
 HGBS-J032910.6+311819



Physical properties of the source



$$T = 20.50^{+0.59}_{-0.52} \text{ K}$$

$$M = (3.02^{+0.36}_{-0.35}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 24''.5 \\ 16''.4 \\ 2.39 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (9.66) \cdot 10^{-1} M_{\odot}$$

Source no. 333
 HGBS-J032911.2+311830



Physical properties of the source



$$T = 14.88 \pm 0.10 \text{ K}$$

$$M = 2.023^{+0.083}_{-0.079} M_{\odot}$$

$$R = \begin{cases} 21''8 \\ 12''0 \\ 1.75 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.13) \cdot 10^{-1} M_{\odot}$$

Source no. 334
 HGBS-J032911.3+312828



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (2.9_{-0.9}^{+1.5}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 20''.4 \\ 9''.22 \\ 1.34 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (2.76) \cdot 10^{-1} M_{\odot}$$

Source no. 335
 HGBS-J032912.0+311308



Physical properties of the source



$$T = 16.98^{+0.12}_{-0.13} \text{ K}$$

$$M = 2.192^{+0.070}_{-0.062} M_{\odot}$$

$$R = \begin{cases} 18''.9 \\ i \ 6''.1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (2.98) \cdot 10^{-1} M_{\odot}$$

Source no. 336
 HGBS-J032912.8+311813



Physical properties of the source



$$T = 9.91^{+0.43}_{-0.42} \text{ K}$$

$$M = 1.17^{+0.33}_{-0.25} M_{\odot}$$

$$R = \begin{cases} 18''.4 \\ i \ 6''.1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (1.74) \cdot 10^{-1} M_{\odot}$$

Source no. 337
 HGBS-J032913.6+311356



Physical properties of the source



$$T = 16.21^{+0.98}_{-0.80} \text{ K}$$

$$M = (3.7^{+1.2}_{-1.0}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 18''.2 \\ \text{; } 6''.1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (2.84) \cdot 10^{-1} M_{\odot}$$

Source no. 338
 HGBS-J032913.6+304147



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (7.3^{+3.9}_{-2.2}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 25''.1 \\ 17''.3 \\ 2.51 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.18) \cdot 10^{-1} M_{\odot}$$

Source no. 339
 HGBS-J032915.8+312032



Physical properties of the source



$$T = 12.63^{+0.07}_{-0.06} \text{ K}$$

$$M = (9.22 \pm 0.12) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 21''3 \\ 11''1 \\ 1.61 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.02) \cdot 10^{-1} M_{\odot}$$

Source no. 340
 HGBS-J032916.0+300557



Physical properties of the source



$$T = 10.46^{+0.23}_{-0.73} \text{ K}$$

$$M = (1.43^{+0.56}_{-0.21}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 25''0 \\ 17''1 \\ 2.49 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.15) \cdot 10^{-1} M_{\odot}$$

Source no. 341
 HGBS-J032917.2+312745



Physical properties of the source



$$T = 14.32^{+0.03}_{-0.04} \text{ K}$$

$$M = (8.03^{+0.14}_{-0.10}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 18''.5 \\ \text{; } 6''.1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (2.51) \cdot 10^{-1} M_{\odot}$$

Source no. 342
 HGBS-J032917.7+303956



Physical properties of the source



$$T = 11.42^{+0.56}_{-0.52} \text{ K}$$

$$M = (4.28^{+0.91}_{-0.76}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 50''/5 \\ 47''/1 \\ 6.85 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.55 M_{\odot}$$

Source no. 343
 HGBS-J032918.1+314205



Physical properties of the source



$$T = 9.5^{+1.4}_{-1.1} \text{ K}$$

$$M = (1.09^{+0.88}_{-0.52}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 21''.7 \\ 11''.8 \\ 1.72 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.22) \cdot 10^{-1} M_{\odot}$$

Source no. 344
 HGBS-J032918.4+312507



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = 4.4^{+1.6}_{-1.0} M_{\odot}$$

$$R = \begin{cases} 22''.3 \\ 12''.9 \\ 1.87 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.86) \cdot 10^{-1} M_{\odot}$$

Source no. 345
 HGBS-J032918.9+312314



Physical properties of the source



$$T = 13.10^{+0.20}_{-0.19} \text{ K}$$

$$M = 1.34^{+0.13}_{-0.12} M_{\odot}$$

$$R = \begin{cases} 18''.4 \\ \pm 6''.1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (2.30) \cdot 10^{-1} M_{\odot}$$

Source no. 346
 HGBS-J032919.7+313012



Physical properties of the source



$$T = 10.08^{+0.08}_{-0.07} \text{ K}$$

$$M = (4.71 \pm 0.33) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 25''8 \\ 18''3 \\ 2.66 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.30) \cdot 10^{-1} M_{\odot}$$

Source no. 347
 HGBS-J032919.9+312408



Physical properties of the source



$$T = 10.7^{+2.8}_{-2.4} \text{ K}$$

$$M = 1.5^{+2.0}_{-0.7} M_{\odot}$$

$$R = \begin{cases} 19''.5 \\ 7''.00 \\ 1.02 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (2.16) \cdot 10^{-1} M_{\odot}$$

Source no. 348
 HGBS-J032919.9+313427



Physical properties of the source



$$T = 9.2^{+0.7}_{-1.1} \text{ K}$$

$$M = (2.1^{+1.7}_{-0.8}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 24''.9 \\ 17''.0 \\ 2.47 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.51) \cdot 10^{-1} M_{\odot}$$

Source no. 349
 HGBS-J032920.1+313526



Physical properties of the source



$$T = 9.50^{+0.44}_{-0.42} \text{ K}$$

$$M = (4.13^{+0.86}_{-0.70}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 32''/2 \\ 26''/6 \\ 3.86 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.25) \cdot 10^{-1} M_{\odot}$$

Source no. 350
 HGBS-J032920.2+311832



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (1.7^{+1.4}_{-0.7}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 18''.2 \\ \text{; } 6''.1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (1.83) \cdot 10^{-1} M_{\odot}$$

Source no. 351
 HGBS-J032921.5+314010



Physical properties of the source



$$T = 9.98^{+0.41}_{-0.38} \text{ K}$$

$$M = (2.14^{+0.39}_{-0.33}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 26''6 \\ 19''4 \\ 2.82 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.56) \cdot 10^{-1} M_{\odot}$$

Source no. 352
 HGBS-J032921.5+311320



Physical properties of the source



$$T = 13.00 \pm 0.29 \text{ K}$$

$$M = (1.20 \pm 0.24) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 23''4 \\ 14''7 \\ 2.14 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.49) \cdot 10^{-1} M_{\odot}$$

Source no. 353
 HGBS-J032922.5+300332



Physical properties of the source



$$T = 7.64 \pm 0.26 \text{ K}$$

$$M = 1.77^{+0.29}_{-0.24} M_{\odot}$$

$$R = \begin{cases} 30''1 \\ 24''0 \\ 3.49 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.26) \cdot 10^{-1} M_{\odot}$$

Source no. 354
 HGBS-J032923.4+313327



Physical properties of the source



$$T = 10.41^{+0.01}_{-0.02} \text{ K}$$

$$M = 2.297 \pm 0.038 M_{\odot}$$

$$R = \begin{cases} 20''.7 \\ 9''.86 \\ 1.43 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (2.95) \cdot 10^{-1} M_{\odot}$$

Source no. 355
 HGBS-J032923.7+313613



Physical properties of the source



$$T = 7.84^{+0.06}_{-0.05} \text{ K}$$

$$M = 2.91 \pm 0.13 M_{\odot}$$

$$R = \begin{cases} 34''.0 \\ 28''.7 \\ 4.18 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.47) \cdot 10^{-1} M_{\odot}$$

Source no. 356
 HGBS-J032924.7+313745



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (6.9^{+3.7}_{-2.1}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 24''.5 \\ 16''.4 \\ 2.39 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.91) \cdot 10^{-1} M_{\odot}$$

Source no. 357
 HGBS-J032924.8+313150



Physical properties of the source



$$T = 10.06^{+0.70}_{-0.74} \text{ K}$$

$$M = (1.53^{+0.64}_{-0.42}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 21''2 \\ 10''9 \\ 1.58 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.14) \cdot 10^{-1} M_{\odot}$$

Source no. 358
 HGBS-J032925.7+312817



Physical properties of the source



$$T = 9.39^{+0.02}_{-0.03} \text{ K}$$

$$M = 2.162 \pm 0.052 M_{\odot}$$

$$R = \begin{cases} 18''.5 \\ \text{; } 6''.1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$



$$M_{\text{BE}} < (1.65) \cdot 10^{-1} M_{\odot}$$

Source no. 359
HGBS-J032925.8+312918



Physical properties of the source

Source no. 360
 HGBS-J032928.2+295910



Physical properties of the source



$$T = 9.61^{+0.68}_{-0.62} \text{ K}$$

$$M = (3.6^{+1.2}_{-0.9}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 36''0 \\ 31''1 \\ 4.52 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.58) \cdot 10^{-1} M_{\odot}$$

Source no. 361
 HGBS-J032929.2+311833



Physical properties of the source



$$T = 26.72^{+0.63}_{-0.56} \text{ K}$$

$$M = (1.48^{+0.22}_{-0.21}) \cdot 10^{-3} M_{\odot}$$

$$R = \begin{cases} 19''.4 \\ 6''.72 \\ 9.77 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.16) \cdot 10^{-1} M_{\odot}$$

Source no. 362
 HGBS-J032929.8+300520



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (4.5^{+1.7}_{-1.0}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 24''1 \\ 15''8 \\ 2.30 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.73) \cdot 10^{-1} M_{\odot}$$

Source no. 363
 HGBS-J032930.2+311116



Physical properties of the source



$$T = 9.52^{+0.45}_{-0.41} \text{ K}$$

$$M = (1.94^{+0.53}_{-0.42}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 24''.7 \\ 16''.7 \\ 2.43 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.57) \cdot 10^{-1} M_{\odot}$$

Source no. 364
 HGBS-J032930.3+311719



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (9.5^{+5.1}_{-2.8}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 25''.7 \\ 18''.1 \\ 2.64 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.44) \cdot 10^{-1} M_{\odot}$$

Source no. 365
 HGBS-J032931.7+313226



Physical properties of the source



$$T = 11.3^{+1.1}_{-1.0} \text{ K}$$

$$M = (1.33^{+0.58}_{-0.41}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 27''.5 \\ 20''.6 \\ 3.00 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.69) \cdot 10^{-1} M_{\odot}$$

Source no. 366
 HGBS-J032931.8+295717



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (6.6^{+3.5}_{-2.0}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 23''.6 \\ 15''.0 \\ 2.19 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.50) \cdot 10^{-1} M_{\odot}$$

Source no. 367
 HGBS-J032932.8+300841



Physical properties of the source



$$T = 9.14^{+0.25}_{-0.24} \text{ K}$$

$$M = (8.7^{+1.0}_{-0.9}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 33''/4 \\ 28''/0 \\ 4.07 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.35) \cdot 10^{-1} M_{\odot}$$

Source no. 368
 HGBS-J032935.5+312822



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (6.6^{+3.5}_{-2.0}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 23''3 \\ 14''5 \\ 2.12 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.36) \cdot 10^{-1} M_{\odot}$$

Source no. 369
 HGBS-J032937.0+300837



Physical properties of the source



$$T = 12.58 \pm 0.16 \text{ K}$$

$$M = (3.83 \pm 0.22) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 38''.6 \\ 34''.0 \\ 4.95 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.23 M_{\odot}$$

Source no. 370
 HGBS-J032937.1+311723



Physical properties of the source



$$T = 11.2^{+1.3}_{-1.0} \text{ K}$$

$$M = (2.5^{+1.3}_{-0.9}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 37''_0 \\ 32''_2 \\ 4.69 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.03 M_{\odot}$$

Source no. 371
 HGBS-J032937.3+310940



Physical properties of the source



$$T = 12.66^{+0.67}_{-0.59} \text{ K}$$

$$M = (7.8^{+1.8}_{-1.5}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 22''/9 \\ 13''/9 \\ 2.02 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.05) \cdot 10^{-1} M_{\odot}$$

Source no. 372
 HGBS-J032939.4+300331



Physical properties of the source



$$T = 10.40^{+0.54}_{-0.50} \text{ K}$$

$$M = (1.38^{+0.34}_{-0.27}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 23''.3 \\ 14''.5 \\ 2.12 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.35) \cdot 10^{-1} M_{\odot}$$

Source no. 373
 HGBS-J032940.3+312411



Physical properties of the source



$$T = 17.27^{+0.16}_{-0.60} \text{ K}$$

$$M = (2.49 \pm 0.71) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 24''9 \\ 17''0 \\ 2.47 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.43) \cdot 10^{-1} M_{\odot}$$

Source no. 374
 HGBS-J032941.8+305918



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (2.12^{+0.77}_{-0.48}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 32''.7 \\ 27''.2 \\ 3.95 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.14) \cdot 10^{-1} M_{\odot}$$

Source no. 375
 HGBS-J032943.5+312218



Physical properties of the source



$$T = 16.14^{+0.07}_{-0.70} \text{ K}$$

$$M = (7.3^{+1.4}_{-0.4}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 47''1 \\ 43''4 \\ 6.32 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 2.01 M_{\odot}$$

Source no. 376
 HGBS-J032944.4+310713



Physical properties of the source



$$T = 14.2^{+1.7}_{-1.3} \text{ K}$$

$$M = (5.4^{+2.5}_{-1.8}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 35''/3 \\ 30''/2 \\ 4.40 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.23 M_{\odot}$$

Source no. 377
 HGBS-J032946.0+302454



Physical properties of the source



$$T = 11.93^{+0.99}_{-0.82} \text{ K}$$

$$M = (2.60^{+0.91}_{-0.72}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 37''7 \\ 33''0 \\ 4.80 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.13 M_{\odot}$$

Source no. 378
 HGBS-J032951.8+313905



Physical properties of the source



$$T = 15.15 \pm 0.01 \text{ K}$$

$$M = (4.397 \pm 0.024) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 19''.2 \\ 6''.12 \\ 8.89 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (2.66) \cdot 10^{-1} M_{\odot}$$

Source no. 379
 HGBS-J032954.0+313354



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (7.7^{+4.1}_{-2.3}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 24''.3 \\ 16''.1 \\ 2.34 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.82) \cdot 10^{-1} M_{\odot}$$

Source no. 380
 HGBS-J032954.2+312050



Physical properties of the source



$$T = 26.4^{+1.4}_{-1.6} \text{ K}$$

$$M = (1.25^{+0.25}_{-0.19}) \cdot 10^{-3} M_{\odot}$$

$$R = \begin{cases} 18''2 \\ \text{; } 6''1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (4.63) \cdot 10^{-1} M_{\odot}$$

Source no. 381
 HGBS-J032956.6+311922



Physical properties of the source



$$T = 12.30 \pm 0.04 \text{ K}$$

$$M = (2.278 \pm 0.096) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 25''8 \\ 18''3 \\ 2.66 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.46) \cdot 10^{-1} M_{\odot}$$

Source no. 382
 HGBS-J032958.6+313549



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (1.14^{+0.60}_{-0.34}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 35''1 \\ 30''0 \\ 4.37 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.99) \cdot 10^{-1} M_{\odot}$$

Source no. 383
 HGBS-J033000.5+304742



Physical properties of the source



$$T = 12.31^{+0.60}_{-0.53} \text{ K}$$

$$M = (9.9^{+2.1}_{-1.8}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 24''/2 \\ 15''/9 \\ 2.32 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.64) \cdot 10^{-1} M_{\odot}$$

Source no. 384
 HGBS-J033004.9+304811



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (7.8^{+4.2}_{-2.3}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 22''3 \\ 12''9 \\ 1.87 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.86) \cdot 10^{-1} M_{\odot}$$

Source no. 385
 HGBS-J033006.5+301742



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (5.7^{+3.0}_{-1.7}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 23''.4 \\ 14''.7 \\ 2.14 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.41) \cdot 10^{-1} M_{\odot}$$

Source no. 386
 HGBS-J033010.3+314535



Physical properties of the source



$$T = 12.64 \pm 0.09 \text{ K}$$

$$M = (5.79 \pm 0.33) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 44''.4 \\ 40''.5 \\ 5.89 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.47 M_{\odot}$$

Source no. 387
 HGBS-J033010.5+304614



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (7.2^{+2.6}_{-1.7}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 70''5 \\ 68''1 \\ 9.91 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 2.04 M_{\odot}$$

Source no. 388
 HGBS-J033012.9+304855



Physical properties of the source



$$T = 10.64^{+0.54}_{-0.50} \text{ K}$$

$$M = (2.24^{+0.50}_{-0.41}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 21''.1 \\ 10''.7 \\ 1.55 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.26) \cdot 10^{-1} M_{\odot}$$

Source no. 389
 HGBS-J033014.1+313341



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (7.0^{+3.7}_{-2.1}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 22''3 \\ 12''9 \\ 1.87 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.86) \cdot 10^{-1} M_{\odot}$$

Source no. 390
 HGBS-J033015.0+304407



Physical properties of the source



$$T = 10.99^{+0.50}_{-0.46} \text{ K}$$

$$M = (1.74^{+0.31}_{-0.27}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 35'' \\ 29'' \\ 4.35 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (9.44) \cdot 10^{-1} M_{\odot}$$

Source no. 391
 HGBS-J033015.1+302350



Physical properties of the source



$$T = 17.31 \pm 0.04 \text{ K}$$

$$M = (1.777^{+0.021}_{-0.020}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 19''.8 \\ 7''.80 \\ 1.13 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.88) \cdot 10^{-1} M_{\odot}$$

Source no. 392
 HGBS-J033017.4+305152



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (1.09^{+0.57}_{-0.32}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 31''.5 \\ 25''.7 \\ 3.74 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.70) \cdot 10^{-1} M_{\odot}$$

Source no. 393
 HGBS-J033019.7+305343



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (7.1^{+3.8}_{-2.1}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 26''.8 \\ 19''.7 \\ 2.86 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.89) \cdot 10^{-1} M_{\odot}$$

Source no. 394
 HGBS-J033020.1+304941



Physical properties of the source



$$T = 11.3^{+1.9}_{-1.4} \text{ K}$$

$$M = (1.14^{+0.83}_{-0.50}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 25''8 \\ 18''3 \\ 2.66 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.93) \cdot 10^{-1} M_{\odot}$$

Source no. 395
 HGBS-J033023.1+302922



Physical properties of the source



$$T = 7.47 \pm 0.12 \text{ K}$$

$$M = 1.61 \pm 0.27 M_{\odot}$$

$$R = \begin{cases} 31''/2 \\ 25''/3 \\ 3.69 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.44) \cdot 10^{-1} M_{\odot}$$

Source no. 396
 HGBS-J033023.6+302141



Physical properties of the source



$$T = 9.1^{+1.3}_{-1.1} \text{ K}$$

$$M = (2.6^{+2.2}_{-1.2}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 31''.8 \\ 26''.1 \\ 3.79 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.79) \cdot 10^{-1} M_{\odot}$$

Source no. 397
 HGBS-J033024.4+302410



Physical properties of the source



$$T = 10.67^{+0.25}_{-0.23} \text{ K}$$

$$M = (1.59^{+0.18}_{-0.17}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 23''.4 \\ 14''.7 \\ 2.14 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.51) \cdot 10^{-1} M_{\odot}$$

Source no. 398
 HGBS-J033025.0+302743



Physical properties of the source



$$T = 9.90^{+0.23}_{-0.21} \text{ K}$$

$$M = (6.41^{+0.76}_{-0.72}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 27''.7 \\ 20''.9 \\ 3.04 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.94) \cdot 10^{-1} M_{\odot}$$

Source no. 399
 HGBS-J033025.6+315402



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (1.00^{+0.52}_{-0.29}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 31''1 \\ 25''2 \\ 3.67 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.56) \cdot 10^{-1} M_{\odot}$$

Source no. 400
 HGBS-J033027.1+302829



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (8.7^{+7.0}_{-3.4}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 22''1 \\ 12''5 \\ 1.82 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.76) \cdot 10^{-1} M_{\odot}$$

Source no. 401
 HGBS-J033029.3+304421



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (8.2^{+4.4}_{-2.5}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 21''6 \\ 11''6 \\ 1.69 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.49) \cdot 10^{-1} M_{\odot}$$

Source no. 402
 HGBS-J033032.6+302627



Physical properties of the source



$$T = 8.57 \pm 0.01 \text{ K}$$

$$M = 4.08 \pm 0.10 M_{\odot}$$

$$R = \begin{cases} 25''2 \\ 17''4 \\ 2.54 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.29) \cdot 10^{-1} M_{\odot}$$

Source no. 403
 HGBS-J033035.9+305058



Physical properties of the source



$$T = 11.45^{+0.80}_{-0.69} \text{ K}$$

$$M = (1.31^{+0.41}_{-0.33}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 28''.5 \\ 21''.9 \\ 3.19 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.21) \cdot 10^{-1} M_{\odot}$$

Source no. 404
 HGBS-J033037.7+305234



Physical properties of the source



$$T = 11.0^{+0.7}_{-1.2} \text{ K}$$

$$M = (8.3^{+6.0}_{-2.6}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 21''.1 \\ 10''.7 \\ 1.55 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.37) \cdot 10^{-1} M_{\odot}$$

Source no. 405
 HGBS-J033039.1+303015



Physical properties of the source



$$T = 13.83^{+0.85}_{-0.82} \text{ K}$$

$$M = (1.78^{+0.49}_{-0.37}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 41''5 \\ 37''3 \\ 5.42 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.48 M_{\odot}$$

Source no. 406
 HGBS-J033039.9+302038



Physical properties of the source



$$T = 8.44 \pm 0.14 \text{ K}$$

$$M = 1.12 \pm 0.12 M_{\odot}$$

$$R = \begin{cases} 41''.4 \\ 37''.2 \\ 5.41 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (9.02) \cdot 10^{-1} M_{\odot}$$

Source no. 407
 HGBS-J033041.2+302514



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (4.6^{+2.5}_{-1.4}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 25''.8 \\ 18''.3 \\ 2.66 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.48) \cdot 10^{-1} M_{\odot}$$

Source no. 408
 HGBS-J033043.1+305348



Physical properties of the source



$$T = 9.19^{+0.19}_{-0.18} \text{ K}$$

$$M = (7.07 \pm 0.85) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 31''.7 \\ 26''.0 \\ 3.77 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.85) \cdot 10^{-1} M_{\odot}$$

Source no. 409
 HGBS-J033043.8+302958



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (9.7^{+5.1}_{-2.9}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 25''.8 \\ 18''.3 \\ 2.66 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.48) \cdot 10^{-1} M_{\odot}$$

Source no. 410
 HGBS-J033043.9+303247



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (9.3_{-3.6}^{+7.4}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 24''.1 \\ 15''.8 \\ 2.30 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.73) \cdot 10^{-1} M_{\odot}$$

Source no. 411
 HGBS-J033044.5+302135



Physical properties of the source



$$T = 8.47^{+0.39}_{-0.36} \text{ K}$$

$$M = (7.8^{+1.8}_{-1.5}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 28''7 \\ 22''2 \\ 3.23 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.40) \cdot 10^{-1} M_{\odot}$$

Source no. 412
 HGBS-J033045.8+303227



Physical properties of the source



$$T = 13.07^{+0.19}_{-0.18} \text{ K}$$

$$M = (2.16 \pm 0.14) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 28''/4 \\ 21''/8 \\ 3.17 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.19) \cdot 10^{-1} M_{\odot}$$

Source no. 413
 HGBS-J033046.7+305245



Physical properties of the source



$$T = 10.81^{+0.06}_{-0.05} \text{ K}$$

$$M = 1.670 \pm 0.075 M_{\odot}$$

$$R = \begin{cases} 39''9 \\ 35''5 \\ 5.16 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.10 M_{\odot}$$

Source no. 414
 HGBS-J033050.7+304922



Physical properties of the source



$$T = 9.14^{+0.07}_{-0.06} \text{ K}$$

$$M = 1.194 \pm 0.066 M_{\odot}$$

$$R = \begin{cases} 30''9 \\ 25''0 \\ 3.63 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.56) \cdot 10^{-1} M_{\odot}$$

Source no. 415
 HGBS-J033052.4+305418



Physical properties of the source



$$T = 10.27 \pm 0.32 \text{ K}$$

$$M = (3.37^{+0.51}_{-0.44}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 23''6 \\ 15''0 \\ 2.19 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.43) \cdot 10^{-1} M_{\odot}$$

Source no. 416
 HGBS-J033101.6+295636



Physical properties of the source



$$T = 11.35^{+0.09}_{-0.10} \text{ K}$$

$$M = (3.73 \pm 0.35) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 37''9 \\ 33''2 \\ 4.84 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.08 M_{\odot}$$

Source no. 417
 HGBS-J033102.2+300101



Physical properties of the source



$$T = 10.2^{+1.1}_{-0.9} \text{ K}$$

$$M = (2.1^{+1.1}_{-0.8}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 34''.1 \\ 28''.8 \\ 4.19 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.46) \cdot 10^{-1} M_{\odot}$$

Source no. 418
 HGBS-J033113.1+295031



Physical properties of the source



$$T = 13.8^{+2.0}_{-1.4} \text{ K}$$

$$M = (6.6^{+3.5}_{-2.5}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 34''/1 \\ 28''/8 \\ 4.19 \cdot 10^{-2} \text{ pc} \end{cases}$$



$$M_{\text{BE}} = 1.15 M_{\odot}$$

Source no. 419
HGBS-J033114.7+304955



Physical properties of the source

Source no. 420
 HGBS-J033114.8+295920



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (6.5^{+3.5}_{-2.0}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 24''.9 \\ 17''.0 \\ 2.47 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.09) \cdot 10^{-1} M_{\odot}$$

Source no. 421
 HGBS-J033116.8+304210



Physical properties of the source



$$T = 9.09 \pm 0.04 \text{ K}$$

$$M = 1.65 \pm 0.13 M_{\odot}$$

$$R = \begin{cases} 28''.9 \\ 22''.4 \\ 3.27 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.86) \cdot 10^{-1} M_{\odot}$$

Source no. 422
 HGBS-J033118.2+304936



Physical properties of the source



$$T = 9.9^{+2.2}_{-1.7} \text{ K}$$

$$M = (8^{+13}_{-5}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 19''.7 \\ 7''.54 \\ 1.10 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (2.14) \cdot 10^{-1} M_{\odot}$$

Source no. 423
 HGBS-J033120.8+304530



Physical properties of the source



$$T = 19.98 \pm 0.02 \text{ K}$$

$$M = (2.864 \pm 0.012) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 18''.8 \\ \text{; } 6''.1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (3.50) \cdot 10^{-1} M_{\odot}$$

Source no. 424
 HGBS-J033120.8+304129



Physical properties of the source



$$T = 7.36 \pm 0.11 \text{ K}$$

$$M = 1.72 \pm 0.22 M_{\odot}$$

$$R = \begin{cases} 26''.1 \\ 18''.7 \\ 2.72 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.96) \cdot 10^{-1} M_{\odot}$$

Source no. 425
 HGBS-J033121.1+303939



Physical properties of the source



$$T = 9.2^{+1.1}_{-0.9} \text{ K}$$

$$M = (2.2^{+1.4}_{-0.9}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 27''.5 \\ 20''.6 \\ 3.00 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.42) \cdot 10^{-1} M_{\odot}$$

Source no. 426
 HGBS-J033128.8+303052



Physical properties of the source



$$T = 16.94^{+0.38}_{-0.36} \text{ K}$$

$$M = (1.47^{+0.13}_{-0.12}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 18''.3 \\ \text{; } 6''.1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (2.97) \cdot 10^{-1} M_{\odot}$$

Source no. 427
 HGBS-J033136.1+313057



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (7.9^{+4.2}_{-2.4}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 21''.8 \\ 12''.0 \\ 1.75 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.60) \cdot 10^{-1} M_{\odot}$$

Source no. 428
 HGBS-J033145.5+310544



Physical properties of the source



$$T = 12.2^{+1.2}_{-1.0} \text{ K}$$

$$M = (7.5^{+3.4}_{-2.5}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 34''0 \\ 28''7 \\ 4.18 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.01 M_{\odot}$$

Source no. 429
 HGBS-J033146.3+313015



Physical properties of the source



$$T = 10.93^{+0.82}_{-0.74} \text{ K}$$

$$M = (7.5^{+2.6}_{-1.9}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 24''.9 \\ 17''.0 \\ 2.47 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.34) \cdot 10^{-1} M_{\odot}$$

Source no. 430
 HGBS-J033148.5+295625



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (1.97^{+0.71}_{-0.45}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 34''9 \\ 29''8 \\ 4.33 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.92) \cdot 10^{-1} M_{\odot}$$

Source no. 431
 HGBS-J033149.8+304527



Physical properties of the source



$$T = 8.70^{+0.37}_{-0.35} \text{ K}$$

$$M = (3.58^{+0.72}_{-0.60}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 23''7 \\ 15''2 \\ 2.21 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.79) \cdot 10^{-1} M_{\odot}$$

Source no. 432
 HGBS-J033152.9+295155



Physical properties of the source



$$T = 12.3^{+3.8}_{-2.0} \text{ K}$$

$$M = (4.4^{+5.6}_{-2.9}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 27''/2 \\ 20''/2 \\ 2.94 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.15) \cdot 10^{-1} M_{\odot}$$

Source no. 433
 HGBS-J033152.9+312451



Physical properties of the source



$$T = 10.38^{+0.48}_{-0.63} \text{ K}$$

$$M = (2.91^{+0.88}_{-0.58}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 41''/4 \\ 37''/2 \\ 5.41 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.11 M_{\odot}$$

Source no. 434
 HGBS-J033153.0+313103



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (6.9^{+3.7}_{-2.1}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 23''.2 \\ 14''.4 \\ 2.09 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.31) \cdot 10^{-1} M_{\odot}$$

Source no. 435
 HGBS-J033156.3+300051



Physical properties of the source



$$T = 11.48 \pm 0.13 \text{ K}$$

$$M = 1.441 \pm 0.063 M_{\odot}$$

$$R = \begin{cases} 47''.9 \\ 44''.3 \\ 6.44 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.46 M_{\odot}$$

Source no. 436
 HGBS-J033159.1+304706



Physical properties of the source



$$T = 9.98 \pm 0.07 \text{ K}$$

$$M = 1.585 \pm 0.095 M_{\odot}$$

$$R = \begin{cases} 40''4 \\ 36''1 \\ 5.25 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.03 M_{\odot}$$

Source no. 437
 HGBS-J033206.6+305315



Physical properties of the source



$$T = 13.69^{+0.10}_{-0.09} \text{ K}$$

$$M = (2.829 \pm 0.092) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 37''6 \\ 32''9 \\ 4.79 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.29 M_{\odot}$$

Source no. 438
 HGBS-J033207.7+313149



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (7.2^{+3.8}_{-2.2}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 21''.3 \\ 11''.1 \\ 1.61 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.32) \cdot 10^{-1} M_{\odot}$$

Source no. 439
 HGBS-J033208.0+312416



Physical properties of the source



$$T = 12.60^{+0.32}_{-0.30} \text{ K}$$

$$M = (1.36^{+0.14}_{-0.13}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 32''.5 \\ 26''.9 \\ 3.92 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (9.75) \cdot 10^{-1} M_{\odot}$$

Source no. 440
 HGBS-J033208.2+312037



Physical properties of the source



$$T = 11.86 \pm 0.05 \text{ K}$$

$$M = 2.048 \pm 0.097 M_{\odot}$$

$$R = \begin{cases} 52''.7 \\ 49''.5 \\ 7.19 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.69 M_{\odot}$$

Source no. 441
 HGBS-J033211.0+305709



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (5.1^{+2.7}_{-1.5}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 25''3 \\ 17''6 \\ 2.56 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.27) \cdot 10^{-1} M_{\odot}$$

Source no. 442
 HGBS-J033212.0+304759



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (1.04^{+0.55}_{-0.31}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 24''.7 \\ 16''.7 \\ 2.43 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.00) \cdot 10^{-1} M_{\odot}$$

Source no. 443
 HGBS-J033212.3+313137



Physical properties of the source



$$T = 10.08 \pm 0.10 \text{ K}$$

$$M = 2.190^{+0.095}_{-0.090} M_{\odot}$$

$$R = \begin{cases} 58''/3 \\ 55''/4 \\ 8.06 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.60 M_{\odot}$$

Source no. 444
 HGBS-J033215.9+312409



Physical properties of the source



$$T = 12.18^{+0.34}_{-0.31} \text{ K}$$

$$M = (2.44 \pm 0.28) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 39''/8 \\ 35''/4 \\ 5.15 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.24 M_{\odot}$$

Source no. 445
 HGBS-J033216.9+312442



Physical properties of the source



$$T = 10.89^{+0.14}_{-0.13} \text{ K}$$

$$M = (3.03 \pm 0.20) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 31''6 \\ 25''8 \\ 3.76 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.08) \cdot 10^{-1} M_{\odot}$$

Source no. 446
 HGBS-J033217.3+312647



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (6.5^{+3.4}_{-1.9}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 22''.2 \\ 12''.7 \\ 1.85 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.81) \cdot 10^{-1} M_{\odot}$$

Source no. 447
 HGBS-J033217.8+304948



Physical properties of the source



$$T = 13.99 \pm 0.01 \text{ K}$$

$$M = 1.5417 \pm 0.0070 M_{\odot}$$

$$R = \begin{cases} 19''.3 \\ 6''.42 \\ 9.34 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (2.58) \cdot 10^{-1} M_{\odot}$$

Source no. 448
 HGBS-J033218.0+311734



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (3.7^{+2.0}_{-1.1}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 23''.0 \\ 14''.1 \\ 2.05 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.21) \cdot 10^{-1} M_{\odot}$$

Source no. 449
 HGBS-J033218.9+305148



Physical properties of the source



$$T = 12.14^{+0.93}_{-0.80} \text{ K}$$

$$M = (1.35^{+0.43}_{-0.34}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 25''/1 \\ 17''/3 \\ 2.51 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.03) \cdot 10^{-1} M_{\odot}$$

Source no. 450
 HGBS-J033219.4+313053



Physical properties of the source



$$T = 9.23 \pm 0.20 \text{ K}$$

$$M = (9.12^{+0.82}_{-0.73}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 35''6 \\ 30''6 \\ 4.45 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.11) \cdot 10^{-1} M_{\odot}$$

Source no. 451
 HGBS-J033224.5+312510



Physical properties of the source



$$T = 8.45^{+0.13}_{-0.33} \text{ K}$$

$$M = 1.01^{+0.23}_{-0.11} M_{\odot}$$

$$R = \begin{cases} 31''9 \\ 26''2 \\ 3.81 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.36) \cdot 10^{-1} M_{\odot}$$

Source no. 452
 HGBS-J033224.8+303810



Physical properties of the source



$$T = 13.6^{+1.5}_{-1.1} \text{ K}$$

$$M = (8.2^{+3.6}_{-2.8}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 44''4 \\ 40''5 \\ 5.89 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.58 M_{\odot}$$

Source no. 453
 HGBS-J033225.8+305635



Physical properties of the source



$$T = 14.65^{+0.63}_{-0.56} \text{ K}$$

$$M = (6.7^{+1.1}_{-1.0}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 27''.8 \\ 21''.0 \\ 3.06 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.84) \cdot 10^{-1} M_{\odot}$$

Source no. 454
 HGBS-J033226.4+312026



Physical properties of the source



$$T = 12.20^{+0.31}_{-0.29} \text{ K}$$

$$M = (3.93 \pm 0.47) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 46''.4 \\ 42''.7 \\ 6.21 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.50 M_{\odot}$$

Source no. 455
 HGBS-J033226.7+305436



Physical properties of the source



$$T = 12.80^{+0.34}_{-0.32} \text{ K}$$

$$M = (1.34^{+0.13}_{-0.12}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 30''1 \\ 24''0 \\ 3.49 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.82) \cdot 10^{-1} M_{\odot}$$

Source no. 456
 HGBS-J033227.6+305731



Physical properties of the source



$$T = 13.2^{+3.7}_{-2.0} \text{ K}$$

$$M = (3.3^{+3.4}_{-2.0}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 21''.5 \\ 11''.4 \\ 1.66 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.35) \cdot 10^{-1} M_{\odot}$$

Source no. 457
 HGBS-J033228.7+301036



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (9.0^{+4.8}_{-2.7}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 34''0 \\ 28''7 \\ 4.18 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.61) \cdot 10^{-1} M_{\odot}$$

Source no. 458
 HGBS-J033228.9+310239



Physical properties of the source



$$T = 14.53^{+0.04}_{-0.03} \text{ K}$$

$$M = (3.568^{+0.042}_{-0.056}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 31''.6 \\ 25''.8 \\ 3.76 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.08 M_{\odot}$$

Source no. 459
 HGBS-J033230.9+310006



Physical properties of the source



$$T = 8.89 \pm 0.08 \text{ K}$$

$$M = 1.28 \pm 0.15 M_{\odot}$$

$$R = \begin{cases} 32''8 \\ 27''3 \\ 3.97 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.97) \cdot 10^{-1} M_{\odot}$$

Source no. 460
 HGBS-J033231.0+312615



Physical properties of the source



$$T = 11.18^{+0.11}_{-0.12} \text{ K}$$

$$M = (1.95^{+0.10}_{-0.090}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 23''2 \\ 14''4 \\ 2.09 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.62) \cdot 10^{-1} M_{\odot}$$

Source no. 461
 HGBS-J033232.0+305030



Physical properties of the source



$$T = 9.74^{+0.15}_{-0.16} \text{ K}$$

$$M = (8.90 \pm 0.73) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 28''6 \\ 22''1 \\ 3.21 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.17) \cdot 10^{-1} M_{\odot}$$

Source no. 462
 HGBS-J033232.2+301325



Physical properties of the source



$$T = 19.6^{+0.4}_{-4.3} \text{ K}$$

$$M = (8^{+11}_{-1}) \cdot 10^{-3} M_{\odot}$$

$$R = \begin{cases} 20''/3 \\ 8''/99 \\ 1.31 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.05) \cdot 10^{-1} M_{\odot}$$

Source no. 463
 HGBS-J033233.1+301257



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (1.66^{+0.60}_{-0.38}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 38''.7 \\ 34''.2 \\ 4.97 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.02 M_{\odot}$$

Source no. 464
 HGBS-J033233.3+305627



Physical properties of the source



$$T = 10.77^{+0.72}_{-0.63} \text{ K}$$

$$M = (1.93^{+0.62}_{-0.48}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 33''/3 \\ 27''/9 \\ 4.06 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.63) \cdot 10^{-1} M_{\odot}$$

Source no. 465
 HGBS-J033233.5+305413



Physical properties of the source



$$T = 13.19 \pm 0.34 \text{ K}$$

$$M = (1.49^{+0.16}_{-0.14}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 30''9 \\ 25''0 \\ 3.63 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (9.46) \cdot 10^{-1} M_{\odot}$$

Source no. 466
 HGBS-J033233.9+310056



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (5.6^{+4.5}_{-2.2}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 18''.2 \\ \pm 6''.1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (1.83) \cdot 10^{-1} M_{\odot}$$

Source no. 467
 HGBS-J033234.0+301117



Physical properties of the source



$$T = 11.0^{+1.9}_{-1.4} \text{ K}$$

$$M = (6.8^{+5.7}_{-3.3}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 27''1 \\ 20''1 \\ 2.92 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.33) \cdot 10^{-1} M_{\odot}$$

Source no. 468
 HGBS-J033234.1+303312



Physical properties of the source



$$T = 12.50^{+0.21}_{-0.20} \text{ K}$$

$$M = (2.67 \pm 0.29) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 28''9 \\ 22''4 \\ 3.27 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.06) \cdot 10^{-1} M_{\odot}$$

Source no. 469
 HGBS-J033236.6+313014



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (9.8^{+5.2}_{-2.9}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 22''.1 \\ 12''.5 \\ 1.82 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.76) \cdot 10^{-1} M_{\odot}$$

Source no. 470
 HGBS-J033236.7+305306



Physical properties of the source



$$T = 11.82 \pm 0.16 \text{ K}$$

$$M = (3.53^{+0.19}_{-0.17}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 33''.7 \\ 28''.4 \\ 4.13 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (9.63) \cdot 10^{-1} M_{\odot}$$

Source no. 471
 HGBS-J033238.7+313115



Physical properties of the source



$$T = 13.58 \pm 0.16 \text{ K}$$

$$M = (1.020 \pm 0.054) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 32''.9 \\ 27''.4 \\ 3.99 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.07 M_{\odot}$$

Source no. 472
 HGBS-J033239.1+305724



Physical properties of the source



$$T = 8.95^{+0.30}_{-0.29} \text{ K}$$

$$M = 1.28^{+0.18}_{-0.16} M_{\odot}$$

$$R = \begin{cases} 28''.4 \\ 21''.8 \\ 3.17 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.61) \cdot 10^{-1} M_{\odot}$$

Source no. 473
 HGBS-J033239.3+311931



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (5.4^{+2.9}_{-1.6}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 22''2 \\ 12''7 \\ 1.85 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.81) \cdot 10^{-1} M_{\odot}$$

Source no. 474
 HGBS-J033240.2+310312



Physical properties of the source



$$T = 15.26^{+0.94}_{-0.83} \text{ K}$$

$$M = (3.63^{+0.76}_{-0.64}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 26''.8 \\ 19''.7 \\ 2.86 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.62) \cdot 10^{-1} M_{\odot}$$

Source no. 475
 HGBS-J033240.4+312209



Physical properties of the source



$$T = 17.48^{+0.83}_{-0.88} \text{ K}$$

$$M = (1.22^{+0.32}_{-0.25}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 24''0 \\ 15''6 \\ 2.28 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.86) \cdot 10^{-1} M_{\odot}$$

Source no. 476
 HGBS-J033240.8+313021



Physical properties of the source



$$T = 11.21^{+0.48}_{-0.44} \text{ K}$$

$$M = (1.24^{+0.22}_{-0.19}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 28''.1 \\ 21''.4 \\ 3.11 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.89) \cdot 10^{-1} M_{\odot}$$

Source no. 477
 HGBS-J033241.3+312531



Physical properties of the source



$$T = 9.54^{+0.17}_{-0.35} \text{ K}$$

$$M = (2.03^{+0.43}_{-0.30}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 37''.5 \\ 32''.8 \\ 4.77 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.99) \cdot 10^{-1} M_{\odot}$$

Source no. 478
 HGBS-J033243.6+304415



Physical properties of the source



$$T = 14.8^{+1.8}_{-1.3} \text{ K}$$

$$M = (3.6^{+1.6}_{-1.2}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 26''.7 \\ 19''.5 \\ 2.84 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.32) \cdot 10^{-1} M_{\odot}$$

Source no. 479
 HGBS-J033243.7+305948



Physical properties of the source



$$T = 10.43^{+0.05}_{-0.04} \text{ K}$$

$$M = 3.12 \pm 0.15 M_{\odot}$$

$$R = \begin{cases} 39''.2 \\ 34''.7 \\ 5.05 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.04 M_{\odot}$$

Source no. 480
 HGBS-J033248.0+310516



Physical properties of the source



$$T = 9.00^{+0.20}_{-0.18} \text{ K}$$

$$M = (7.22^{+0.69}_{-0.68}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 30''/3 \\ 24''/2 \\ 3.52 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.26) \cdot 10^{-1} M_{\odot}$$

Source no. 481
 HGBS-J033251.4+305943



Physical properties of the source



$$T = 13.7^{+1.2}_{-1.0} \text{ K}$$

$$M = (7.1^{+2.5}_{-2.0}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 22''9 \\ 13''9 \\ 2.02 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.45) \cdot 10^{-1} M_{\odot}$$

Source no. 482
 HGBS-J033256.1+311927



Physical properties of the source



$$T = 10.57^{+0.40}_{-0.38} \text{ K}$$

$$M = (3.93 \pm 0.79) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 26''/4 \\ 19''/1 \\ 2.78 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.81) \cdot 10^{-1} M_{\odot}$$

Source no. 483
 HGBS-J033300.8+312047



Physical properties of the source



$$T = 11.06^{+0.09}_{-0.08} \text{ K}$$

$$M = 1.41 \pm 0.14 M_{\odot}$$

$$R = \begin{cases} 38''/4 \\ 33''/8 \\ 4.92 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.07 M_{\odot}$$

Source no. 484
 HGBS-J033302.5+310432



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (8.3^{+3.0}_{-1.9}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 23''7 \\ 15''2 \\ 2.21 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.55) \cdot 10^{-1} M_{\odot}$$

Source no. 485
 HGBS-J033303.8+305902



Physical properties of the source



$$T = 9.81^{+0.27}_{-0.25} \text{ K}$$

$$M = (3.73 \pm 0.61) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 25''4 \\ 17''7 \\ 2.58 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.99) \cdot 10^{-1} M_{\odot}$$

Source no. 486
 HGBS-J033304.2+310458



Physical properties of the source



$$T = 6.71 \pm 0.01 \text{ K}$$

$$M = 8.83 \pm 0.10 M_{\odot}$$

$$R = \begin{cases} 33''9 \\ 28''6 \\ 4.16 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.51) \cdot 10^{-1} M_{\odot}$$

Source no. 487
 HGBS-J033305.0+310640



Physical properties of the source



$$T = 8.71^{+0.15}_{-0.13} \text{ K}$$

$$M = 1.56 \pm 0.16 M_{\odot}$$

$$R = \begin{cases} 24''/3 \\ 16''/1 \\ 2.34 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.03) \cdot 10^{-1} M_{\odot}$$

Source no. 488
 HGBS-J033306.3+311213



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (7.8^{+4.2}_{-2.3}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 24''.1 \\ 15''.8 \\ 2.30 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.73) \cdot 10^{-1} M_{\odot}$$

Source no. 489
 HGBS-J033307.0+310118



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (7.3^{+3.9}_{-2.2}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 22''.5 \\ 13''.2 \\ 1.92 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.96) \cdot 10^{-1} M_{\odot}$$

Source no. 490
 HGBS-J033308.2+310517



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = 1.07^{+0.39}_{-0.24} M_{\odot}$$

$$R = \begin{cases} 22''8 \\ 13''7 \\ 2.00 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.11) \cdot 10^{-1} M_{\odot}$$

Source no. 491
 HGBS-J033310.9+312145



Physical properties of the source



$$T = 10.75^{+0.43}_{-0.40} \text{ K}$$

$$M = (3.50 \pm 0.74) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 26''.6 \\ 19''.4 \\ 2.82 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.99) \cdot 10^{-1} M_{\odot}$$

Source no. 492
 HGBS-J033311.6+311732



Physical properties of the source



$$T = 10.52^{+0.32}_{-0.29} \text{ K}$$

$$M = (4.40 \pm 0.75) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 30''6 \\ 24''6 \\ 3.58 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.43) \cdot 10^{-1} M_{\odot}$$

Source no. 493
 HGBS-J033312.0+311340



Physical properties of the source



$$T = 12.35 \pm 0.24 \text{ K}$$

$$M = (1.45^{+0.12}_{-0.10}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 28''/4 \\ 21''/8 \\ 3.17 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.74) \cdot 10^{-1} M_{\odot}$$

Source no. 494
 HGBS-J033312.7+312122



Physical properties of the source



$$T = 28.07^{+0.38}_{-0.36} \text{ K}$$

$$M = (7.40 \pm 0.32) \cdot 10^{-3} M_{\odot}$$

$$R = \begin{cases} 19''.2 \\ 6''.12 \\ 8.89 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.93) \cdot 10^{-1} M_{\odot}$$

Source no. 495
 HGBS-J033314.3+310710



Physical properties of the source



$$T = 9.22^{+0.06}_{-0.05} \text{ K}$$

$$M = 4.39 \pm 0.24 M_{\odot}$$

$$R = \begin{cases} 23''.5 \\ 14''.9 \\ 2.16 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.94) \cdot 10^{-1} M_{\odot}$$

Source no. 496
 HGBS-J033316.4+310652



Physical properties of the source



$$T = 13.41^{+0.41}_{-0.36} \text{ K}$$

$$M = (7.5^{+1.5}_{-1.4}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 18''.9 \\ \text{; } 6''.1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (2.35) \cdot 10^{-1} M_{\odot}$$

Source no. 497
 HGBS-J033316.6+310754



Physical properties of the source



$$T = 16.7^{+1.6}_{-1.1} \text{ K}$$

$$M = (1.47^{+0.64}_{-0.54}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 18''2 \\ \text{; } 6''1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (2.93) \cdot 10^{-1} M_{\odot}$$

Source no. 498
 HGBS-J033317.5+311108



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (3.4^{+1.8}_{-1.0}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 22''.7 \\ 13''.6 \\ 1.97 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.07) \cdot 10^{-1} M_{\odot}$$

Source no. 499
 HGBS-J033317.7+310932



Physical properties of the source



$$T = 15.51 \pm 0.03 \text{ K}$$

$$M = 2.682^{+0.030}_{-0.029} M_{\odot}$$

$$R = \begin{cases} 19''.1 \\ \text{; } 6''.1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (2.72) \cdot 10^{-1} M_{\odot}$$

Source no. 500
 HGBS-J033321.3+310731



Physical properties of the source



$$T = 10.77^{+0.18}_{-0.17} \text{ K}$$

$$M = 6.07^{+0.81}_{-0.74} M_{\odot}$$

$$R = \begin{cases} 24''4 \\ 16''3 \\ 2.36 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.03) \cdot 10^{-1} M_{\odot}$$

Source no. 501
 HGBS-J033321.3+310132



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (5.7^{+3.1}_{-1.7}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 26''.5 \\ 19''.3 \\ 2.80 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.77) \cdot 10^{-1} M_{\odot}$$

Source no. 502
 HGBS-J033322.0+311732



Physical properties of the source



$$T = 14.2 \pm 1.2 \text{ K}$$

$$M = (4.4^{+2.1}_{-1.3}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 26''.3 \\ 19''.0 \\ 2.76 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.72) \cdot 10^{-1} M_{\odot}$$

Source no. 503
 HGBS-J033322.4+312245



Physical properties of the source



$$T = 12.6^{+1.1}_{-1.0} \text{ K}$$

$$M = (7.3^{+3.5}_{-2.3}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 23''6 \\ 15''0 \\ 2.19 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.42) \cdot 10^{-1} M_{\odot}$$

Source no. 504
 HGBS-J033325.3+310537



Physical properties of the source



$$T = 7.77 \pm 0.12 \text{ K}$$

$$M = 1.64 \pm 0.48 M_{\odot}$$

$$R = \begin{cases} 25''0 \\ 17''1 \\ 2.49 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.83) \cdot 10^{-1} M_{\odot}$$

Source no. 505
 HGBS-J033327.1+311639



Physical properties of the source



$$T = 12.6^{+1.0}_{-0.9} \text{ K}$$

$$M = (6.0^{+2.7}_{-1.8}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 21''4 \\ 11''3 \\ 1.64 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.07) \cdot 10^{-1} M_{\odot}$$

Source no. 506
 HGBS-J033327.3+310709



Physical properties of the source



$$T = 17.56^{+0.39}_{-0.35} \text{ K}$$

$$M = (1.08 \pm 0.11) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 25''.5 \\ 17''.9 \\ 2.60 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (9.01) \cdot 10^{-1} M_{\odot}$$

Source no. 507
 HGBS-J033327.6+305249



Physical properties of the source



$$T = 11.42 \pm 0.17 \text{ K}$$

$$M = (5.96^{+0.35}_{-0.32}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 43''.0 \\ 39''.0 \\ 5.67 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.28 M_{\odot}$$

Source no. 508
 HGBS-J033329.7+305725



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (4.1^{+2.2}_{-1.2}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 25''.8 \\ 18''.3 \\ 2.66 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.48) \cdot 10^{-1} M_{\odot}$$

Source no. 509
 HGBS-J033330.2+310427



Physical properties of the source



$$T = 9.80^{+0.57}_{-0.54} \text{ K}$$

$$M = (4.5^{+1.4}_{-1.1}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 22''/3 \\ 12''/9 \\ 1.87 \cdot 10^{-2} \text{ pc} \end{cases}$$



$$M_{\text{BE}} = (3.63) \cdot 10^{-1} M_{\odot}$$

Source no. 510
HGBS-J033330.4+311051



Physical properties of the source

Source no. 511
 HGBS-J033332.9+311533



Physical properties of the source



$$T = 11.2^{+2.6}_{-1.9} \text{ K}$$

$$M = (8^{+11}_{-5}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 33''7 \\ 28''4 \\ 4.13 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (9.12) \cdot 10^{-1} M_{\odot}$$

Source no. 512
 HGBS-J033334.0+310302



Physical properties of the source



$$T = 10.68^{+0.94}_{-0.78} \text{ K}$$

$$M = (1.31^{+0.57}_{-0.42}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 28''.4 \\ 21''.8 \\ 3.17 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.69) \cdot 10^{-1} M_{\odot}$$

Source no. 513
 HGBS-J033335.8+310939



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (5.4^{+2.9}_{-1.6}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 21''.1 \\ 10''.7 \\ 1.55 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.20) \cdot 10^{-1} M_{\odot}$$

Source no. 514
 HGBS-J033338.8+310113



Physical properties of the source



$$T = 9.94 \pm 0.05 \text{ K}$$

$$M = (6.14 \pm 0.32) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 27''.6 \\ 20''.7 \\ 3.02 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.93) \cdot 10^{-1} M_{\odot}$$

Source no. 515
 HGBS-J033341.3+311603



Physical properties of the source



$$T = 9.50^{+0.19}_{-0.18} \text{ K}$$

$$M = (7.57^{+0.67}_{-0.63}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 29''/4 \\ 23''/1 \\ 3.36 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.30) \cdot 10^{-1} M_{\odot}$$

Source no. 516
 HGBS-J033342.2+311050



Physical properties of the source



$$T = 10.04^{+0.31}_{-0.29} \text{ K}$$

$$M = (2.44^{+0.38}_{-0.33}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 25''.9 \\ 18''.4 \\ 2.68 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.32) \cdot 10^{-1} M_{\odot}$$

Source no. 517
 HGBS-J033344.3+312307



Physical properties of the source



$$T = 12.12^{+0.02}_{-0.03} \text{ K}$$

$$M = (4.89 \pm 0.30) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 34''1 \\ 28''8 \\ 4.19 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.00 M_{\odot}$$

Source no. 518
 HGBS-J033344.3+312117



Physical properties of the source



$$T = 11.97^{+0.19}_{-0.18} \text{ K}$$

$$M = (3.21 \pm 0.55) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 36''5 \\ 31''6 \\ 4.60 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.09 M_{\odot}$$

Source no. 519
 HGBS-J033345.4+311106



Physical properties of the source



$$T = 11.40^{+0.55}_{-0.52} \text{ K}$$

$$M = (1.72^{+0.36}_{-0.29}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 30''/2 \\ 24''/1 \\ 3.51 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.89) \cdot 10^{-1} M_{\odot}$$

Source no. 520
 HGBS-J033349.1+312307



Physical properties of the source



$$T = 9.76^{+0.35}_{-0.33} \text{ K}$$

$$M = (6.7^{+1.1}_{-0.9}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 26''6 \\ 19''4 \\ 2.82 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.44) \cdot 10^{-1} M_{\odot}$$

Source no. 521
 HGBS-J033353.2+310259



Physical properties of the source



$$T = 7.98 \pm 0.13 \text{ K}$$

$$M = (7.84^{+0.70}_{-0.62}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 26''.6 \\ 19''.4 \\ 2.82 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.45) \cdot 10^{-1} M_{\odot}$$

Source no. 522
 HGBS-J033356.9+312748



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (9.5^{+5.0}_{-2.8}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 28''.5 \\ 21''.9 \\ 3.19 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.57) \cdot 10^{-1} M_{\odot}$$

Source no. 523
 HGBS-J033357.1+312247



Physical properties of the source



$$T = 9.86^{+0.34}_{-0.32} \text{ K}$$

$$M = (4.77 \pm 0.79) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 36''/2 \\ 31''/3 \\ 4.55 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.86) \cdot 10^{-1} M_{\odot}$$

Source no. 524
 HGBS-J033357.1+314329



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (7.0^{+5.6}_{-2.7}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 18''.2 \\ \pm 6''.1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (1.83) \cdot 10^{-1} M_{\odot}$$

Source no. 525
 HGBS-J033357.9+311424



Physical properties of the source



$$T = 13.91^{+0.85}_{-0.83} \text{ K}$$

$$M = (8.6^{+2.2}_{-1.7}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 29''7 \\ 23''5 \\ 3.41 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (9.38) \cdot 10^{-1} M_{\odot}$$

Source no. 526
 HGBS-J033401.6+305722



Physical properties of the source



$$T = 12.55^{+0.33}_{-0.31} \text{ K}$$

$$M = (7.44^{+0.78}_{-0.72}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 24''.2 \\ 15''.9 \\ 2.32 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.75) \cdot 10^{-1} M_{\odot}$$

Source no. 527
 HGBS-J033403.2+311928



Physical properties of the source



$$T = 11.9^{+1.6}_{-1.2} \text{ K}$$

$$M = (6.5^{+3.9}_{-2.7}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 24''3 \\ 16''1 \\ 2.34 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.52) \cdot 10^{-1} M_{\odot}$$

Source no. 528
 HGBS-J033417.1+312300



Physical properties of the source



$$T = 11.82^{+0.19}_{-0.18} \text{ K}$$

$$M = 1.077 \pm 0.062 M_{\odot}$$

$$R = \begin{cases} 48''.7 \\ 45''.2 \\ 6.57 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.53 M_{\odot}$$

Source no. 529
 HGBS-J033418.5+305805



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (5.3^{+2.9}_{-1.6}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 21''.5 \\ 11''.4 \\ 1.66 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.43) \cdot 10^{-1} M_{\odot}$$

Source no. 530
 HGBS-J033419.4+311309



Physical properties of the source



$$T = 17.32^{+0.12}_{-0.74} \text{ K}$$

$$M = (4.81^{+0.77}_{-0.37}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 32''/2 \\ 26''/6 \\ 3.86 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.32 M_{\odot}$$

Source no. 531
 HGBS-J033430.0+312134



Physical properties of the source



$$T = 9.92^{+0.56}_{-0.51} \text{ K}$$

$$M = (1.43^{+0.41}_{-0.32}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 22''0 \\ 12''4 \\ 1.80 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.52) \cdot 10^{-1} M_{\odot}$$

Source no. 532
 HGBS-J033439.1+312240



Physical properties of the source



$$T = 12.61^{+0.14}_{-0.13} \text{ K}$$

$$M = (4.40 \pm 0.23) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 70''.5 \\ 68''.1 \\ 9.91 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 2.47 M_{\odot}$$

Source no. 533
 HGBS-J033443.3+312511



Physical properties of the source



$$T = 13.0^{+2.0}_{-1.5} \text{ K}$$

$$M = (6.0^{+3.6}_{-2.4}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 28''.1 \\ 21''.4 \\ 3.11 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.01) \cdot 10^{-1} M_{\odot}$$

Source no. 534
 HGBS-J033448.6+312250



Physical properties of the source



$$T = 13.5^{+2.0}_{-1.5} \text{ K}$$

$$M = (4.6^{+2.7}_{-1.9}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 30''8 \\ 24''8 \\ 3.61 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (9.63) \cdot 10^{-1} M_{\odot}$$

Source no. 535
 HGBS-J033450.6+311812



Physical properties of the source



$$T = 14.64^{+0.05}_{-0.24} \text{ K}$$

$$M = (1.03 \pm 0.11) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 50''7 \\ 47''3 \\ 6.88 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.99 M_{\odot}$$

Source no. 536
 HGBS-J033451.4+311620



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (8.3^{+4.4}_{-2.5}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 38''.9 \\ 34''.4 \\ 5.00 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.03 M_{\odot}$$

Source no. 537
 HGBS-J033459.8+305018



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (9.4^{+5.0}_{-2.8}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 25''.2 \\ 17''.4 \\ 2.54 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.22) \cdot 10^{-1} M_{\odot}$$

Source no. 538
 HGBS-J033459.9+311220



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (8.6^{+4.6}_{-2.6}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 26''.3 \\ 19''.0 \\ 2.76 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.69) \cdot 10^{-1} M_{\odot}$$

Source no. 539
 HGBS-J033502.7+311620



Physical properties of the source



$$T = 10.56^{+0.25}_{-0.23} \text{ K}$$

$$M = (3.39^{+0.36}_{-0.34}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 33''9 \\ 28''6 \\ 4.16 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.68) \cdot 10^{-1} M_{\odot}$$

Source no. 540
 HGBS-J033504.3+310953



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (1.88^{+0.68}_{-0.43}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 46''.4 \\ 42''.7 \\ 6.21 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.28 M_{\odot}$$

Source no. 541
 HGBS-J033504.8+311459



Physical properties of the source



$$T = 16.69^{+0.61}_{-0.58} \text{ K}$$

$$M = (5.83^{+0.89}_{-0.77}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 37''7 \\ 33''0 \\ 4.80 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.58 M_{\odot}$$

Source no. 542
 HGBS-J033516.8+310307



Physical properties of the source



$$T = 10.24^{+0.45}_{-0.39} \text{ K}$$

$$M = (7.4^{+1.5}_{-1.4}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 41''.7 \\ 37''.5 \\ 5.46 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.10 M_{\odot}$$

Source no. 543
 HGBS-J033523.0+310651



Physical properties of the source



$$T = 11.71 \pm 0.15 \text{ K}$$

$$M = (6.66^{+0.33}_{-0.31}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 36''.6 \\ 31''.8 \\ 4.62 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.07 M_{\odot}$$

Source no. 544
 HGBS-J033526.7+311156



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (5.3^{+2.8}_{-1.6}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 20''.4 \\ 9''.22 \\ 1.34 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (2.76) \cdot 10^{-1} M_{\odot}$$

Source no. 545
 HGBS-J033527.1+311019



Physical properties of the source



$$T = 12.00^{+0.47}_{-0.42} \text{ K}$$

$$M = (9.6^{+1.7}_{-1.5}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 30''.9 \\ 25''.0 \\ 3.63 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.61) \cdot 10^{-1} M_{\odot}$$

Source no. 546
 HGBS-J033527.5+310638



Physical properties of the source



$$T = 10.82^{+0.08}_{-0.07} \text{ K}$$

$$M = (2.41 \pm 0.15) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 24''6 \\ 16''6 \\ 2.41 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.14) \cdot 10^{-1} M_{\odot}$$

Source no. 547
 HGBS-J033528.3+311412



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (2.28^{+0.83}_{-0.52}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 52''.7 \\ 49''.5 \\ 7.19 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.48 M_{\odot}$$

Source no. 548
 HGBS-J033531.2+310726



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (4.9^{+2.6}_{-1.5}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 21''6 \\ 11''6 \\ 1.69 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.49) \cdot 10^{-1} M_{\odot}$$

Source no. 549
 HGBS-J033531.9+305513



Physical properties of the source



$$T = 11.42^{+0.24}_{-0.22} \text{ K}$$

$$M = (4.78^{+0.42}_{-0.41}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 39''/5 \\ 35''/1 \\ 5.10 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.15 M_{\odot}$$

Source no. 550
 HGBS-J033538.3+310133



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (1.67^{+0.88}_{-0.49}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 29''8 \\ 23''6 \\ 3.43 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.07) \cdot 10^{-1} M_{\odot}$$

Source no. 551
 HGBS-J033542.2+311705



Physical properties of the source



$$T = 11.54^{+0.21}_{-0.20} \text{ K}$$

$$M = (3.24^{+0.25}_{-0.24}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 27''.7 \\ 20''.9 \\ 3.04 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.92) \cdot 10^{-1} M_{\odot}$$

Source no. 552
 HGBS-J033544.8+312132



Physical properties of the source



$$T = 13.9^{+1.7}_{-1.3} \text{ K}$$

$$M = (3.5^{+1.7}_{-1.3}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 26''4 \\ 19''1 \\ 2.78 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.64) \cdot 10^{-1} M_{\odot}$$

Source no. 553
 HGBS-J033549.3+311402



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (5.9^{+3.2}_{-1.8}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 20''.4 \\ 9''.22 \\ 1.34 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (2.76) \cdot 10^{-1} M_{\odot}$$

Source no. 554
 HGBS-J033550.1+304954



Physical properties of the source



$$T = 9.5_{-1.1}^{+1.4} \text{ K}$$

$$M = (1.6_{-0.8}^{+1.4}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 22''.7 \\ 13''.6 \\ 1.97 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.71) \cdot 10^{-1} M_{\odot}$$

Source no. 555
 HGBS-J033550.8+311233



Physical properties of the source



$$T = 8.80^{+0.40}_{-0.36} \text{ K}$$

$$M = (6.2^{+1.5}_{-1.3}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 36''9 \\ 32''1 \\ 4.67 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.12) \cdot 10^{-1} M_{\odot}$$

Source no. 556
 HGBS-J033551.4+310944



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (6.1^{+3.3}_{-1.8}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 25''.3 \\ 17''.6 \\ 2.56 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.27) \cdot 10^{-1} M_{\odot}$$

Source no. 557
 HGBS-J033554.3+304500



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (3.6^{+1.9}_{-1.1}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 18''.2 \\ \pm 6''.1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (1.83) \cdot 10^{-1} M_{\odot}$$

Source no. 558
 HGBS-J033555.5+311414



Physical properties of the source



$$T = 8.97^{+0.25}_{-0.24} \text{ K}$$

$$M = 1.22 \pm 0.19 M_{\odot}$$

$$R = \begin{cases} 39''.3 \\ 34''.8 \\ 5.07 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.98) \cdot 10^{-1} M_{\odot}$$

Source no. 559
 HGBS-J033604.4+311152



Physical properties of the source



$$T = 8.29^{+0.11}_{-0.12} \text{ K}$$

$$M = 2.31 \pm 0.26 M_{\odot}$$

$$R = \begin{cases} 43''/3 \\ 39''/3 \\ 5.71 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (9.36) \cdot 10^{-1} M_{\odot}$$

Source no. 560
 HGBS-J033605.9+311804



Physical properties of the source



$$T = 16.5^{+0.1}_{-1.1} \text{ K}$$

$$M = (5.1^{+1.3}_{-0.3}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 32''9 \\ 27''4 \\ 3.99 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.30 M_{\odot}$$

Source no. 561
 HGBS-J033613.9+310859



Physical properties of the source



$$T = 13.06^{+0.06}_{-0.07} \text{ K}$$

$$M = (7.55 \pm 0.39) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 53''.5 \\ 50''.3 \\ 7.32 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.89 M_{\odot}$$

Source no. 562
 HGBS-J033619.7+310801



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (1.22^{+0.64}_{-0.36}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 21''.1 \\ 10''.7 \\ 1.55 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.20) \cdot 10^{-1} M_{\odot}$$

Source no. 563
 HGBS-J033626.3+313639



Physical properties of the source



$$T = 24.40^{+0.48}_{-0.49} \text{ K}$$

$$M = (3.65 \pm 0.21) \cdot 10^{-3} M_{\odot}$$

$$R = \begin{cases} 22''5 \\ 13''2 \\ 1.92 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (9.27) \cdot 10^{-1} M_{\odot}$$

Source no. 564
 HGBS-J033630.3+311644



Physical properties of the source



$$T = 14.34^{+0.41}_{-0.39} \text{ K}$$

$$M = (9.5^{+1.2}_{-1.1}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 29''/4 \\ 23''/1 \\ 3.36 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (9.51) \cdot 10^{-1} M_{\odot}$$

Source no. 565
 HGBS-J033631.6+313304



Physical properties of the source



$$T = 12.9^{+1.1}_{-0.8} \text{ K}$$

$$M = (7.9^{+2.7}_{-2.2}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 23''.7 \\ 15''.2 \\ 2.21 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.63) \cdot 10^{-1} M_{\odot}$$

Source no. 566
 HGBS-J033636.2+311124



Physical properties of the source



$$T = 10.0^{+1.0}_{-0.8} \text{ K}$$

$$M = (1.15^{+0.62}_{-0.42}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 18''.2 \\ i 6''.1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (1.75) \cdot 10^{-1} M_{\odot}$$

Source no. 567
 HGBS-J033638.1+311422



Physical properties of the source



$$T = 9.65^{+0.33}_{-0.31} \text{ K}$$

$$M = (6.9^{+1.1}_{-1.0}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 33''/5 \\ 28''/1 \\ 4.09 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.80) \cdot 10^{-1} M_{\odot}$$

Source no. 568
 HGBS-J033640.2+311451



Physical properties of the source



$$T = 10.42^{+0.39}_{-0.37} \text{ K}$$

$$M = (3.48^{+0.57}_{-0.49}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 22''6 \\ 13''4 \\ 1.95 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.01) \cdot 10^{-1} M_{\odot}$$

Source no. 569
 HGBS-J033643.0+310949



Physical properties of the source



$$T = 11.73^{+0.90}_{-0.74} \text{ K}$$

$$M = (9.9^{+3.5}_{-2.7}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 23''.2 \\ 14''.4 \\ 2.09 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.85) \cdot 10^{-1} M_{\odot}$$

Source no. 570
 HGBS-J033646.8+311001



Physical properties of the source



$$T = 14.47 \pm 0.38 \text{ K}$$

$$M = (1.16^{+0.12}_{-0.10}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 39''6 \\ 35''2 \\ 5.12 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.46 M_{\odot}$$

Source no. 571
 HGBS-J033656.0+310648



Physical properties of the source



$$T = 15.30^{+0.13}_{-0.25} \text{ K}$$

$$M = (1.29 \pm 0.14) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 43''9 \\ 39''9 \\ 5.81 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.76 M_{\odot}$$

Source no. 572
 HGBS-J033705.9+311805



Physical properties of the source



$$T = 11.93^{+0.85}_{-0.71} \text{ K}$$

$$M = (1.06^{+0.32}_{-0.26}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 31''_5 \\ 25''_7 \\ 3.74 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.81) \cdot 10^{-1} M_{\odot}$$

Source no. 573
 HGBS-J033706.7+311626



Physical properties of the source



$$T = 13.46^{+0.55}_{-0.53} \text{ K}$$

$$M = (1.34^{+0.25}_{-0.21}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 45''8 \\ 42''0 \\ 6.11 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.63 M_{\odot}$$

Source no. 574
 HGBS-J033710.9+311451



Physical properties of the source



$$T = 15.09^{+0.83}_{-0.78} \text{ K}$$

$$M = (2.39^{+0.60}_{-0.48}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 27''/3 \\ 20''/3 \\ 2.96 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.82) \cdot 10^{-1} M_{\odot}$$

Source no. 575
 HGBS-J033719.8+314219



Physical properties of the source



$$T = 14.17^{+0.46}_{-0.44} \text{ K}$$

$$M = (4.50^{+0.66}_{-0.58}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 29''3 \\ 23''0 \\ 3.34 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (9.35) \cdot 10^{-1} M_{\odot}$$

Source no. 576
 HGBS-J033722.3+311454



Physical properties of the source



$$T = 13.30^{+0.65}_{-0.57} \text{ K}$$

$$M = (9.5^{+1.9}_{-1.7}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 30''/8 \\ 24''/8 \\ 3.61 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (9.49) \cdot 10^{-1} M_{\odot}$$

Source no. 577
 HGBS-J033732.0+312327



Physical properties of the source



$$T = 13.55^{+0.23}_{-0.22} \text{ K}$$

$$M = (1.83 \pm 0.24) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 44''0 \\ 40''1 \\ 5.83 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.56 M_{\odot}$$

Source no. 578
 HGBS-J033738.3+313009



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (9_{-5}^{+15}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 44''1 \\ 40''2 \\ 5.84 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.20 M_{\odot}$$

Source no. 579
 HGBS-J033745.1+305445



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (3.9^{+3.2}_{-1.5}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 19''0 \\ \pm 6''1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (1.83) \cdot 10^{-1} M_{\odot}$$

Source no. 580
 HGBS-J033751.8+313512



Physical properties of the source



$$T = 11.01^{+0.39}_{-0.37} \text{ K}$$

$$M = (2.12^{+0.33}_{-0.28}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 35''/2 \\ 30''/1 \\ 4.38 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (9.53) \cdot 10^{-1} M_{\odot}$$

Source no. 581
 HGBS-J033753.8+313227



Physical properties of the source



$$T = 14.31^{+0.55}_{-0.53} \text{ K}$$

$$M = (5.6^{+1.0}_{-0.9}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 32''7 \\ 27''2 \\ 3.95 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.12 M_{\odot}$$

Source no. 582
 HGBS-J033812.0+314019



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (3.3^{+2.7}_{-1.3}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 26''.3 \\ 19''.0 \\ 2.76 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.69) \cdot 10^{-1} M_{\odot}$$

Source no. 583
 HGBS-J033815.8+312303



Physical properties of the source



$$T = 11.61^{+0.40}_{-0.38} \text{ K}$$

$$M = (1.26^{+0.19}_{-0.17}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 32''/2 \\ 26''/6 \\ 3.86 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.86) \cdot 10^{-1} M_{\odot}$$

Source no. 584
 HGBS-J033824.3+304848



Physical properties of the source



$$T = 9.05^{+0.62}_{-0.57} \text{ K}$$

$$M = (3.6^{+1.2}_{-0.9}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 30''0 \\ 23''8 \\ 3.47 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.20) \cdot 10^{-1} M_{\odot}$$

Source no. 585
 HGBS-J033831.6+312716



Physical properties of the source



$$T = 14.6^{+2.3}_{-1.6} \text{ K}$$

$$M = (3.8^{+2.0}_{-1.4}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 30''9 \\ 25''0 \\ 3.63 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.04 M_{\odot}$$

Source no. 586
 HGBS-J033849.2+312738



Physical properties of the source



$$T = 15.80^{+0.90}_{-0.82} \text{ K}$$

$$M = (3.98^{+0.83}_{-0.69}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 27''.6 \\ 20''.7 \\ 3.02 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (9.42) \cdot 10^{-1} M_{\odot}$$

Source no. 587
 HGBS-J033901.9+312706



Physical properties of the source



$$T = 13.23^{+0.85}_{-0.78} \text{ K}$$

$$M = (1.28^{+0.36}_{-0.28}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 37''/1 \\ 32''/3 \\ 4.70 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.23 M_{\odot}$$

Source no. 588
 HGBS-J033909.6+315143



Physical properties of the source



$$T = 14.4^{+1.6}_{-1.2} \text{ K}$$

$$M = (3.6^{+1.4}_{-1.1}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 29''.7 \\ 23''.5 \\ 3.41 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (9.72) \cdot 10^{-1} M_{\odot}$$

Source no. 589
 HGBS-J033912.7+312905



Physical properties of the source



$$T = 14.3^{+1.8}_{-1.4} \text{ K}$$

$$M = (6.1^{+2.9}_{-2.1}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 32''/8 \\ 27''/3 \\ 3.97 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.12 M_{\odot}$$

Source no. 590
 HGBS-J033924.3+312518



Physical properties of the source



$$T = 9.52^{+0.76}_{-0.65} \text{ K}$$

$$M = (2.5^{+1.1}_{-0.8}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 29''6 \\ 23''3 \\ 3.40 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.38) \cdot 10^{-1} M_{\odot}$$

Source no. 591
 HGBS-J033926.7+311904



Physical properties of the source



$$T = 16.01^{+0.75}_{-0.68} \text{ K}$$

$$M = (3.62^{+0.82}_{-0.70}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 25''.9 \\ 18''.4 \\ 2.68 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.48) \cdot 10^{-1} M_{\odot}$$

Source no. 592
 HGBS-J033927.2+312940



Physical properties of the source



$$T = 18.22^{+0.04}_{-0.16} \text{ K}$$

$$M = (6.24 \pm 0.96) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 32''/2 \\ 26''/6 \\ 3.86 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.39 M_{\odot}$$

Source no. 593
 HGBS-J033927.9+320602



Physical properties of the source



$$T = 10.62^{+0.41}_{-0.38} \text{ K}$$

$$M = (1.96^{+0.33}_{-0.29}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 28''.3 \\ 21''.7 \\ 3.15 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.61) \cdot 10^{-1} M_{\odot}$$

Source no. 594
 HGBS-J033931.9+313307



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (7.8_{-2.3}^{+4.2}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 23''.5 \\ 14''.9 \\ 2.16 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.45) \cdot 10^{-1} M_{\odot}$$

Source no. 595
 HGBS-J033933.7+312311



Physical properties of the source



$$T = 15.58^{+0.34}_{-0.72} \text{ K}$$

$$M = (1.33^{+0.30}_{-0.18}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 32''/4 \\ 26''/8 \\ 3.90 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.20 M_{\odot}$$

Source no. 596
 HGBS-J033938.6+313202



Physical properties of the source



$$T = 9.15^{+0.20}_{-0.19} \text{ K}$$

$$M = 1.34 \pm 0.18 M_{\odot}$$

$$R = \begin{cases} 38''/4 \\ 33''/8 \\ 4.92 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.89) \cdot 10^{-1} M_{\odot}$$

Source no. 597
 HGBS-J033940.3+313304



Physical properties of the source



$$T = 15.7^{+0.1}_{-1.0} \text{ K}$$

$$M = (1.97^{+0.63}_{-0.16}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 25''2 \\ 17''4 \\ 2.54 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.88) \cdot 10^{-1} M_{\odot}$$

Source no. 598
 HGBS-J033941.2+314324



Physical properties of the source



$$T = 12.73^{+0.56}_{-0.50} \text{ K}$$

$$M = (1.16^{+0.21}_{-0.18}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 30''/3 \\ 24''/2 \\ 3.52 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.86) \cdot 10^{-1} M_{\odot}$$

Source no. 599
 HGBS-J033941.9+313346



Physical properties of the source



$$T = 11.63^{+0.64}_{-0.57} \text{ K}$$

$$M = (6.9^{+1.7}_{-1.4}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 25''9 \\ 18''4 \\ 2.68 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.16) \cdot 10^{-1} M_{\odot}$$

Source no. 600
 HGBS-J033944.0+314134



Physical properties of the source



$$T = 9.51^{+0.72}_{-0.64} \text{ K}$$

$$M = (2.09^{+0.76}_{-0.57}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 26''.6 \\ 19''.4 \\ 2.82 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.30) \cdot 10^{-1} M_{\odot}$$

Source no. 601
 HGBS-J033945.4+313008



Physical properties of the source



$$T = 9.9^{+1.4}_{-1.1} \text{ K}$$

$$M = (1.24^{+0.94}_{-0.54}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 22''/9 \\ 13''/9 \\ 2.02 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.94) \cdot 10^{-1} M_{\odot}$$

Source no. 602
 HGBS-J033947.9+313501



Physical properties of the source



$$T = 8.61^{+0.11}_{-0.10} \text{ K}$$

$$M = 1.470^{+0.076}_{-0.078} M_{\odot}$$

$$R = \begin{cases} 29''/4 \\ 23''/1 \\ 3.36 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.71) \cdot 10^{-1} M_{\odot}$$

Source no. 603
 HGBS-J033948.3+315820



Physical properties of the source



$$T = 12.04^{+0.19}_{-0.18} \text{ K}$$

$$M = (5.28^{+0.32}_{-0.31}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 41''/3 \\ 37''/1 \\ 5.39 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.28 M_{\odot}$$

Source no. 604
 HGBS-J033949.8+313642



Physical properties of the source



$$T = 13.32^{+0.59}_{-0.55} \text{ K}$$

$$M = (5.27^{+0.87}_{-0.75}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 23''.2 \\ 14''.4 \\ 2.09 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.51) \cdot 10^{-1} M_{\odot}$$

Source no. 605
 HGBS-J033952.1+311327



Physical properties of the source



$$T = 10.6_{-1.0}^{+1.2} \text{ K}$$

$$M = (1.85_{-0.65}^{+0.95}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 30''7 \\ 24''7 \\ 3.60 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.54) \cdot 10^{-1} M_{\odot}$$

Source no. 606
 HGBS-J033957.6+312751



Physical properties of the source



$$T = 9.18^{+0.72}_{-0.64} \text{ K}$$

$$M = (2.39^{+0.90}_{-0.66}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 25''.4 \\ 17''.7 \\ 2.58 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.67) \cdot 10^{-1} M_{\odot}$$

Source no. 607
 HGBS-J033957.8+313109



Physical properties of the source



$$T = 8.89^{+0.25}_{-0.23} \text{ K}$$

$$M = (6.31 \pm 0.90) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 48''.9 \\ 45''.4 \\ 6.60 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.16 M_{\odot}$$

Source no. 608
 HGBS-J034002.7+315242



Physical properties of the source



$$T = 11.35^{+0.89}_{-0.77} \text{ K}$$

$$M = (2.03^{+0.64}_{-0.51}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 47''.6 \\ 44''.0 \\ 6.40 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.43 M_{\odot}$$

Source no. 609
 HGBS-J034003.6+320053



Physical properties of the source



$$T = 13.21^{+0.78}_{-0.67} \text{ K}$$

$$M = (6.0^{+1.5}_{-1.3}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 28''1 \\ 21''4 \\ 3.11 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.12) \cdot 10^{-1} M_{\odot}$$

Source no. 610
 HGBS-J034005.2+320225



Physical properties of the source



$$T = 8.11^{+0.16}_{-0.43} \text{ K}$$

$$M = (9.1^{+2.3}_{-1.1}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 34''/4 \\ 29''/2 \\ 4.25 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.80) \cdot 10^{-1} M_{\odot}$$

Source no. 611
 HGBS-J034008.5+320500



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (9.2^{+4.9}_{-2.7}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 25''.1 \\ 17''.3 \\ 2.51 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.18) \cdot 10^{-1} M_{\odot}$$

Source no. 612
 HGBS-J034009.0+312500



Physical properties of the source



$$T = 14.93 \pm 0.33 \text{ K}$$

$$M = (2.08 \pm 0.17) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 57''5 \\ 54''5 \\ 7.93 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 2.34 M_{\odot}$$

Source no. 613
 HGBS-J034014.1+312537



Physical properties of the source



$$T = 11.40^{+0.28}_{-0.26} \text{ K}$$

$$M = (1.50 \pm 0.14) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 27''8 \\ 21''0 \\ 3.06 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.88) \cdot 10^{-1} M_{\odot}$$

Source no. 614
 HGBS-J034014.1+313344



Physical properties of the source



$$T = 13.7^{+1.3}_{-0.5} \text{ K}$$

$$M = (2.90^{+0.30}_{-0.89}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 22''.2 \\ 12''.7 \\ 1.85 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.00) \cdot 10^{-1} M_{\odot}$$

Source no. 615
 HGBS-J034014.9+320141



Physical properties of the source



$$T = 10.30 \pm 0.21 \text{ K}$$

$$M = 1.86 \pm 0.18 M_{\odot}$$

$$R = \begin{cases} 47''.6 \\ 44''.0 \\ 6.40 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.30 M_{\odot}$$

Source no. 616
 HGBS-J034018.5+320409



Physical properties of the source



$$T = 13.46^{+0.17}_{-0.16} \text{ K}$$

$$M = (1.99 \pm 0.12) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 46''5 \\ 42''8 \\ 6.22 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.65 M_{\odot}$$

Source no. 617
 HGBS-J034020.3+313553



Physical properties of the source



$$T = 12.44^{+0.24}_{-0.23} \text{ K}$$

$$M = (2.64 \pm 0.24) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 28''5 \\ 21''9 \\ 3.19 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.84) \cdot 10^{-1} M_{\odot}$$

Source no. 618
 HGBS-J034024.0+315006



Physical properties of the source



$$T = 13.97^{+0.18}_{-0.17} \text{ K}$$

$$M = (1.39 \pm 0.19) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 34''9 \\ 29''8 \\ 4.33 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.20 M_{\odot}$$

Source no. 619
 HGBS-J034024.9+313908



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (1.03^{+0.54}_{-0.30}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 27''.8 \\ 21''.0 \\ 3.06 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.30) \cdot 10^{-1} M_{\odot}$$

Source no. 620
 HGBS-J034033.8+315148



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (8.6^{+4.6}_{-2.6}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 24''.2 \\ 15''.9 \\ 2.32 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.78) \cdot 10^{-1} M_{\odot}$$

Source no. 621
 HGBS-J034037.5+313123



Physical properties of the source



$$T = 13.33^{+0.03}_{-0.08} \text{ K}$$

$$M = (2.09 \pm 0.14) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 39''1 \\ 34''6 \\ 5.03 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.33 M_{\odot}$$

Source no. 622
 HGBS-J034040.5+315007



Physical properties of the source



$$T = 12.65^{+0.53}_{-0.49} \text{ K}$$

$$M = (9.2^{+1.6}_{-1.4}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 25''6 \\ 18''0 \\ 2.62 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.54) \cdot 10^{-1} M_{\odot}$$

Source no. 623
 HGBS-J034040.6+315621



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (5.3^{+2.8}_{-1.6}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 20''.7 \\ 9''.86 \\ 1.43 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (2.95) \cdot 10^{-1} M_{\odot}$$

Source no. 624
 HGBS-J034043.5+314439



Physical properties of the source



$$T = 10.38^{+0.21}_{-0.60} \text{ K}$$

$$M = (2.35^{+0.74}_{-0.35}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 38''7 \\ 34''2 \\ 4.97 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.02 M_{\odot}$$

Source no. 625
 HGBS-J034046.8+323154



Physical properties of the source



$$T = 32.05 \pm 0.02 \text{ K}$$

$$M = (7.334 \pm 0.029) \cdot 10^{-3} M_{\odot}$$

$$R = \begin{cases} 19''.2 \\ 6''.12 \\ 8.89 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.63) \cdot 10^{-1} M_{\odot}$$

Source no. 626
 HGBS-J034047.8+314413



Physical properties of the source



$$T = 10.75^{+0.59}_{-0.51} \text{ K}$$

$$M = (1.92^{+0.52}_{-0.43}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 24''.7 \\ 16''.7 \\ 2.43 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.16) \cdot 10^{-1} M_{\odot}$$

Source no. 627
 HGBS-J034049.5+314840



Physical properties of the source



$$T = 11.54 \pm 0.04 \text{ K}$$

$$M = 1.578 \pm 0.071 M_{\odot}$$

$$R = \begin{cases} 40''.4 \\ 36''.1 \\ 5.25 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.20 M_{\odot}$$

Source no. 628
 HGBS-J034051.3+314509



Physical properties of the source



$$T = 11.69^{+0.45}_{-0.40} \text{ K}$$

$$M = (1.75^{+0.29}_{-0.26}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 37''7 \\ 33''0 \\ 4.80 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.11 M_{\odot}$$

Source no. 629
 HGBS-J034051.5+313720



Physical properties of the source



$$T = 11.20^{+0.47}_{-0.44} \text{ K}$$

$$M = (2.76^{+0.48}_{-0.41}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 32''_0 \\ 26''_3 \\ 3.83 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.47) \cdot 10^{-1} M_{\odot}$$

Source no. 630
 HGBS-J034055.4+314157



Physical properties of the source



$$T = 15.66^{+0.08}_{-0.33} \text{ K}$$

$$M = (6.58 \pm 0.79) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 31''/8 \\ 26''/1 \\ 3.79 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.17 M_{\odot}$$

Source no. 631
 HGBS-J034056.0+310844



Physical properties of the source



$$T = 12.9^{+1.2}_{-0.9} \text{ K}$$

$$M = (6.0^{+2.3}_{-1.8}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 29''3 \\ 23''0 \\ 3.34 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.52) \cdot 10^{-1} M_{\odot}$$

Source no. 632
 HGBS-J034059.0+315125



Physical properties of the source



$$T = 14.84 \pm 0.15 \text{ K}$$

$$M = (1.31 \pm 0.13) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 41''6 \\ 37''4 \\ 5.44 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.59 M_{\odot}$$

Source no. 633
 HGBS-J034101.6+314917



Physical properties of the source



$$T = 17.7^{+0.2}_{-1.2} \text{ K}$$

$$M = (2.76^{+0.94}_{-0.33}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 36''6 \\ 31''8 \\ 4.62 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.61 M_{\odot}$$

Source no. 634
 HGBS-J034101.7+314803



Physical properties of the source



$$T = 17.8^{+1.2}_{-2.2} \text{ K}$$

$$M = (7.6^{+5.3}_{-2.3}) \cdot 10^{-3} M_{\odot}$$

$$R = \begin{cases} 18''.2 \\ \pm 6''.1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (3.12) \cdot 10^{-1} M_{\odot}$$

Source no. 635
 HGBS-J034101.8+313834



Physical properties of the source



$$T = 13.7^{+4.7}_{-2.3} \text{ K}$$

$$M = (3.2^{+3.9}_{-2.1}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 22''.1 \\ 12''.5 \\ 1.82 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.94) \cdot 10^{-1} M_{\odot}$$

Source no. 636
 HGBS-J034103.4+311728



Physical properties of the source



$$T = 24.38^{+0.29}_{-0.30} \text{ K}$$

$$M = (5.12 \pm 0.87) \cdot 10^{-3} M_{\odot}$$

$$R = \begin{cases} 27''/2 \\ 20''/2 \\ 2.94 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.42 M_{\odot}$$

Source no. 637
 HGBS-J034107.2+315748



Physical properties of the source



$$T = 15.18^{+0.03}_{-0.04} \text{ K}$$

$$M = (2.36 \pm 0.16) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 33''/6 \\ 28''/2 \\ 4.11 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.23 M_{\odot}$$

Source no. 638
 HGBS-J034108.4+314708



Physical properties of the source



$$T = 18.6^{+0.2}_{-1.5} \text{ K}$$

$$M = (2.36^{+0.86}_{-0.27}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 26''8 \\ 19''7 \\ 2.86 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.05 M_{\odot}$$

Source no. 639
 HGBS-J034109.0+314438



Physical properties of the source



$$T = 30.01 \pm 0.03 \text{ K}$$

$$M = (5.525 \pm 0.036) \cdot 10^{-3} M_{\odot}$$

$$R = \begin{cases} 18''.8 \\ \text{; } 6''.1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (5.26) \cdot 10^{-1} M_{\odot}$$

Source no. 640
 HGBS-J034113.0+314737



Physical properties of the source



$$T = 12.01^{+0.39}_{-0.36} \text{ K}$$

$$M = (1.74^{+0.24}_{-0.22}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 25''7 \\ 18''1 \\ 2.64 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.26) \cdot 10^{-1} M_{\odot}$$

Source no. 641
 HGBS-J034118.7+315304



Physical properties of the source



$$T = 8.64^{+0.67}_{-0.60} \text{ K}$$

$$M = (4.9^{+1.9}_{-1.4}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 30''7 \\ 24''7 \\ 3.60 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.14) \cdot 10^{-1} M_{\odot}$$

Source no. 642
 HGBS-J034120.4+314733



Physical properties of the source



$$T = 13.28^{+0.04}_{-0.05} \text{ K}$$

$$M = (7.98 \pm 0.23) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 40''.1 \\ 35''.7 \\ 5.20 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.36 M_{\odot}$$

Source no. 643
 HGBS-J034121.1+314346



Physical properties of the source



$$T = 11.3^{+1.0}_{-0.9} \text{ K}$$

$$M = (1.34^{+0.51}_{-0.37}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 32''8 \\ 27''3 \\ 3.97 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.88) \cdot 10^{-1} M_{\odot}$$

Source no. 644
 HGBS-J034123.3+313938



Physical properties of the source



$$T = 15.59^{+0.57}_{-0.55} \text{ K}$$

$$M = (3.76^{+0.57}_{-0.48}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 30'' \\ 23'' \\ 3.47 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.07 M_{\odot}$$

Source no. 645
 HGBS-J034123.8+315247



Physical properties of the source



$$T = 8.17^{+0.20}_{-0.19} \text{ K}$$

$$M = (8.25 \pm 0.98) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 37''2 \\ 32''4 \\ 4.72 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.61) \cdot 10^{-1} M_{\odot}$$

Source no. 646
 HGBS-J034124.9+315656



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (1.82^{+0.66}_{-0.41}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 22''0 \\ 12''4 \\ 1.80 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.70) \cdot 10^{-1} M_{\odot}$$

Source no. 647
 HGBS-J034128.7+315236



Physical properties of the source



$$T = 15.84^{+0.26}_{-0.25} \text{ K}$$

$$M = (5.19 \pm 0.56) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 27''.9 \\ 21''.1 \\ 3.08 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (9.62) \cdot 10^{-1} M_{\odot}$$

Source no. 648
 HGBS-J034130.6+314254



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (8.3^{+4.4}_{-2.5}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 29''8 \\ 23''6 \\ 3.43 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.07) \cdot 10^{-1} M_{\odot}$$

Source no. 649
 HGBS-J034132.2+315907



Physical properties of the source



$$T = 11.07^{+0.25}_{-0.24} \text{ K}$$

$$M = (3.26 \pm 0.52) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 34''/5 \\ 29''/3 \\ 4.26 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (9.32) \cdot 10^{-1} M_{\odot}$$

Source no. 650
 HGBS-J034132.2+314158



Physical properties of the source



$$T = 10.2^{+2.6}_{-1.9} \text{ K}$$

$$M = (8^{+14}_{-5}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 24''.2 \\ 15''.9 \\ 2.32 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.67) \cdot 10^{-1} M_{\odot}$$

Source no. 651
 HGBS-J034133.3+314121



Physical properties of the source



$$T = 9.66^{+0.77}_{-0.93} \text{ K}$$

$$M = (1.7^{+1.1}_{-0.6}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 25''.8 \\ 18''.3 \\ 2.66 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.07) \cdot 10^{-1} M_{\odot}$$

Source no. 652
 HGBS-J034136.7+314059



Physical properties of the source



$$T = 13.67^{+0.80}_{-0.76} \text{ K}$$

$$M = (7.7^{+2.1}_{-1.6}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 28''1 \\ 21''4 \\ 3.11 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.41) \cdot 10^{-1} M_{\odot}$$

Source no. 653
 HGBS-J034138.6+315358



Physical properties of the source



$$T = 12.70 \pm 0.18 \text{ K}$$

$$M = (1.99 \pm 0.11) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 34''8 \\ 29''7 \\ 4.31 \cdot 10^{-2} \text{ pc} \end{cases}$$



$$M_{\text{BE}} = 1.08 M_{\odot}$$

Source no. 654
HGBS-J034139.2+313611



Physical properties of the source

Source no. 655
 HGBS-J034140.6+314318



Physical properties of the source



$$T = 14.21^{+0.62}_{-0.60} \text{ K}$$

$$M = (6.1 \pm 1.6) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 26''5 \\ 19''3 \\ 2.80 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.86) \cdot 10^{-1} M_{\odot}$$

Source no. 656
 HGBS-J034140.6+315805



Physical properties of the source



$$T = 9.82^{+0.17}_{-0.15} \text{ K}$$

$$M = 1.40 \pm 0.10 M_{\odot}$$

$$R = \begin{cases} 39''.3 \\ 34''.8 \\ 5.07 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (9.83) \cdot 10^{-1} M_{\odot}$$

Source no. 657
 HGBS-J034145.8+314811



Physical properties of the source



$$T = 10.30 \pm 0.11 \text{ K}$$

$$M = 1.92 \pm 0.13 M_{\odot}$$

$$R = \begin{cases} 48''3 \\ 44''7 \\ 6.51 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.32 M_{\odot}$$

Source no. 658
 HGBS-J034146.6+315729



Physical properties of the source



$$T = 7.87 \pm 0.02 \text{ K}$$

$$M = 2.85 \pm 0.29 M_{\odot}$$

$$R = \begin{cases} 28''.5 \\ 21''.9 \\ 3.19 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.96) \cdot 10^{-1} M_{\odot}$$

Source no. 659
 HGBS-J034147.0+314348



Physical properties of the source



$$T = 9.26^{+0.27}_{-0.25} \text{ K}$$

$$M = (6.96 \pm 0.15) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 27''.9 \\ 21''.1 \\ 3.08 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.63) \cdot 10^{-1} M_{\odot}$$

Source no. 660
 HGBS-J034150.9+314200



Physical properties of the source



$$T = 10.3^{+1.6}_{-1.4} \text{ K}$$

$$M = (1.7^{+1.7}_{-0.9}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 26''6 \\ 19''4 \\ 2.82 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.74) \cdot 10^{-1} M_{\odot}$$

Source no. 661
 HGBS-J034155.6+314811



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (1.4_{-0.8}^{+2.2}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 18''.2 \\ \text{; } 6''.1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (1.83) \cdot 10^{-1} M_{\odot}$$

Source no. 662
 HGBS-J034156.2+315800



Physical properties of the source



$$T = 11.59^{+0.56}_{-0.54} \text{ K}$$

$$M = (9.1^{+2.7}_{-2.1}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 26''.7 \\ 19''.5 \\ 2.84 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.50) \cdot 10^{-1} M_{\odot}$$

Source no. 663
 HGBS-J034156.3+314308



Physical properties of the source



$$T = 7.17 \pm 0.21 \text{ K}$$

$$M = 1.72^{+0.29}_{-0.24} M_{\odot}$$

$$R = \begin{cases} 22''5 \\ 13''2 \\ 1.92 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (2.72) \cdot 10^{-1} M_{\odot}$$

Source no. 664
 HGBS-J034156.5+314843



Physical properties of the source



$$T = 14.81^{+0.04}_{-0.05} \text{ K}$$

$$M = (6.87 \pm 0.60) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 21''3 \\ 11''1 \\ 1.61 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.71) \cdot 10^{-1} M_{\odot}$$

Source no. 665
 HGBS-J034156.7+315853



Physical properties of the source



$$T = 8.89^{+0.07}_{-0.08} \text{ K}$$

$$M = 1.19 \pm 0.20 M_{\odot}$$

$$R = \begin{cases} 36''.0 \\ 31''.1 \\ 4.52 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.93) \cdot 10^{-1} M_{\odot}$$

Source no. 666
 HGBS-J034158.5+314856



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (2.9^{+4.4}_{-1.6}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 19''.6 \\ 7''.27 \\ 1.06 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (2.18) \cdot 10^{-1} M_{\odot}$$

Source no. 667
 HGBS-J034200.6+315055



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (6.2^{+3.3}_{-1.9}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 27''.6 \\ 20''.7 \\ 3.02 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.22) \cdot 10^{-1} M_{\odot}$$

Source no. 668
 HGBS-J034200.8+323001



Physical properties of the source



$$T = 8.9^{+1.2}_{-1.0} \text{ K}$$

$$M = (1.31^{+0.90}_{-0.55}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 19''.5 \\ 7''.00 \\ 1.02 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (1.79) \cdot 10^{-1} M_{\odot}$$

Source no. 669
 HGBS-J034201.0+314237



Physical properties of the source



$$T = 9.62^{+0.61}_{-0.55} \text{ K}$$

$$M = (5.3^{+1.5}_{-1.2}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 27''/2 \\ 20''/2 \\ 2.94 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.59) \cdot 10^{-1} M_{\odot}$$

Source no. 670
 HGBS-J034201.8+315904



Physical properties of the source



$$T = 10.11 \pm 0.14 \text{ K}$$

$$M = (5.54 \pm 0.47) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 31''9 \\ 26''2 \\ 3.81 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.61) \cdot 10^{-1} M_{\odot}$$

Source no. 671
 HGBS-J034202.2+314805



Physical properties of the source



$$T = 16.79^{+0.81}_{-0.69} \text{ K}$$

$$M = (2.14^{+0.51}_{-0.44}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 18''.2 \\ \pm 6''.1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (2.94) \cdot 10^{-1} M_{\odot}$$

Source no. 672
 HGBS-J034202.6+314902



Physical properties of the source



$$T = 13.09 \pm 0.18 \text{ K}$$

$$M = (1.25 \pm 0.15) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 22''4 \\ 13''1 \\ 1.90 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.91) \cdot 10^{-1} M_{\odot}$$

Source no. 673
 HGBS-J034203.2+314814



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (2.9^{+1.1}_{-0.7}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 23''/3 \\ 14''/5 \\ 2.12 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.36) \cdot 10^{-1} M_{\odot}$$

Source no. 674
 HGBS-J034205.5+314427



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (8.5^{+4.5}_{-2.5}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 31''/3 \\ 25''/5 \\ 3.70 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.63) \cdot 10^{-1} M_{\odot}$$

Source no. 675
 HGBS-J034206.5+314738



Physical properties of the source



$$T = 12.35 \pm 0.15 \text{ K}$$

$$M = 1.519 \pm 0.095 M_{\odot}$$

$$R = \begin{cases} 62''1 \\ 59''4 \\ 8.64 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 2.11 M_{\odot}$$

Source no. 676
 HGBS-J034207.4+314220



Physical properties of the source



$$T = 10.02^{+0.19}_{-0.18} \text{ K}$$

$$M = (3.01 \pm 0.29) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 27''0 \\ 19''9 \\ 2.90 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.74) \cdot 10^{-1} M_{\odot}$$

Source no. 677
 HGBS-J034210.8+314153



Physical properties of the source



$$T = 11.84^{+0.25}_{-0.24} \text{ K}$$

$$M = (1.51^{+0.14}_{-0.13}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 23''/2 \\ 14''/4 \\ 2.09 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.89) \cdot 10^{-1} M_{\odot}$$

Source no. 678
 HGBS-J034214.4+315443



Physical properties of the source



$$T = 13.93^{+0.73}_{-0.50} \text{ K}$$

$$M = (3.11^{+0.42}_{-0.65}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 24''.7 \\ 16''.7 \\ 2.43 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.68) \cdot 10^{-1} M_{\odot}$$

Source no. 679
 HGBS-J034217.6+314622



Physical properties of the source



$$T = 7.76^{+0.28}_{-0.26} \text{ K}$$

$$M = 1.20^{+0.22}_{-0.19} M_{\odot}$$

$$R = \begin{cases} 26''1 \\ 18''7 \\ 2.72 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.17) \cdot 10^{-1} M_{\odot}$$

Source no. 680
 HGBS-J034218.8+314526



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (3.4^{+1.3}_{-0.8}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 26''0 \\ 18''6 \\ 2.70 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.56) \cdot 10^{-1} M_{\odot}$$

Source no. 681
 HGBS-J034223.3+314556



Physical properties of the source



$$T = 10.08^{+0.26}_{-0.24} \text{ K}$$

$$M = (4.82^{+0.57}_{-0.53}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 28'' \\ 21'' \\ 3.09 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.16) \cdot 10^{-1} M_{\odot}$$

Source no. 682
 HGBS-J034227.6+310146



Physical properties of the source



$$T = 25.8^{+2.1}_{-2.7} \text{ K}$$

$$M = (1.31^{+0.67}_{-0.32}) \cdot 10^{-3} M_{\odot}$$

$$R = \begin{cases} 18''2 \\ \text{; } 6''1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (4.53) \cdot 10^{-1} M_{\odot}$$

Source no. 683
 HGBS-J034233.1+315613



Physical properties of the source



$$T = 9.21 \pm 0.17 \text{ K}$$

$$M = (8.31^{+0.80}_{-0.71}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 28''.3 \\ 21''.7 \\ 3.15 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.73) \cdot 10^{-1} M_{\odot}$$

Source no. 684
 HGBS-J034233.6+323846



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (5.7_{-2.2}^{+4.6}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 18''.2 \\ \pm 6''.1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (1.83) \cdot 10^{-1} M_{\odot}$$

Source no. 685
 HGBS-J034234.0+314105



Physical properties of the source



$$T = 12.9^{+1.7}_{-1.3} \text{ K}$$

$$M = (5.2^{+2.7}_{-2.0}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 27''.8 \\ 21''.0 \\ 3.06 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.79) \cdot 10^{-1} M_{\odot}$$

Source no. 686
 HGBS-J034240.9+314704



Physical properties of the source



$$T = 14.34^{+0.03}_{-0.02} \text{ K}$$

$$M = (6.31 \pm 0.46) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 72''4 \\ 70''1 \\ 1.02 \cdot 10^{-1} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 2.89 M_{\odot}$$

Source no. 687
 HGBS-J034245.4+315100



Physical properties of the source



$$T = 12.75^{+0.43}_{-0.39} \text{ K}$$

$$M = (1.06^{+0.15}_{-0.13}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 28''/2 \\ 21''/5 \\ 3.13 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.89) \cdot 10^{-1} M_{\odot}$$

Source no. 688
 HGBS-J034247.3+314019



Physical properties of the source



$$T = 12.31^{+0.48}_{-0.44} \text{ K}$$

$$M = (2.32^{+0.35}_{-0.32}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 47''7 \\ 44''1 \\ 6.41 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.56 M_{\odot}$$

Source no. 689
 HGBS-J034251.1+312216



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (5.7^{+4.6}_{-2.2}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 25''.7 \\ 18''.1 \\ 2.64 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.44) \cdot 10^{-1} M_{\odot}$$

Source no. 690
 HGBS-J034252.0+315818



Physical properties of the source



$$T = 13.26^{+0.02}_{-0.01} \text{ K}$$

$$M = 1.55 \pm 0.10 M_{\odot}$$

$$R = \begin{cases} 48''.5 \\ 45''.0 \\ 6.54 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.71 M_{\odot}$$

Source no. 691
 HGBS-J034254.9+314346



Physical properties of the source



$$T = 27.36^{+0.95}_{-0.94} \text{ K}$$

$$M = (9.4^{+1.6}_{-1.4}) \cdot 10^{-4} M_{\odot}$$

$$R = \begin{cases} 18''.2 \\ \pm 6''.1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (4.79) \cdot 10^{-1} M_{\odot}$$

Source no. 692
 HGBS-J034255.6+315844



Physical properties of the source



$$T = 39.67^{+0.79}_{-0.76} \text{ K}$$

$$M = (4.49^{+0.19}_{-0.18}) \cdot 10^{-3} M_{\odot}$$

$$R = \begin{cases} 18''.2 \\ i \ 6''.1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (6.95) \cdot 10^{-1} M_{\odot}$$

Source no. 693
 HGBS-J034257.4+315756



Physical properties of the source



$$T = 11.76^{+0.05}_{-0.04} \text{ K}$$

$$M = 3.25 \pm 0.11 M_{\odot}$$

$$R = \begin{cases} 50''8 \\ 47''4 \\ 6.90 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.60 M_{\odot}$$

Source no. 694
 HGBS-J034302.1+314129



Physical properties of the source



$$T = 12.97^{+0.08}_{-0.09} \text{ K}$$

$$M = 1.23 \pm 0.11 M_{\odot}$$

$$R = \begin{cases} 69''6 \\ 67''2 \\ 9.77 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 2.50 M_{\odot}$$

Source no. 695
 HGBS-J034309.5+315306



Physical properties of the source



$$T = 14.12 \pm 0.09 \text{ K}$$

$$M = (3.30 \pm 0.26) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 38''.0 \\ 33''.4 \\ 4.85 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.35 M_{\odot}$$

Source no. 696
 HGBS-J034313.0+315805



Physical properties of the source



$$T = 11.96^{+0.17}_{-0.16} \text{ K}$$

$$M = (6.13 \pm 0.52) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 53''5 \\ 50''3 \\ 7.32 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.73 M_{\odot}$$

Source no. 697
 HGBS-J034313.8+314455



Physical properties of the source



$$T = 17.55^{+0.06}_{-0.10} \text{ K}$$

$$M = (5.60 \pm 0.84) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 35''/3 \\ 30''/2 \\ 4.40 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.52 M_{\odot}$$

Source no. 698
 HGBS-J034319.7+323323



Physical properties of the source



$$T = 15.17 \pm 0.15 \text{ K}$$

$$M = (1.082 \pm 0.063) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 34''6 \\ 29''4 \\ 4.28 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.28 M_{\odot}$$

Source no. 699
 HGBS-J034324.2+315211



Physical properties of the source



$$T = 12.54^{+0.74}_{-0.67} \text{ K}$$

$$M = (2.13^{+0.45}_{-0.38}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 43''/8 \\ 39''/8 \\ 5.79 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.44 M_{\odot}$$

Source no. 700
 HGBS-J034326.8+325210



Physical properties of the source



$$T = 14.16^{+0.29}_{-0.27} \text{ K}$$

$$M = (8.87^{+0.72}_{-0.69}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 27''.6 \\ 20''.7 \\ 3.02 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.44) \cdot 10^{-1} M_{\odot}$$

Source no. 701
 HGBS-J034327.0+320101



Physical properties of the source



$$T = 15.73^{+0.03}_{-0.02} \text{ K}$$

$$M = (2.40 \pm 0.12) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 38''.9 \\ 34''.4 \\ 5.00 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.55 M_{\odot}$$

Source no. 702
 HGBS-J034327.8+315536



Physical properties of the source



$$T = 11.51^{+0.44}_{-0.41} \text{ K}$$

$$M = (1.67^{+0.30}_{-0.26}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 24''6 \\ 16''6 \\ 2.41 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.47) \cdot 10^{-1} M_{\odot}$$

Source no. 703
 HGBS-J034328.2+314210



Physical properties of the source



$$T = 14.36 \pm 0.15 \text{ K}$$

$$M = (4.29 \pm 0.38) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 55''.7 \\ 52''.6 \\ 7.66 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 2.17 M_{\odot}$$

Source no. 704
 HGBS-J034329.4+315218



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (1.0^{+1.6}_{-0.6}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 21''.1 \\ 10''.7 \\ 1.55 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.20) \cdot 10^{-1} M_{\odot}$$

Source no. 705
 HGBS-J034329.7+315148



Physical properties of the source



$$T = 15.40^{+0.56}_{-0.54} \text{ K}$$

$$M = (6.53^{+0.81}_{-0.71}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 36''0 \\ 31''1 \\ 4.52 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.37 M_{\odot}$$

Source no. 706
 HGBS-J034330.9+320138



Physical properties of the source



$$T = 12.34^{+0.25}_{-0.24} \text{ K}$$

$$M = (1.67 \pm 0.25) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 27''5 \\ 20''6 \\ 3.00 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.31) \cdot 10^{-1} M_{\odot}$$

Source no. 707
 HGBS-J034333.3+303958



Physical properties of the source



$$T = 17.1^{+1.3}_{-0.9} \text{ K}$$

$$M = (1.46^{+0.46}_{-0.44}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 18''.2 \\ \text{; } 6''.1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (3.00) \cdot 10^{-1} M_{\odot}$$

Source no. 708
 HGBS-J034336.0+314434



Physical properties of the source



$$T = 16.31^{+0.23}_{-0.22} \text{ K}$$

$$M = (9.80 \pm 0.10) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 44''1 \\ 40''2 \\ 5.84 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.88 M_{\odot}$$

Source no. 709
 HGBS-J034338.0+320307



Physical properties of the source



$$T = 9.48 \pm 0.06 \text{ K}$$

$$M = 2.11 \pm 0.12 M_{\odot}$$

$$R = \begin{cases} 26''7 \\ 19''5 \\ 2.84 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.32) \cdot 10^{-1} M_{\odot}$$

Source no. 710
 HGBS-J034343.8+314735



Physical properties of the source



$$T = 15.56 \pm 0.04 \text{ K}$$

$$M = (4.57 \pm 0.56) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 61''9 \\ 59''2 \\ 8.61 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 2.64 M_{\odot}$$

Source no. 711
 HGBS-J034344.4+314309



Physical properties of the source



$$T = 26.67^{+0.70}_{-0.63} \text{ K}$$

$$M = (1.33^{+0.21}_{-0.20}) \cdot 10^{-3} M_{\odot}$$

$$R = \begin{cases} 18''.2 \\ \text{; } 6''.1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (4.67) \cdot 10^{-1} M_{\odot}$$

Source no. 712
 HGBS-J034344.5+320817



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (4.5^{+3.7}_{-1.8}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 18''.2 \\ \pm 6''.1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (1.83) \cdot 10^{-1} M_{\odot}$$

Source no. 713
 HGBS-J034345.1+320358



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (6_{-3}^{+10}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 25''4 \\ 17''7 \\ 2.58 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.31) \cdot 10^{-1} M_{\odot}$$

Source no. 714
 HGBS-J034345.9+314629



Physical properties of the source



$$T = 15.42^{+0.04}_{-0.06} \text{ K}$$

$$M = (1.37 \pm 0.15) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 37''_4 \\ 32''_7 \\ 4.75 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.45 M_{\odot}$$

Source no. 715
 HGBS-J034346.3+320143



Physical properties of the source



$$T = 10.05 \pm 0.11 \text{ K}$$

$$M = 1.77 \pm 0.22 M_{\odot}$$

$$R = \begin{cases} 28''.5 \\ 21''.9 \\ 3.19 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.33) \cdot 10^{-1} M_{\odot}$$

Source no. 716
 HGBS-J034347.5+324750



Physical properties of the source



$$T = 14.15 \pm 0.07 \text{ K}$$

$$M = (3.88 \pm 0.17) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 45''.5 \\ 41''.7 \\ 6.07 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.70 M_{\odot}$$

Source no. 717
 HGBS-J034347.9+315941



Physical properties of the source



$$T = 7.75^{+0.31}_{-0.29} \text{ K}$$

$$M = 2.95^{+0.56}_{-0.48} M_{\odot}$$

$$R = \begin{cases} 32''/5 \\ 26''/9 \\ 3.92 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.99) \cdot 10^{-1} M_{\odot}$$

Source no. 718
 HGBS-J034348.1+314440



Physical properties of the source



$$T = 9.00^{+0.78}_{-0.70} \text{ K}$$

$$M = (2.5^{+1.2}_{-0.8}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 26''9 \\ 19''8 \\ 2.88 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.12) \cdot 10^{-1} M_{\odot}$$

Source no. 719
 HGBS-J034350.9+320326



Physical properties of the source



$$T = 10.27^{+0.11}_{-0.09} \text{ K}$$

$$M = 4.50^{+0.36}_{-0.39} M_{\odot}$$

$$R = \begin{cases} 29''.4 \\ 23''.1 \\ 3.36 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.81) \cdot 10^{-1} M_{\odot}$$

Source no. 720
 HGBS-J034350.9+320308



Physical properties of the source



$$T = 15.89^{+0.67}_{-0.56} \text{ K}$$

$$M = (3.50^{+0.80}_{-0.71}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 20''.7 \\ 9''.86 \\ 1.43 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.50) \cdot 10^{-1} M_{\odot}$$

Source no. 721
 HGBS-J034352.2+314612



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (8.5^{+4.6}_{-2.6}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 31''1 \\ 25''2 \\ 3.67 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.56) \cdot 10^{-1} M_{\odot}$$

Source no. 722
 HGBS-J034355.1+315532



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (5.1^{+4.1}_{-2.0}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 23''9 \\ 15''5 \\ 2.25 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.64) \cdot 10^{-1} M_{\odot}$$

Source no. 723
 HGBS-J034356.7+320050



Physical properties of the source



$$T = 13.56^{+0.05}_{-0.04} \text{ K}$$

$$M = 3.355^{+0.062}_{-0.076} M_{\odot}$$

$$R = \begin{cases} 22''6 \\ 13''4 \\ 1.95 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.22) \cdot 10^{-1} M_{\odot}$$

Source no. 724
 HGBS-J034357.0+320305



Physical properties of the source



$$T = 13.32^{+0.11}_{-0.10} \text{ K}$$

$$M = 2.80^{+0.14}_{-0.15} M_{\odot}$$

$$R = \begin{cases} 20''.8 \\ 10''.1 \\ 1.46 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.85) \cdot 10^{-1} M_{\odot}$$

Source no. 725
 HGBS-J034357.7+313111



Physical properties of the source



$$T = 15.9^{+1.5}_{-1.3} \text{ K}$$

$$M = (2.8^{+1.2}_{-0.8}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 24''/1 \\ 15''/8 \\ 2.30 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.22) \cdot 10^{-1} M_{\odot}$$

Source no. 726
 HGBS-J034357.8+320217



Physical properties of the source



$$T = 12.82^{+0.24}_{-0.38} \text{ K}$$

$$M = (4.19 \pm 0.14) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 22''9 \\ 13''9 \\ 2.02 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.12) \cdot 10^{-1} M_{\odot}$$

Source no. 727
 HGBS-J034358.2+315847



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (9.9^{+8.0}_{-3.8}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 18''.2 \\ i\ 6''.1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (1.83) \cdot 10^{-1} M_{\odot}$$

Source no. 728
 HGBS-J034359.4+320036



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (2.1^{+1.7}_{-0.8}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 24''.9 \\ 17''.0 \\ 2.47 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.09) \cdot 10^{-1} M_{\odot}$$

Source no. 729
 HGBS-J034359.9+320302



Physical properties of the source



$$T = 7.90 \pm 0.03 \text{ K}$$

$$M = 7.41 \pm 0.76 M_{\odot}$$

$$R = \begin{cases} 23''.3 \\ 14''.5 \\ 2.12 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.30) \cdot 10^{-1} M_{\odot}$$

Source no. 730
 HGBS-J034400.5+315809



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (6.9^{+2.5}_{-1.6}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 26''0 \\ 18''6 \\ 2.70 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.56) \cdot 10^{-1} M_{\odot}$$

Source no. 731
 HGBS-J034400.6+320155



Physical properties of the source



$$T = 14.48^{+0.67}_{-0.69} \text{ K}$$

$$M = 1.37^{+0.19}_{-0.16} M_{\odot}$$

$$R = \begin{cases} 22''7 \\ 13''6 \\ 1.97 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.64) \cdot 10^{-1} M_{\odot}$$

Source no. 732
 HGBS-J034400.9+315503



Physical properties of the source



$$T = 14.0^{+1.3}_{-1.1} \text{ K}$$

$$M = (7.3^{+3.3}_{-2.3}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 32''/4 \\ 26''/8 \\ 3.90 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.08 M_{\odot}$$

Source no. 733
 HGBS-J034402.4+320204



Physical properties of the source



$$T = 9.84^{+0.17}_{-0.16} \text{ K}$$

$$M = 2.45^{+0.30}_{-0.29} M_{\odot}$$

$$R = \begin{cases} 22''9 \\ 13''9 \\ 2.02 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.93) \cdot 10^{-1} M_{\odot}$$

Source no. 734
 HGBS-J034402.5+314635



Physical properties of the source



$$T = 10.73^{+0.44}_{-0.77} \text{ K}$$

$$M = (1.07^{+0.43}_{-0.22}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 27''1 \\ 20''1 \\ 2.92 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.19) \cdot 10^{-1} M_{\odot}$$

Source no. 735
 HGBS-J034402.8+320233



Physical properties of the source



$$T = 8.82 \pm 0.01 \text{ K}$$

$$M = 3.78 \pm 0.44 M_{\odot}$$

$$R = \begin{cases} 24''.9 \\ 17''.0 \\ 2.47 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.31) \cdot 10^{-1} M_{\odot}$$

Source no. 736
 HGBS-J034403.8+315532



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (7.4^{+3.9}_{-2.2}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 22''6 \\ 13''4 \\ 1.95 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.01) \cdot 10^{-1} M_{\odot}$$

Source no. 737
 HGBS-J034404.4+315851



Physical properties of the source



$$T = 10.10^{+0.20}_{-0.19} \text{ K}$$

$$M = 1.23 \pm 0.24 M_{\odot}$$

$$R = \begin{cases} 38''6 \\ 34''0 \\ 4.95 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (9.88) \cdot 10^{-1} M_{\odot}$$

Source no. 738
 HGBS-J034404.5+314728



Physical properties of the source



$$T = 11.84^{+0.56}_{-0.53} \text{ K}$$

$$M = (2.21^{+0.45}_{-0.37}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 31''/1 \\ 25''/2 \\ 3.67 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.58) \cdot 10^{-1} M_{\odot}$$

Source no. 739
 HGBS-J034405.2+320039



Physical properties of the source



$$T = 9.16 \pm 0.14 \text{ K}$$

$$M = 1.36 \pm 0.25 M_{\odot}$$

$$R = \begin{cases} 30''1 \\ 24''0 \\ 3.49 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.31) \cdot 10^{-1} M_{\odot}$$

Source no. 740
 HGBS-J034406.4+320218



Physical properties of the source



$$T = 10.27^{+0.05}_{-0.06} \text{ K}$$

$$M = 2.10 \pm 0.22 M_{\odot}$$

$$R = \begin{cases} 25''4 \\ 17''7 \\ 2.58 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.23) \cdot 10^{-1} M_{\odot}$$

Source no. 741
HGBS-J034407.6+305227



Physical properties of the source



$$T = 16.81 \pm 0.10 \text{ K}$$

$$M = (5.21 \pm 0.16) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 18''.2 \\ \text{; } 6''.1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (2.95) \cdot 10^{-1} M_{\odot}$$

Source no. 742
 HGBS-J034409.2+320238



Physical properties of the source



$$T = 12.58^{+0.70}_{-0.54} \text{ K}$$

$$M = (1.90^{+0.69}_{-0.58}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 18''2 \\ \text{; } 6''1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (2.20) \cdot 10^{-1} M_{\odot}$$

Source no. 743
 HGBS-J034409.8+314130



Physical properties of the source



$$T = 13.53^{+0.85}_{-0.80} \text{ K}$$

$$M = (7.6^{+2.3}_{-1.7}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 32''/3 \\ 26''/7 \\ 3.88 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.04 M_{\odot}$$

Source no. 744
 HGBS-J034412.9+320136



Physical properties of the source



$$T = 21.26^{+0.23}_{-0.21} \text{ K}$$

$$M = (4.56^{+0.19}_{-0.20}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 21''7 \\ 11''8 \\ 1.72 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.22) \cdot 10^{-1} M_{\odot}$$

Source no. 745
 HGBS-J034413.5+320333



Physical properties of the source



$$T = 24.5^{+1.4}_{-1.2} \text{ K}$$

$$M = (2.71^{+0.50}_{-0.47}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 33''1 \\ 27''6 \\ 4.02 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.95 M_{\odot}$$

Source no. 746
 HGBS-J034414.3+315801



Physical properties of the source



$$T = 11.68^{+0.30}_{-0.28} \text{ K}$$

$$M = (6.21 \pm 0.94) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 35''7 \\ 30''7 \\ 4.47 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.03 M_{\odot}$$

Source no. 747
 HGBS-J034415.0+320913



Physical properties of the source



$$T = 11.23^{+0.06}_{-0.07} \text{ K}$$

$$M = 1.369 \pm 0.040 M_{\odot}$$

$$R = \begin{cases} 31''.2 \\ 25''.3 \\ 3.69 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.18) \cdot 10^{-1} M_{\odot}$$

Source no. 748
 HGBS-J034418.1+320457



Physical properties of the source



$$T = 16.96 \pm 0.13 \text{ K}$$

$$M = (3.81 \pm 0.25) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 19''8 \\ 7''80 \\ 1.13 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.80) \cdot 10^{-1} M_{\odot}$$

Source no. 749
 HGBS-J034418.5+314541



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (9.9^{+3.6}_{-2.3}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 32''9 \\ 27''4 \\ 3.99 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.21) \cdot 10^{-1} M_{\odot}$$

Source no. 750
 HGBS-J034420.7+315847



Physical properties of the source



$$T = 11.66^{+0.23}_{-0.22} \text{ K}$$

$$M = (2.68 \pm 0.31) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 21''8 \\ 12''0 \\ 1.75 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.02) \cdot 10^{-1} M_{\odot}$$

Source no. 751
 HGBS-J034421.3+315932



Physical properties of the source



$$T = 10.98^{+0.15}_{-0.14} \text{ K}$$

$$M = (9.3 \pm 1.0) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 29''.4 \\ 23''.1 \\ 3.36 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.28) \cdot 10^{-1} M_{\odot}$$

Source no. 752
 HGBS-J034423.1+321001



Physical properties of the source



$$T = 14.60^{+0.16}_{-0.15} \text{ K}$$

$$M = (5.45 \pm 0.40) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 40''2 \\ 35''8 \\ 5.21 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.50 M_{\odot}$$

Source no. 753
 HGBS-J034426.0+330950



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (8.0^{+6.4}_{-3.1}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 62''.4 \\ 59''.7 \\ 8.68 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.79 M_{\odot}$$

Source no. 754
 HGBS-J034426.6+320431



Physical properties of the source



$$T = 21.97 \pm 0.38 \text{ K}$$

$$M = (1.39 \pm 0.24) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 26''3 \\ 19''0 \\ 2.76 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.20 M_{\odot}$$

Source no. 755
 HGBS-J034428.6+314122



Physical properties of the source



$$T = 8.70^{+0.26}_{-0.25} \text{ K}$$

$$M = 1.02^{+0.14}_{-0.12} M_{\odot}$$

$$R = \begin{cases} 27''.8 \\ 21''.0 \\ 3.06 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.25) \cdot 10^{-1} M_{\odot}$$

Source no. 756
 HGBS-J034433.6+321142



Physical properties of the source



$$T = 22.69^{+0.99}_{-0.93} \text{ K}$$

$$M = (2.37^{+0.30}_{-0.27}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 27''/3 \\ 20''/3 \\ 2.96 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.33 M_{\odot}$$

Source no. 757
 HGBS-J034435.5+320928



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (9.2^{+7.4}_{-3.5}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 18''.2 \\ \text{; } 6''.1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (1.83) \cdot 10^{-1} M_{\odot}$$

Source no. 758
 HGBS-J034435.7+313624



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (6.5^{+3.4}_{-1.9}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 19''.3 \\ 6''.42 \\ 9.34 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (1.92) \cdot 10^{-1} M_{\odot}$$

Source no. 759
 HGBS-J034436.2+320102



Physical properties of the source



$$T = 9.72 \pm 0.13 \text{ K}$$

$$M = 1.14 \pm 0.13 M_{\odot}$$

$$R = \begin{cases} 25''0 \\ 17''1 \\ 2.49 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.79) \cdot 10^{-1} M_{\odot}$$

Source no. 760
 HGBS-J034436.7+315850



Physical properties of the source



$$T = 8.68 \pm 0.07 \text{ K}$$

$$M = 2.38 \pm 0.19 M_{\odot}$$

$$R = \begin{cases} 20''.3 \\ 8''.99 \\ 1.31 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (2.24) \cdot 10^{-1} M_{\odot}$$

Source no. 761
 HGBS-J034436.7+321149



Physical properties of the source



$$T = 22.01 \pm 0.19 \text{ K}$$

$$M = (8.31 \pm 0.14) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 31''1 \\ 25''2 \\ 3.67 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.59 M_{\odot}$$

Source no. 762
 HGBS-J034437.4+313447



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (1.12^{+0.59}_{-0.33}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 26''.7 \\ 19''.5 \\ 2.84 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.85) \cdot 10^{-1} M_{\odot}$$

Source no. 763
 HGBS-J034439.6+314135



Physical properties of the source



$$T = 13.27 \pm 0.22 \text{ K}$$

$$M = (3.22 \pm 0.37) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 45''.4 \\ 41''.6 \\ 6.05 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.59 M_{\odot}$$

Source no. 764
 HGBS-J034439.7+315921



Physical properties of the source



$$T = 10.09^{+0.21}_{-0.20} \text{ K}$$

$$M = 1.24 \pm 0.24 M_{\odot}$$

$$R = \begin{cases} 38''.5 \\ 33''.9 \\ 4.93 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (9.83) \cdot 10^{-1} M_{\odot}$$

Source no. 765
 HGBS-J034442.0+315743



Physical properties of the source



$$T = 12.60^{+0.17}_{-0.16} \text{ K}$$

$$M = (2.84 \pm 0.27) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 27''7 \\ 20''9 \\ 3.04 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.56) \cdot 10^{-1} M_{\odot}$$

Source no. 766
 HGBS-J034443.9+320135



Physical properties of the source



$$T = 18.12 \pm 0.06 \text{ K}$$

$$M = (7.69 \pm 0.12) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 20''.9 \\ 10''.3 \\ 1.49 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.35) \cdot 10^{-1} M_{\odot}$$

Source no. 767
 HGBS-J034447.8+321933



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (4.1^{+3.3}_{-1.6}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 21''.5 \\ 11''.4 \\ 1.66 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.43) \cdot 10^{-1} M_{\odot}$$

Source no. 768
 HGBS-J034448.8+320032



Physical properties of the source



$$T = 9.76 \pm 0.03 \text{ K}$$

$$M = 1.35 \pm 0.15 M_{\odot}$$

$$R = \begin{cases} 23''8 \\ 15''3 \\ 2.23 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.30) \cdot 10^{-1} M_{\odot}$$

Source no. 769
 HGBS-J034452.6+321550



Physical properties of the source



$$T = 22.7^{+1.8}_{-1.6} \text{ K}$$

$$M = (4.47^{+0.95}_{-0.78}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 39''/3 \\ 34''/8 \\ 5.07 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 2.27 M_{\odot}$$

Source no. 770
 HGBS-J034453.7+320305



Physical properties of the source



$$T = 15.12 \pm 0.14 \text{ K}$$

$$M = (3.82 \pm 0.52) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 40''.8 \\ 36''.5 \\ 5.31 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.59 M_{\odot}$$

Source no. 771
 HGBS-J034455.7+320024



Physical properties of the source



$$T = 9.35^{+0.34}_{-0.32} \text{ K}$$

$$M = (6.9 \pm 1.3) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 26''/2 \\ 18''/8 \\ 2.74 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.06) \cdot 10^{-1} M_{\odot}$$

Source no. 772
 HGBS-J034458.3+320338



Physical properties of the source



$$T = 14.80^{+0.04}_{-0.03} \text{ K}$$

$$M = (1.553 \pm 0.077) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 24''6 \\ 16''6 \\ 2.41 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.04) \cdot 10^{-1} M_{\odot}$$

Source no. 773
 HGBS-J034500.4+320037



Physical properties of the source



$$T = 8.02^{+0.02}_{-0.14} \text{ K}$$

$$M = 1.62 \pm 0.19 M_{\odot}$$

$$R = \begin{cases} 27''.7 \\ 20''.9 \\ 3.04 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.81) \cdot 10^{-1} M_{\odot}$$

Source no. 774
 HGBS-J034509.2+315751



Physical properties of the source



$$T = 10.1^{+2.0}_{-2.1} \text{ K}$$

$$M = (9^{+18}_{-5}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 26''6 \\ 19''4 \\ 2.82 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.61) \cdot 10^{-1} M_{\odot}$$

Source no. 775
 HGBS-J034509.9+320620



Physical properties of the source



$$T = 9.65^{+0.42}_{-0.39} \text{ K}$$

$$M = (2.90^{+0.62}_{-0.52}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 28''.2 \\ 21''.5 \\ 3.13 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.97) \cdot 10^{-1} M_{\odot}$$

Source no. 776
 HGBS-J034512.5+314252



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (7.3^{+3.9}_{-2.2}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 24''.9 \\ 17''.0 \\ 2.47 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.09) \cdot 10^{-1} M_{\odot}$$

Source no. 777
 HGBS-J034513.6+321210



Physical properties of the source



$$T = 23.5_{-3.5}^{+1.4} \text{ K}$$

$$M = (1.8_{-0.5}^{+1.6}) \cdot 10^{-3} M_{\odot}$$

$$R = \begin{cases} 20''4 \\ 9''22 \\ 1.34 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.22) \cdot 10^{-1} M_{\odot}$$

Source no. 778
 HGBS-J034514.5+320114



Physical properties of the source



$$T = 18.4^{+1.3}_{-1.4} \text{ K}$$

$$M = (2.16^{+0.67}_{-0.52}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 25''0 \\ 17''1 \\ 2.49 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (9.07) \cdot 10^{-1} M_{\odot}$$

Source no. 779
 HGBS-J034516.3+320620



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (2.9^{+4.4}_{-1.6}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 18''.2 \\ \pm 6''.1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (1.83) \cdot 10^{-1} M_{\odot}$$

Source no. 780
 HGBS-J034516.4+320448



Physical properties of the source



$$T = 10.99^{+0.09}_{-0.08} \text{ K}$$

$$M = 1.291 \pm 0.045 M_{\odot}$$

$$R = \begin{cases} 30''6 \\ 24''6 \\ 3.58 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.77) \cdot 10^{-1} M_{\odot}$$

Source no. 781
 HGBS-J034517.8+320552



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (3.9^{+1.4}_{-0.9}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 18''.7 \\ \pm 6''.1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (1.83) \cdot 10^{-1} M_{\odot}$$

Source no. 782
 HGBS-J034518.2+315910



Physical properties of the source



$$T = 11.68^{+0.77}_{-0.68} \text{ K}$$

$$M = (1.52^{+0.41}_{-0.33}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 41''/3 \\ 37''/1 \\ 5.39 \cdot 10^{-2} \text{ pc} \end{cases}$$



$$M_{\text{BE}} = 1.24 M_{\odot}$$

Source no. 783
HGBS-J034520.3+320634



Physical properties of the source

Source no. 784
 HGBS-J034520.6+320517



Physical properties of the source



$$T = 12.75^{+0.05}_{-0.04} \text{ K}$$

$$M = 1.192 \pm 0.056 M_{\odot}$$

$$R = \begin{cases} 49''0 \\ 45''5 \\ 6.62 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.67 M_{\odot}$$

Source no. 785
 HGBS-J034533.6+320358



Physical properties of the source



$$T = 11.51^{+0.41}_{-0.38} \text{ K}$$

$$M = (1.40^{+0.23}_{-0.20}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 34''5 \\ 29''3 \\ 4.26 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (9.69) \cdot 10^{-1} M_{\odot}$$

Source no. 786
 HGBS-J034548.2+322411



Physical properties of the source

$$T = 31.11 \pm 0.01 \text{ K}$$



$$M = (1.6867 \pm 0.0039) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 20''.1 \\ 8''.53 \\ 1.24 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.62) \cdot 10^{-1} M_{\odot}$$

Source no. 787

HGBS-J034632.2+313444



Physical properties of the source



$T = 10.4 \pm 1.0$ K (median value)

$M = (1.9^{+2.9}_{-1.0}) \cdot 10^{-1} M_{\odot}$

$R = \begin{cases} 18''.2 \\ \pm 6''.1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$

$M_{\text{BE}} < (1.83) \cdot 10^{-1} M_{\odot}$

Source no. 788
 HGBS-J034639.6+324312



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (6.1^{+3.3}_{-1.8}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 22''.5 \\ 13''.2 \\ 1.92 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.96) \cdot 10^{-1} M_{\odot}$$

Source no. 789
 HGBS-J034640.7+324404



Physical properties of the source



$$T = 12.38^{+0.48}_{-0.44} \text{ K}$$

$$M = (6.2^{+1.0}_{-0.9}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 26''.8 \\ 19''.7 \\ 2.86 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.00) \cdot 10^{-1} M_{\odot}$$

Source no. 790
 HGBS-J034645.0+324512



Physical properties of the source



$$T = 11.24 \pm 0.24 \text{ K}$$

$$M = (3.41 \pm 0.31) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 40''/2 \\ 35''/8 \\ 5.21 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.16 M_{\odot}$$

Source no. 791
 HGBS-J034645.6+324330



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (9.2^{+4.9}_{-2.8}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 25''.5 \\ 17''.9 \\ 2.60 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.35) \cdot 10^{-1} M_{\odot}$$

Source no. 792
 HGBS-J034650.2+324452



Physical properties of the source



$$T = 9.21^{+0.82}_{-0.73} \text{ K}$$

$$M = (2.3^{+1.1}_{-0.7}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 27''/2 \\ 20''/2 \\ 2.94 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.35) \cdot 10^{-1} M_{\odot}$$

Source no. 793
 HGBS-J034705.4+324308



Physical properties of the source



$$T = 10.38^{+0.02}_{-0.01} \text{ K}$$

$$M = (9.79 \pm 0.25) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 30''6 \\ 24''6 \\ 3.58 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.34) \cdot 10^{-1} M_{\odot}$$

Source no. 794
 HGBS-J034711.8+330627



Physical properties of the source



$$T = 12.45^{+0.48}_{-0.60} \text{ K}$$

$$M = (3.98^{+0.83}_{-0.61}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 63''.7 \\ 61''.0 \\ 8.88 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 2.18 M_{\odot}$$

Source no. 795
 HGBS-J034718.6+324542



Physical properties of the source



$$T = 7.96 \pm 0.16 \text{ K}$$

$$M = 2.19^{+0.19}_{-0.17} M_{\odot}$$

$$R = \begin{cases} 37''.7 \\ 33''.0 \\ 4.80 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.55) \cdot 10^{-1} M_{\odot}$$

Source no. 796
 HGBS-J034718.9+325125



Physical properties of the source



$$T = 10.33^{+0.63}_{-0.57} \text{ K}$$

$$M = (2.64^{+0.80}_{-0.62}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 27''.8 \\ 21''.0 \\ 3.06 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (6.24) \cdot 10^{-1} M_{\odot}$$

Source no. 797
 HGBS-J034727.6+325837



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (2.04^{+0.74}_{-0.46}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 21''.8 \\ 12''.0 \\ 1.75 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.60) \cdot 10^{-1} M_{\odot}$$

Source no. 798
 HGBS-J034729.2+325917



Physical properties of the source



$$T = 7.88^{+0.35}_{-0.33} \text{ K}$$

$$M = (5.3^{+1.2}_{-1.0}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 23''9 \\ 15''5 \\ 2.25 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (3.51) \cdot 10^{-1} M_{\odot}$$

Source no. 799
 HGBS-J034731.3+325057



Physical properties of the source



$$T = 10.22 \pm 0.16 \text{ K}$$

$$M = (9.31 \pm 0.16) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 36''/1 \\ 31''/2 \\ 4.53 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (9.15) \cdot 10^{-1} M_{\odot}$$

Source no. 800
 HGBS-J034738.9+325217



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = 1.54^{+0.56}_{-0.35} M_{\odot}$$

$$R = \begin{cases} 22''9 \\ 13''9 \\ 2.02 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.16) \cdot 10^{-1} M_{\odot}$$

Source no. 801
 HGBS-J034741.2+325503



Physical properties of the source



$$T = 8.02^{+0.30}_{-0.42} \text{ K}$$

$$M = 1.69 \pm 0.49 M_{\odot}$$

$$R = \begin{cases} 38''0 \\ 33''4 \\ 4.85 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.69) \cdot 10^{-1} M_{\odot}$$

Source no. 802
 HGBS-J034741.5+325143



Physical properties of the source



$$T = 17.74 \pm 0.05 \text{ K}$$

$$M = (3.362^{+0.048}_{-0.047}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 27''.9 \\ 21''.1 \\ 3.08 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.08 M_{\odot}$$

Source no. 803
 HGBS-J034747.0+330403



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (5.4^{+4.4}_{-2.1}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 19''.6 \\ 7''.27 \\ 1.06 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (2.18) \cdot 10^{-1} M_{\odot}$$

Source no. 804
 HGBS-J034751.1+325058



Physical properties of the source



$$T = 14.4^{+0.6}_{-1.6} \text{ K}$$

$$M = (4.7^{+2.7}_{-0.9}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 35''1 \\ 30''0 \\ 4.37 \cdot 10^{-2} \text{ pc} \end{cases}$$



$$M_{\text{BE}} = 1.24 M_{\odot}$$

Source no. 805
HGBS-J034754.5+331507



Physical properties of the source

Source no. 806
 HGBS-J034754.9+325539



Physical properties of the source



$$T = 9.00^{+0.38}_{-0.36} \text{ K}$$

$$M = (5.7^{+1.4}_{-1.1}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 32''/8 \\ 27''/3 \\ 3.97 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (7.06) \cdot 10^{-1} M_{\odot}$$

Source no. 807
 HGBS-J034758.5+324841



Physical properties of the source



$$T = 14.7^{+0.1}_{-1.1} \text{ K}$$

$$M = (5.1^{+1.8}_{-0.5}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 37/8 \\ 33/1 \\ 4.82 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.40 M_{\odot}$$

Source no. 808
 HGBS-J034813.4+325601



Physical properties of the source



$$T = 11.66^{+0.60}_{-0.53} \text{ K}$$

$$M = (2.57^{+0.56}_{-0.48}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 33''/1 \\ 27''/6 \\ 4.02 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (9.26) \cdot 10^{-1} M_{\odot}$$

Source no. 809
 HGBS-J034815.2+325024



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (1.13^{+0.41}_{-0.25}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 33''3 \\ 27''9 \\ 4.06 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (8.36) \cdot 10^{-1} M_{\odot}$$

Source no. 810
 HGBS-J034818.2+325650



Physical properties of the source



$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (2.19^{+0.79}_{-0.50}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 25''.6 \\ 18''.0 \\ 2.62 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (5.39) \cdot 10^{-1} M_{\odot}$$

Source no. 811
 HGBS-J034823.2+325713



Physical properties of the source



$$T = 11.09^{+0.56}_{-0.50} \text{ K}$$

$$M = (1.05^{+0.27}_{-0.22}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 23''.4 \\ 14''.7 \\ 2.14 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = (4.69) \cdot 10^{-1} M_{\odot}$$

Source no. 812
 HGBS-J034825.3+325054



Physical properties of the source



$$T = 14.1_{-1.1}^{+1.4} \text{ K}$$

$$M = (6.8_{-2.1}^{+2.7}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 37''/1 \\ 32''/3 \\ 4.70 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.31 M_{\odot}$$

Source no. 813
 HGBS-J034827.3+325453



Physical properties of the source




$$T = 9.94^{+0.23}_{-0.21} \text{ K}$$

$$M = (7.62^{+0.67}_{-0.65}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 36''8 \\ 32''0 \\ 4.65 \cdot 10^{-2} \text{ pc} \end{cases}$$



$$M_{\text{BE}} = (9.13) \cdot 10^{-1} M_{\odot}$$

Source no. 814
HGBS-J034832.2+321644



Physical properties of the source

Source no. 815
 HGBS-J034845.3+325430



Physical properties of the source




$$T = 17.3^{+2.3}_{-1.7} \text{ K}$$

$$M = (3.5^{+1.5}_{-1.1}) \cdot 10^{-2} M_{\odot}$$

$$R = \begin{cases} 43''6 \\ 39''6 \\ 5.76 \cdot 10^{-2} \text{ pc} \end{cases}$$

$$M_{\text{BE}} = 1.97 M_{\odot}$$

Source no. 816
 HGBS-J035034.9+330400



Physical properties of the source

$$T = 10.4 \pm 1.0 \text{ K (median value)}$$

$$M = (2.4^{+3.7}_{-1.3}) \cdot 10^{-1} M_{\odot}$$

$$R = \begin{cases} 18''.2 \\ \pm 6''.1 \\ < 8.87 \cdot 10^{-3} \text{ pc} \end{cases}$$

$$M_{\text{BE}} < (1.83) \cdot 10^{-1} M_{\odot}$$